

Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.

62,39
1 - 9 - 3 - 6

LIBRARY
RECEIVED


★ APR 14 1936 ★

U. S. Department of Agriculture



CAROLINA MOUNTAIN FLOWERS
HARDY NATIVE AMERICAN PLANTS

Rhododendrons
Azaleas
Specimen Conifers
Rare Plants



HARLAN P. KELSEY, Inc.
Kelsey-Highlands Nursery
EAST BOXFORD • MASSACHUSETTS

HARDY NEW ENGLAND GROWN



SWEET AZALEA (*Azalea arborescens*)

Spicy fragrance, absolute hardiness, rich green foliage turning brilliant red in autumn give this choice native late flowering Azalea unusual garden merit. See pages 23 and 63.

ROSE DAPHNE (*Daphne cneorum*)

One of the choicest of all dwarf evergreens. In May the fragrant pink flowers come in greatest profusion. Splendid for rock garden or border. See page 17.




CONTENTS

	Page
Coniferous Evergreens	5
Broadleaf Evergreens	15
Deciduous Trees and Shrubs	21
Vines, Creepers and Climbers	47
Herbaceous Perennials	49
Hardy Native Collected Shrubs and Low Groundcovers.....	60
Hardy Native Collected Rhododendrons, Azaleas, etc.	63
Kelsey's Special Lawn Grass Mixtures	65
Lists of Plants for Special Environments	66
Complete Horticultural and Landscape Service	70
Instructions for Placing Orders.....	71
Index	72



West from Office—KELSEY-HIGHLANDS NURSERY



VISITORS ALWAYS WELCOME

You will find at **Kelsey-Highlands Nursery** a unique establishment where research and production go hand in hand. From early Spring until late Fall you will find new interest in flower and foliage thru our increasingly varied list of plant material. East Boxford is readily reached by good automobile roads from any part of New England. It is 28 miles from Boston and 13 miles from Salem. Other distances are Worcester, 60 miles; Lowell, 20 miles; Lawrence, 11 miles; Haverhill, 9 miles; Ipswich, 9 miles; Newburyport, 12 miles; Manchester, New Hampshire, 37 miles; Concord, New Hampshire, 55 miles; Portsmouth, New Hampshire, 32 miles and Portland, Maine, 82 Miles.

CONIFEROUS EVERGREENS

The charm of conifers is in their variety of form, their dependability in giving beauty of color every month in the year and in their feeling of strength and ruggedness. In Winter harsh and bleak landscapes are enlivened and given a feeling of warmth by their dark beauty and gentle lines and in Summer they impart a sense of coolness. For formal or informal hedges, screens or windbreaks they are invaluable.

Care must be used in the choice, location and spacing of evergreens, for many, like most of the Hemlocks and the Firs will reach an eventual height of thirty to one hundred feet, while the Yews, some of the Arborvitae and many of the Junipers are dwarf or spreading in habit.

More plantings are spoiled through crowding than through planting too sparsely—so allow plenty of room for future growth.

We are glad to give expert advice to customers as to best varieties and proper treatment for each need and use.

NOTE: Figures after the names are approximate heights reached by the trees and shrubs under favorable conditions, first under cultivation, and then in their native habitat.

ABIES, FIR	Each	10	100
arizonica, CORK FIR. 40-100 ft. Thick corky bark, creamy white, leaves almost white underneath. A stately tree.			
6-9 in.50	4.50	40.00
9-12 in.75	6.75	60.00
concolor, WHITE FIR. 60-120 ft. Blue or green leaves, pyramidal growth. One of the best conifers for planting in the east.			
18-24 in.	2.00	18.00	162.00
2-3 ft.	3.00	27.00	243.00
3-4 ft.	5.00	45.00	405.00
4-5 ft.	7.00	63.00	567.00
5-6 ft.	10.00	90.00	810.00
6-8 ft.	14.00	126.00	1134.00
8-10 ft.	20.00		
fraseri, FRASER FIR. 35-60 ft. Superior to Northern Balsam Fir, holding its lower limbs. Dark green fragrant foliage.			
12-18 in.75	6.75	60.00
18-24 in.	1.50	13.50	121.00
2-2½ ft.	2.00	18.00	162.00
2½-3 ft.	3.00	27.00	243.00
3-4 ft.	4.00	36.00	324.00
4-5 ft.	6.00	54.00	486.00
5-6 ft.	9.00	81.00	729.00
homolepis, NIKKO FIR. 60-80 ft. A grand species from Japan, broadly pyramidal with dark lustrous leaves, and handsome purple cones.			
12-18 in.75	6.75	60.00
18-24 in.	1.50	13.50	121.00
2-2½ ft.	2.00	18.00	162.00
2½-3 ft.	4.00	36.00	
veitchi, VEITCH FIR. 60-80 ft. A particularly handsome Fir, broad pyramidal habit. Very hardy. Cones bluish-purple.			
18-24 in.	1.50	13.50	121.00
2½-3 ft.	3.00	27.00	243.00
3-4 ft.	5.00	45.00	
4-5 ft.	8.00	72.00	
5-6 ft.	10.00	90.00	
6-8 ft.	15.00	135.00	

Kelsey-Highlands Nursery

CHAMAECYPARIS, CYPRESS and RETINOSPORA.	Each	10	100
obtusata, HINOKI CYPRESS. 30-120 ft. Dark green lustrous foliage. A fine ornamental of slow growth and dense habit.			
18-24 in.	1.00	9.00	81.00
2-3 ft.	2.50	22.50	202.00
3-4 ft.	4.00	36.00	324.00
4-5 ft.	6.00	54.00	486.00
5-6 ft.	10.00	90.00	
pisifera, SAWARA RETINOSPORA. 40-100 ft. One of the best and hardiest of the Retinosporas, narrow-pyramidal. Horizontal branches.			
4-5 ft.	5.00	45.00	
5-6 ft.	7.50	67.50	
6-7 ft.	10.00	90.00	
pisifera filifera, THREAD RETINOSPORA. A decorative form, the slender branches thread-like and pendulous.			
2½-3 ft.	2.50	22.50	
3½-4 ft.	3.50	31.50	
pisifera plumosa, PLUME RETINOSPORA. 12-20 ft. Bright green feathery foliage, whitened on under surface.			
18-24 in.	1.00	9.00	81.00
2-3 ft.	2.50	22.50	202.00
3-4 ft.	4.00	36.00	324.00
4-5 ft.	5.00	45.00	405.00
5-6 ft.	7.50	67.50	607.00
pisifera squarrosa, MOSS RETINOSPORA. 15-30 ft. Feathery branchlets, silvery foliage. A distinct and beautiful variety.			
5-6 ft.	8.00	72.00	
JUNIPERUS, JUNIPER, REDCEDAR and SAVIN.			
chinensis pfitzeriana, PFITZER JUNIPER. 3-8 ft. Horizontally spreading branches—grayish-green. Fine low form. May eventually reach 12-15 ft. spread.			
12-18 in.	1.25	11.25	101.00
18-24 in.	1.75	15.75	141.00
2-2½ ft.	2.50	22.50	
2½-3 ft.	3.25	29.25	
chinensis pyramidalis, COLUMN CHINESE JUNIPER. Compact narrow pyramidal form, bluish-green needle-like foliage.			
2-3 ft.	2.00	18.00	162.00
chinensis sargentii, SARGENT JUNIPER. 6 in. to 1 ft. Forms dense prostrate mats of bright green foliage. One of the best ground-covers.			
12-18 in.	2.50	22.50	202.00
chinensis viridis. Form with brightest green foliage.			
18-24 in.	1.50	13.50	121.00
communis dayi, DAYS JUNIPER. 18 ft. New columnar form.			
18-24 in.	1.50	13.50	
2-3 ft.	2.00	18.00	
communis depressa, PROSTRATE JUNIPER. 1-4 ft. Very hardy and thrives in light or heavy soils. Unexcelled for gravelly roadside banks forming broad patches with soft silvery foliage.			
12-18 in.75	6.75	60.00
18-24 in.	1.25	11.25	101.00
2-2½ ft.	1.75	15.75	141.00
2½-3 ft.	2.25	20.25	182.00
3-4 ft.	3.00	27.00	243.00
4-5 ft.	5.00	45.00	405.00
communis montana, MOUNTAIN JUNIPER. A prostrate spreading form fine for rockeries.			
6-9 in.60	5.40	
12-18 in.	1.00	9.00	
18-24 in.	1.50	13.50	
communis suecica, SWEDISH JUNIPER. 10-30 ft. A narrow columnar form, bluish shining foliage.			
18-24 in.	1.00	9.00	81.00
2-2½ ft.	1.50	13.50	121.00
2½-3 ft.	2.00	18.00	162.00
excelsa stricta, SPINY GREEK JUNIPER. 6 ft. Columnar form with grayish foliage.			
12-15 in.	1.25	11.25	101.00
horizontalis plumosa, ANDORRA JUNIPER. Introduced by Andorra Nurseries. Depressed shrub, horizontally spreading branches. In autumn the dense foliage turns a rich bronze-purple.			
12-18 in.	1.50	13.50	121.00

East Boxford, Massachusetts

JUNIPERUS, Continued.

	Each	10	100
monosperma, CHERRYSTONE JUNIPER. 20-50 ft. A rare Rocky Mountain species well worth trying.			
12-18 in.	2.50	22.50	
sabina, SAVIN. 3-15 ft. A green foliaged spreading type, suitable for limestone soils.			
12-18 in.	1.00	9.00	81.00
sabina tamariscifolia, TAMARIX SAVIN. Quite prostrate with bright green plummy foliage.			
12-18 in.	2.00	18.00	162.00
squamata meyeri, MEYER JUNIPER. Upright handsome shrub with dense bluish-white foliage			
12-18 in.	1.75	15.75	
virginiana, REDCEDAR. 30-100 ft. Hardy columnar New England type, invaluable for use in American landscapes. We select the best types and frequently transplant.			
2-3 ft.	1.50	13.50	121.00
3-4 ft.	2.50	22.50	202.00
4-5 ft.	3.50	31.50	283.00
5-6 ft.	4.50	40.50	364.00
6-7 ft.	6.00	54.00	486.00
Specimen trees from 8 to 30 ft. from \$10.00 to \$100.00 each.			
virginiana glauca, SILVER REDCEDAR. 20-40 ft. Steel-blue foliage. A valuable form to add variety to a mass planting.			
5-6 ft.	8.00	72.00	
virginiana keteleeri. Intense green foliage, symmetrical growth. A fine contrast to the silver form.			
2-3 ft.	3.00	27.00	
3-4 ft.	4.50	40.00	
4-5 ft.	6.00		

PICEA, SPRUCE

asperata. 60-100 ft. Rare; most vigorous of the Chinese Spruces. Broadly pyramidal and dense growing. Exquisite chestnut-brown cones. One of the finest of recent introductions. (See illustration on page 10.)			
12-18 in.	2.00	18.00	162.00
18-24 in.	3.00	27.00	243.00
4-5 ft. Specimens	22.50		
5-9 ft. Specimens	35.00 to 100.00		
balfouriana, BALFOUR SPRUCE. 40-120 ft. West Chinese species introduced by Wilson. Beautiful violet-purple cones.			
9-12 in.	1.50	13.50	
canadensis (alba; glauca), WHITE SPRUCE. 60-120 ft. This native Spruce is one of our finest conifers. Bluish-green foliage and dense pyramidal habit. Particularly suitable for shore planting as it seems to enjoy salty moisture. Fine for hedges.			
12-18 in.50	4.50	40.00
18-24 in.75	6.75	60.00
2-2½ ft.	1.00	9.00	81.00
2½-3 ft.	1.50	13.50	121.00
3-4 ft.	2.50	22.50	202.00
4-5 ft.	3.50	31.50	283.00
5-6 ft.	4.75	42.75	384.00
6-8 ft.	6.00	54.00	486.00
canadensis albertiana, BLACK HILLS SPRUCE. 50-160 ft. Dark green foliage. This is the Montana-Dakota form and seems to withstand drier conditions better than the White Spruce.			
12-18 in.50	4.50	40.00
18-24 in.	1.00	9.00	81.00
2-3 ft.	1.50	13.50	121.00
3-4 ft.	2.50	22.50	
DWARF ALBERTA SPRUCE. (P. glauca conica). 4-6 ft. Very dwarf and slow-growing, cone-shaped, suitable for rock gardens.			
9-12 in.	1.50	13.50	121.00
12-15 in.	2.00	18.00	162.00
15-18 in.	2.50	22.50	202.00
engelmanni, ENGELMANN SPRUCE. 60-150 ft. Leaves bluish-green to steel-blue. This is one of the choicest Rocky Mountain conifers. Dense pyramidal habit.			
2-2½ ft.	2.00	18.00	162.00
2½-3 ft.	3.00	27.00	243.00
3-4 ft.	5.00	45.00	405.00
4-5 ft.	8.00	72.00	
5-6 ft.	10.00	90.00	

Kelsey-Highlands Nursery

PICEA, Continued.

	Each	10	100
excelsa, NORWAY SPRUCE. 40-150 ft. Spreading branches—rapid growth. One of the best known and universally planted Spruces.			
18-24 in.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.50	13.50	121.00
4-5 ft.	3.00	27.00	243.00
5-6 ft.	4.00	36.00	324.00
6-8 ft.	6.00	54.00	486.00
excelsa conica, ARROWHEAD NORWAY SPRUCE. A dense, upright conical form.			
9-12 in.	2.25	20.00	
glehni, SAGHALIN SPRUCE. 40-120 ft. Interesting oriental tree, narrow pyramidal habit. Bright violet cones.			
12-18 in.	2.00		
jezoensis, YEDDO SPRUCE. 50-160 ft. A unique and conspicuous conifer, very beautiful with leaves dark green underneath and with white bands above.			
9-12 in.	1.50	13.50	121.00
12-18 in.	2.00	18.00	162.00
jezoensis hondoensis, HONDO SPRUCE. 40-100 ft. Very attractive variety of above with dull bluish-green foliage.			
12-18 in.	3.00	27.00	243.00
koyamai, KOYAMAI SPRUCE. 40-60 ft. A fine recent introduction, native of Korea and Japan. Narrow pyramidal growth. Cones green changing to a pale brown.			
12-18 in.	1.00	9.00	81.00
18-24 in.	1.50	13.50	121.00
2-3 ft.	2.25	20.25	182.00
3-4 ft.	3.75	33.75	303.00
4-5 ft.	6.00	54.00	486.00
5-6 ft.	8.00	72.00	648.00
6-8 ft.	12.00	108.00	972.00
omorika, SERBIAN SPRUCE. 50-60 ft. Considered by E. H. Wilson the finest species for northern latitudes. Narrow pyramidal head, with very conspicuous foliage with broad white bands above and lustrous dark green underneath.			
9-12 in.75	6.75	60.00
12-18 in.	1.00	9.00	81.00
18-24 in.	2.00	18.00	162.00
2-3 ft.	3.00	27.00	243.00
3-4 ft.	5.00	45.00	
orientalis, ORIENTAL SPRUCE. 60-150 ft. A graceful conifer of slow growth with dense dark green leaves. Very ornamental.			
9-12 in.	2.00	18.00	
pungens, GREEN COLORADO SPRUCE. 80-100 ft. A favorite Spruce for lawns, very hardy and excellent for shore planting. Stands drought well.			
12-18 in.75	6.75	60.00
18-24 in.	1.25	11.25	101.00
2-2½ ft.	1.75	15.75	141.00
2½-3 ft.	2.50	22.50	202.00
3-4 ft.	3.50	31.50	283.00
4-5 ft.	5.00	45.00	405.00
5-6 ft.	7.00	63.00	567.00
6-8 ft.	10.00	90.00	810.00
8-10 ft.	15.00	135.00	1215.00
pungens glauca, BLUE COLORADO SPRUCE. 80-100 ft. A distinct form with remarkable bluish-white foliage.			
12-18 in.	1.75	15.75	141.00
18-24 in.	2.50	22.50	202.00
2-2½ ft.	3.00	27.00	243.00
2½-3 ft.	4.00	36.00	324.00
3-4 ft.	5.50	49.50	445.00
4-5 ft.	7.50	67.50	607.00
5-6 ft.	9.00	81.00	729.00
6-7 ft.	12.00	108.00	
7-8 ft.	18.00	162.00	
pungens kosteri, KOSTER BLUE SPRUCE. 40-160 ft. Brilliant bluish leaves on pendulous branches. All of our specimens are perfect in form and lift with a large ball.			
Specimens 12-14 ft.	60.00		
" 14-16 ft.	90.00		
" 16-18 ft.	120.00		
" 18-20 ft.	150.00		
" 20-26 ft.	200.00 to 300.00		

East Roxford, Massachusetts

PICEA, Continued.		Each	10	100
purpurea. 30-70 ft. Another interesting Wilson introduction from West China. A fine species with conspicuous purple cones.				
12-18 in.		1.25		
2-3 ft.		3.00		
3-4 ft.		5.00		
wilsoni, WILSON SPRUCE. 40-80 ft. A handsome central China species named after the introducer, E. H. Wilson.				
9-12 in.		1.00	9.00	
12-18 in.		1.25	11.25	
PINUS, PINE				
cembra, SWISS STONE PINE. 20-80 ft. A very handsome hardy pine, with dense narrow pyramidal growth. White Pine group.				
12-18 in.		2.50	22.50	
2-3 ft.		6.00		
3-4 ft.		10.00		
densiflora, JAPANESE RED PINE. 60-100 ft. Handsome, ornamental—picturesque when old.				
2-3 ft.		1.25	11.25	101.00
3-4 ft.		1.75	15.75	141.00
4-5 ft.		2.25	20.25	182.00
5-6 ft.		3.50	31.50	283.00
6-8 ft.		5.00	45.00	405.00
flexilis, LIMBER PINE. 30-50 ft. Usually low, narrowly pyramidal with dark green leaves. One of the most charming of the White Pine group from the Rocky Mountains.				
2-3 ft.		1.50	13.50	121.00
3-4 ft.		2.25	20.25	182.00
4-5 ft.		4.00	36.00	324.00
5-6 ft.		6.00	54.00	486.00
6-8 ft.		8.00	72.00	648.00
8-10 ft.		12.00	108.00	
jeffreyi, JEFFREY PINE. Remarkable for its very long bluish-green leaves up to 8 inches.				
2-3 ft.		1.75	15.75	
3-4 ft.		2.50	22.50	
4-5 ft.		4.00	36.00	
5-6 ft.		6.00	54.00	
6-8 ft.		9.00		
koraiensis, KOREAN PINE. 40-100 ft. Slow growth; one of the best for small gardens. Very beautiful reddish-brown bark. White Pine group. Rare.				
12-18 in.		1.50	13.50	
18-24 in.		2.50	22.50	
4-5 ft.		6.00	54.00	
5-6 ft.		8.00	72.00	
6-7 ft.		10.00	90.00	
montana, SWISS MOUNTAIN PINE, 12-30 ft. A widespreading shrubby tree with fine foliage. Individual plants vary greatly in height and spread.				
1-2 ft.		1.50	13.50	121.00
2-3 ft.		2.50	22.50	202.00
3-4 ft.		4.00	36.00	324.00
montana mughus, MUGHO PINE. For foundation plantings, rockeries and borders of shrubberies; thrives in almost any soil near the seashore or inland, and at high elevations.				
9-12 in. Spread50	4.50	40.00
12-18 in. Spread		1.00	9.00	81.00
18-24 in. Spread		2.00	18.00	162.00
2-3 ft. Spread		3.00	27.00	243.00
3-4 ft. Spread		5.00	45.00	405.00
4-4½ ft. Spread		8.00	72.00	648.00
monticola, WESTERN WHITE PINE. 40-100 ft. Slow growing in the East; similar to White Pine, narrower and denser habit, with silvery foliage.				
5-6 ft.		6.00	54.00	
6-8 ft.		7.50	67.00	
nigra, AUSTRIAN PINE. 40-100 ft. Vigorous, of regular habit, stout spreading branches. Unexcelled for seashore planting, never burning from salt spray or sun.				
2-3 ft.		1.75	15.00	141.00
3-4 ft.		3.00	27.00	243.00
4-5 ft.		5.00	45.00	405.00
5-6 ft.		7.00	63.00	567.00
6-8 ft.		9.00	81.00	729.00
8-10 ft.		12.00	108.00	

Kelsey-Highlands Nursery

PINUS, Continued.

	Each	10	100
<i>parviflora</i> , JAPANESE WHITE PINE. 30-100 ft. A very interesting tree with wide-spreading branches and bluish-green foliage. Rare.			
2-3 ft.	3.50		
3-4 ft.	4.50		
4-5 ft.	6.00		
6-7 ft.	10.00		
7-8 ft.	15.00		
<i>ponderosa</i> , WESTERN YELLOW PINE. 50-150 ft. Hardy Western species, forming a narrow spire-like head, with branches often pendulous. Very long leaves.			
3-4 ft.	3.00	27.00	243.00
4-5 ft.	5.00	45.00	405.00
5-6 ft.	7.00	63.00	567.00
6-8 ft.	9.00	81.00	729.00
8-10 ft.	12.00	108.00	972.00
<i>mongensis</i> , TABLE MOUNTAIN PINE. 30-50 ft. Picturesque dark-foliaged species, usually of irregular growth. Large brown cones hang on indefinitely. Rare and highly desirable for rocky situations.			
5-6 ft.	7.50	67.50	
<i>resinosa</i> , RED PINE. 45-70 ft. Vigorous growth, one of the best for northern gardens. Quite formal in effect.			
2-3 ft.	1.25	11.25	101.00
3-4 ft.	2.00	18.00	162.00
4-5 ft.	3.00	27.00	243.00
5-6 ft.	4.00	36.00	324.00
6-8 ft.	7.00	63.00	567.00
8-10 ft.	10.00	90.00	810.00
<i>binensis</i> , CHINESE PINE. 40-80 ft. Introduced by E. H. Wilson in 1909. Bark dark gray or red on the twigs. Rare.			
5-6 ft.	8.00	72.00	
6-8 ft.	10.00	90.00	
8-10 ft.	15.00		



Picea asperata.

A rare and beautiful Spruce introduced by E. H. Wilson. See Page 7.

East Roxford, Massachusetts

PINUS, Continued.

strobis, WHITE PINE. 50-150 ft. Of rapid growth, picturesque in old age. The grandest of all native American conifers.

	Each	10	100
2-3 ft.	1.50	13.50	121.00
3-4 ft.	2.00	18.00	161.00
4-5 ft.	3.00	27.00	243.00
5-6 ft.	5.00	45.00	405.00
6-8 ft.	8.00	72.00	648.00

sylvestris, SCOTCH PINE. 40-70 ft. Picturesque, spreading branches. Bark bright red or red-brown.

3-4 ft.	2.00	18.00	161.00
4-5 ft.	3.00	27.00	243.00
5-6 ft.	4.00	36.00	324.00
6-8 ft.	6.00	54.00	486.00
8-10 ft.	10.00	90.00	810.00

sylvestris watereri, WATERER PINE. 20-40 ft. A fine variety of Scotch Pine with dense steel-blue foliage and columnar habit. Rare.

Strong grafted trees 6-9 in. 1.00

PSEUDOTSUGA douglasi, DOUGLAS FIR. 50-200 ft. A pyramidal tree of dense, yet graceful habit. Very hardy and one of the best ornamental conifers. Foliage green or bluish-green.

2-3 ft.	1.75	15.75	141.00
3-4 ft.	2.50	22.50	202.00
4-5 ft.	3.50	31.50	283.00
5-6 ft.	5.00	45.00	405.00
6-7 ft.	7.50	67.50	607.00
7-8 ft.	10.00	90.00	810.00
8-10 ft.	12.00	108.00	972.00
10-12 ft.	15.00		

TAXUS, YEW.

canadensis, CANADA YEW. 1-3 ft. A very hardy low spreading evergreen, with bright red fruit. Grows well in shade.

9-12 in.	1.00	9.00	81.00
12-15 in.	1.50	13.50	121.00
15-18 in.	2.00	18.00	

cuspidata, JAPANESE YEW. 10-50 ft. Very hardy and vigorous, with dark green foliage.

12-15 in.	1.50	13.50	121.00
15-18 in.	2.00	18.00	161.00
18-24 in.	2.50	22.50	202.00
2-2½ ft.	4.00	36.00	
2½-3 ft.	6.00	54.00	
3-3½ ft.	10.00	90.00	

cuspidata (upright form), JAPANESE YEW.

9-12 in.	1.00	9.00	81.00
12-15 in.	1.50	13.50	121.00
15-18 in.	2.00	18.00	162.00
18-24 in.	2.50	22.50	202.00
2-2½ ft.	4.00	36.00	324.00
2½-3 ft.	6.00	54.00	486.00
3-3½ ft.	10.00	90.00	

cuspidata nana, DWARF JAPANESE YEW. 3-6 ft. Shrubby form of preceding. Very compact growth. Perhaps the choicest of all the Yews, very hardy and deepest green foliage.

12-15 in.	2.00	18.00	162.00
15-18 in.	3.00	27.00	243.00

media hicksi, HICKS YEW. Distinct narrow columnar form.

6-9 in.	1.00	9.00	81.00
9-12 in.	1.50	13.50	121.00
12-18 in.	2.00	18.00	162.00
18-24 in.	2.75	24.75	222.00
2-2½ ft.	3.00	27.00	

THUJA, ARBORVITAE.

AMERICAN PYRAMIDAL ARBORVITAE (occidentalis pyramidalis). 8-20 ft. Narrow, pyramidal growth.

18-24 in.75	6.75	60.00
2-3 ft.	1.25	11.25	101.00
3-4 ft.	2.00	18.00	162.00
4-5 ft.	3.00	27.00	243.00
5-6 ft.	4.00	36.00	
8-9 ft.	10.00	90.00	

Kelsey-Highlands Nursery

THUJA, Continued.	Each	10	100
DOUGLAS PYRAMIDAL ARBORVITAE.			
18-24 in.	1.00	9.00	81.00
2-3 ft.	1.75	15.75	141.00
3-4 ft.	2.50	22.50	
4-5 ft.	3.50	31.50	
5-6 ft.	5.00	45.00	
<i>occidentalis</i> , AMERICAN ARBORVITAE. 20-60 ft. One of our best evergreens for hedges and windbreaks. Stands shearing perfectly.			
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.75	15.75	141.00
4-5 ft.	2.50	22.50	202.00
5-6 ft.	3.50	31.50	283.00
6-7 ft.	4.50	40.50	364.00
7-8 ft.	6.00	54.00	486.00
8-10 ft.	8.00	72.00	648.00
10-12 ft.	11.00	99.00	
12-14 ft.	16.00	144.00	
14-16 ft.	22.00		
16-18 ft.	30.00		
<i>occidentalis alba</i> , QUEEN VICTORIA ARBORVITAE. White-tipped foliage in pleasing contrast to the otherwise dark green leaves.			
18-24 in.	1.50	13.50	
2-3 ft.	2.00	18.00	
5-6 ft.	5.00		
6-7 ft.	7.00		
<i>occidentalis compacta</i> , PARSONS ARBORVITAE. Pyramidal form and dark green foliage.			
12-15 in.75	6.75	60.00
15-18 in.	1.00	9.00	
<i>occidentalis ellwangeriana</i> , TOM THUMB ARBORVITAE. Low broad pyramidal form.			
3-4 ft.	3.00	27.00	
<i>occidentalis globosa</i> , AMERICAN GLOBE ARBORVITAE. 4-6 ft. Dwarf globose form for rockeries and formal effects.			
12-15 in.75	6.75	60.00
15-18 in.	1.00	9.00	81.00
18-24 in.	1.50	13.50	
2-2½ ft.	1.75		
<i>occidentalis hoveyi</i> , HOVEY ARBORVITAE. Dwarf dense ovate-globose form.			
12-15 in.50	4.50	40.00
15-18 in.75	6.75	60.00
<i>occidentalis lutea</i> , GEORGE PEABODY ARBORVITAE. Pyramidal form with bright golden leaves.			
7-8 ft.	6.00	54.00	
8-10 ft.	8.00	72.00	
<i>occidentalis reidi</i> , REID ARBORVITAE.			
18-24 in.	2.00	18.00	162.00
2-2½ ft.	2.50	22.50	202.00
2½-3 ft.	3.50	31.50	283.00
3-4 ft.	5.00	45.00	
<i>occidentalis vervaeneana</i> , VERVAENE ARBORVITAE. Bronze Winter effects.			
4-5 ft.	3.50	31.50	283.00
5-6 ft.	5.00	45.00	405.00
6-8 ft.	7.50	67.50	
<i>occidentalis wareana</i> , WARE (SIBERIAN) ARBORVITAE. 4-12 ft. Broadly pyramidal, dense type with shiny blue-green foliage.			
18-24 in.	1.00	9.00	81.00
2-2½ ft.	1.50	13.50	121.00
2½-3 ft.	2.00	18.00	162.00
3-4 ft.	3.00	27.00	243.00
<i>plicata</i> , GIANT ARBORVITAE. 20-180 ft. Western ornamental of rapid growth with lustrous green leaves, and tips of branches pendulous.			
18-24 in.	1.00	9.00	81.00
ROSENTHAL ARBORVITAE. 15-30 ft. Lustrous dark green leaves. Columnar form of unusual merit.			
18-24 in.	2.00	18.00	
2-3 ft.	3.00	27.00	
3-4 ft.	5.00	45.00	
4-5 ft.	7.00	63.00	

East Boxford, Massachusetts

TSUGA, HEMLOCK.

Each 10 100

Hemlocks are a specialty at Kelsey-Highlands Nursery. As specimens, in general plantings or for hedges, this group is indispensable.

canadensis, CANADA HEMLOCK. 40-100 ft. Handsome for lawn or forest plantings or for hedges. Stands severe clipping. This graceful American conifer stands in the forefront of all ornamentals.

18-24 in.	1.00	9.00	81.00
2-2½ ft.	1.50	13.50	121.00
2½-3 ft.	2.00	18.00	162.00
3-4 ft.	3.00	27.00	243.00
4-5 ft.	4.00	36.00	324.00
5-6 ft.	6.00	54.00	486.00
6-7 ft.	8.00	72.00	648.00
7-8 ft.	10.00	90.00	810.00
8-10 ft.	15.00	135.00	1215.00

canadensis gracilis, SLENDER CANADA HEMLOCK. Very interesting dwarf form of slow growth. Rare.

18-24 in.	5.00
2-2½ ft.	8.00

canadensis pendula, SARGENT WEeping HEMLOCK. Well known low, dense, weeping form. Fine for large rockeries or as a specimen.

2-2½ ft. Spread	12.00
2½-3 ft. Spread	16.00

caroliniana, CAROLINA HEMLOCK. 30-70 ft. Introduced to cultivation by Harlan P. Kelsey. Prof. Sargent considered this "the handsomest conifer we can grow in New England." Unique in habit, with dark dense, tufted foliage on sweeping pendulous branches. It is hardier and more adapted to trying city atmospheres than the Canada Hemlock and seems to thrive in southern latitudes where the latter becomes thin, yellow and unsightly. No garden should be without this glorious evergreen. We have the finest stock of perfect specimens in America. All lift with fine balls due to frequent transplantings. It is unsurpassed as a hedge plant.

See Illustration Page 14.

12-18 in.	1.25	11.25	101.00
18-24 in.	2.00	18.00	162.00
2-2½ ft.	2.50	22.50	202.00
2½-3 ft.	3.50	31.50	283.00
3-4 ft.	6.00	54.00	486.00
Specimens 5-6 ft.	10.00	90.00	
" 6-7 ft.	14.00	126.00	
" 7-8 ft.	18.00	162.00	
" 8-9 ft.	25.00	225.00	2025.00
" 9-10 ft.	35.00	315.00	2835.00
" 10-12 ft.	50.00	450.00	4050.00
" 12-14 ft.	75.00	675.00	6075.00
" 14-16 ft.	100.00		
" 16-18 ft.	125.00		



The Beautiful
CAROLINA HEMLOCK

A Kelsey Introduction—See Page 13

BROADLEAF EVERGREENS

Andromedas, Kalmias, Leucothoe, Rhododendrons, etc.

No ornamentals have become more deservedly popular than the Broadleaf Evergreens. Their beauty of flower and foliage promises added possibilities in the landscaping of your grounds.

All of the species that we list—and most of them are natives of the United States—are perfectly hardy as far north as Quebec, if given proper soil conditions and exposure or location.

Mass plantings of Rhododendrons, Mountainlaurel and Andromedas, with "filler" or "edging" plants, such as Leucothoe Heather, Rose Daphne and Sandmyrtle, are very desirable and probably show these Broadleaf Evergreens at their best. Such ground covers as Bearberry, Canby Pachistima and Japanese Pachysandra carpet the shady spaces luxuriantly.

To successfully grow these beautiful Broadleaf Evergreens, see that the soil is peaty, acid and well drained. Use a permanent mulch of Oak or other hardwood leaves (except Maple). A northern exposure is desirable, otherwise overhead leafy shade is essential. Ferns are at home in the Rhododendron bed and edgings of them or of Violets, Dicentras and a host of beautiful low ground covers give variety and beauty. Azaleas and Berrybearing Shrubs may be used freely in the planting with charming effects. We gladly aid customers in making up satisfactory combinations of "fillers" and other plant material for any proposed Rhododendron or Broadleaf planting.

	Each	10	100
ANDROMEDA glaucophylla, DOWNY BOG-ROSEMARY. 1-2 ft. A graceful little ericaceous plant with attractive light pink flowers.			
3-6 in.50	4.50	
ARCTOSTAPHYLOS uvaursi, BEARBERRY. April-July. Most excellent trailing ground cover, thriving equally well in sandy or loamy soils, and forming a dense, low mat of dark green foliage. Pink bell-shaped flowers and scarlet berries. (See page 70.)			
3-6 in. Pot Grown Plants25	2.25	20.00
6-9 in. Pot Grown Plants30	2.70	24.00
BERBERIS julianae, WINTERGREEN BARBERRY. 4-6 ft. A handsome upright species with blue-black fruit.			
6-9 in.30	2.70	
BUXUS koreana, KOREAN BOX. 2 ft. This dwarf variety has proved hardy in Northern Massachusetts, for low hedges and edging flower beds.			
3-6 in.30	2.70	24.00
6-9 in.40	3.60	32.00
CALLUNA, HEATHER.			
Entirely hardy in New England, blooming in July and August. There are no more charming ground covers. They thrive in peaty, sandy soil of acid reaction and do not object to an open sunny location. Fine for rockeries. (See page 19.)			
4-6 in. Pot Grown Plants30	2.70	24.00
6-9 in. Pot Grown Plants40	3.60	32.00
vulgaris, HEATHER. 1-3 ft. Flowers rosy-pink in dense racemes. 4-6 in., 6-9 in.			
vulgaris alba, WHITE HEATHER. 2 ft. Variety with pure white flowers. Sizes 4-6 in., 6-9 in.			
vulgaris alba elata, TALL WHITE HEATHER. 2 ft. White flowers. Sizes, 4-6 in., 6-9 in.			
vulgaris alba pilosa. 18 in. White flowers. Hairy foliated type. Sizes 4-6 in., 6-9 in.			



An exquisite Natural Rock Garden

CAROLINA RHODODENDRON

With Allegheny Sandmyrtle (*Leiophyllum*) at home on Mt.
LeConte, 6,000 ft. elevation in the Great Smoky Moun-
tains National Park, (No. Car.-Tenn.)

East Roxford, Massachusetts

CALLUNA, Continued.

- vulgaris alporti*, ALPORT HEATHER. 18 in. Crimson flowers; greyish leaves. Sizes, 4-6 in., 6-9 in.
vulgaris argentea, SILVER-TIPPED HEATHER. 18 in. Pink flowers. Size 4-6 in.
vulgaris cuprea, BRONZE HEATHER. 8 in. Pink flowers; gold and bronze foliage. Sizes, 4-6 in., 6-9 in.
vulgaris erecta. 2 ft. White flowers. Sizes, 4-6 in., 6-9 in.
vulgaris hammondi, HAMMOND HEATHER. 18 in. White flowers. Upright. Sizes, 4-6 in., 6-9 in.
vulgaris hirsuta, WOOLLY HEATHER. Pink flowers, velvety greyish foliage. Sizes, 4-6 in., 6-9 in.
vulgaris hypnoides. 1 ft. Deep pink flowers. Size, 4-6 in.
vulgaris multiplex. Pink flowers. Size, 4-6 in.
vulgaris nana, MOSS HEATHER. 6 in. Very compact. Purple flowers. Size, 4-6 in.
vulgaris rigida, BRUSH HEATHER. White flowers. Size, 4-6 in.
vulgaris rubra, RED HEATHER. 18 in. Deep red flowers. Size, 4-6 in.
vulgaris searli, SEARLE HEATHER. 18 in. White flowers. Tall, loose, feathery growth. Late flowering. Size, 4-6 in.
vulgaris spicata. 18 in. Deep pink flowers. Sizes, 4-6 in., 6-9 in.

COTONEASTER

- | | Each | 10 | 100 |
|--|------|------|-------|
| <i>horizontalis</i> , ROCK COTONEASTER. 2-3 ft. Pink. June. Low spreading shrub, suitable for rockeries. Bright red fruit. | | | |
| 3-6 in. Pot Grown Plants | .30 | 2.70 | 24.00 |
| 6-9 in. Pot Grown Plants | .50 | 4.50 | 40.00 |
| <i>horizontalis perpusilla</i> . 2-3 ft. Fine variety, leaves turning red and orange. | | | |
| 6-9 in. Pot Grown Plants | .50 | 4.50 | |

DAPHNE cneorum, ROSE DAPHNE. 1-3 ft. Spread. Pink, all summer. Beautiful low hardy shrub; fragrant pink blossoms nestling among the green leaves. Fine for rockeries and borders. See colored illustration on inside of front cover.

- | | | | |
|-----------|------|-------|--------|
| 9-12 in. | .75 | 6.75 | 60.00 |
| 12-18 in. | 1.25 | 11.25 | 101.00 |

EPIGAEA repens, TRAILING ARBUTUS (MAYFLOWER). Thrives best in light humus soil in shady locations. White to rose-colored flowers in early Spring, exhaling a rich, spicy fragrance.

- | | | | |
|---------------|-----|------|-------|
| Strong Plants | .60 | 5.40 | 48.00 |
|---------------|-----|------|-------|

ERICA carnea, SPRING HEATH. Low spreading, rosy-red flowers with dark red anthers.

- | | | | |
|--------------------------|-----|------|--|
| 3-6 in. Pot Grown Plants | .30 | 2.70 | |
| 6-9 in. Pot Grown Plants | .50 | 4.50 | |

GALAX aphylla, GALAX. 8-12 in. White. May. Beautiful heart-shaped leaves, turning brilliant scarlet when exposed to the sun. Splendid ground cover for Rhododendron bed, and wildwood planting. Our introduction.

- | | | | |
|---------------|-----|------|-------|
| Strong Plants | .50 | 4.50 | 40.00 |
|---------------|-----|------|-------|

ILEX glabra, INKBERRY. 6-8 ft. Very hardy. Black fruit. Invaluable border plant.

- | | | | |
|-----------|------|-------|--------|
| 9-12 in. | .75 | 6.75 | 60.00 |
| 12-18 in. | 1.25 | 11.25 | 101.00 |

KALMIA, KALMIA.

- angustifolia*, LAMBKILL. 2-4 ft. June-July. Beautiful small crimson flowers in abundance. Prefers peaty soil.

- | | | | |
|-----------------|-----|------|--|
| 9-12 in. clumps | .30 | 2.70 | |
|-----------------|-----|------|--|

- latifolia*, MOUNTAINLAUREL. 6-25 ft. In May and June its clustered masses of white or blush flowers present a gorgeous spectacle. It prefers sandy, peaty soil and is a worthy companion to the Rhododendron.

- | | | | |
|-----------|------|-------|--------|
| 9-12 in. | .60 | 5.40 | 48.00 |
| 12-15 in. | 1.00 | 9.00 | 81.00 |
| 15-18 in. | 1.25 | 11.25 | 101.00 |
| 18-24 in. | 1.75 | 15.75 | 141.00 |
| 2-3 ft. | 2.50 | 22.50 | 202.00 |

- polifolia*, BOG KALMIA. 1-2 ft. A most attractive low species with conspicuous rosy-purple flowers.

- | | | | |
|---------|-----|------|-------|
| 3-6 in. | .50 | 4.50 | 40.00 |
|---------|-----|------|-------|

LEDUM groenlandicum, TRUE LABRADOR-TEA. 1-3 ft. May-June. A delightful little shrub with thick evergreen leaves and small umbels of white flowers.

- | | | | |
|----------|-----|------|--|
| 9-12 in. | .50 | 4.50 | |
|----------|-----|------|--|

LEIOPHYLLUM buxifolium prostratum, ALLEGHENY SANDMYRTLE. 3-6 in. April-June. Very compact and prostrate. Tiny boxlike leaves and masses of white flowers with pink stamens.

- | | | | |
|---------|-----|------|-------|
| 3-6 in. | .50 | 4.50 | 40.00 |
|---------|-----|------|-------|

Kelsey-Highlands Nursery

LEUCOTHOE catesbaei, DROOPING LEUCOTHOE. 3-8 ft. White. April-May. Invaluable as border or undershrub in Rhododendron and Azalea plantings. Foliage turns rich bronze in Fall. There is no other shrub to take its place, especially in shady places and the banks of streams and ponds. See opposite page.			
Each	10	100	
12-18 in. clumps	1.25	11.25	101.00
18-24 in. clumps	1.75	15.75	141.00
2-3 ft. clumps	2.75	24.75	222.00
MITCHELLA repens, PARTRIDGEBERRY. Native trailing evergreen. Shiny leaves. Small white fragrant flowers in June and July. Scarlet berries remain through Winter.			
Pot Grown Plants	.30	2.70	24.00
PACHISTIMA canbyi, CANBY PACHISTIMA. 6-10 in. Dainty, low shrub, forming dense evergreen carpet. Fine for edgings.			
3-6 in.	.35	3.15	28.00
PACHYSANDRA terminalis, JAPANESE PACHYSANDRA. 6-8 in. Whitish. May. Hardy ground cover. Useful for bordering walks and drives and for shady locations.			
Pot Grown Plants	.25	1.75	15.00
PIERIS, ANDROMEDA.			
floribunda, MOUNTAIN ANDROMEDA. 2-6 ft. White. April. A very hardy, much-branched shrub with profuse nodding white flowers, in dense panicles. This is one of our specialties and we have thousands of finest specimen plants.			
9-12 in.	1.00	9.00	81.00
12-15 in.	1.25	11.25	101.00
15-18 in.	1.75	15.75	141.00
18-24 in.	3.00	27.00	243.00
2-2½ ft.	4.50	40.50	364.00
2½-3 ft.	6.00	54.00	486.00
japonica, JAPANESE ANDROMEDA. 5-6 ft. White. May. Thick, shiny leaves, turning bronze in Winter.			
9-12 in.	1.00	9.00	81.00
12-15 in.	1.25	11.25	101.00
15-18 in.	1.75	15.75	
18-24 in.	3.00	27.00	
POTENTILLA tridentata, WINELEAF CINQUEFOIL. Prostrate. White. June. Evergreen creeper; glistening foliage taking on brilliant claret color in Autumn.			
Strong plants	.30	2.70	24.00
RHODODENDRON, RHODODENDRON.			
carolinianum, CAROLINA RHODODENDRON. 4-8 ft. May-June. A clear pink American species introduced by Harlan P. Kelsey many years ago. Entirely hardy and fine for massing on hillside and in rockeries. It blossoms profusely while quite small.			
12-18 in. clumps	1.50	13.50	121.00
18-24 in. clumps	2.25	20.25	182.00
carolinianum album. 3-6 ft. May-June. Pure white form. Introduced by Harlan P. Kelsey. A delightful contrast to the pink species.			
18-24 in.	2.25	20.25	182.00
2-3 ft. clumps	3.75	33.75	303.00
3-4 ft. clumps	7.50	67.50	
4-5 ft. clumps	12.00	108.00	
catawbiense, CATAWBA RHODODENDRON. 20 ft. May-June. The hardiest Rhododendron and the one which supplied color and hardiness to the cultivated hybrids. Flowers bright red-purple, with considerable variation. (See back cover.)			
9-12 in.	.75	6.75	60.00
12-18 in.	1.25	11.25	101.00
18-24 in. clumps	2.25	20.25	182.00
2-3 ft. clumps	3.75	33.75	303.00
catawbiense compacta, KELSEY CATAWBA RHODODENDRON. 4-12 ft. A dense, distinct growing variety discovered and introduced by Harlan P. Kelsey. Flowers bright purple pink.			
12-18 in.	2.00	18.00	162.00
catawbiense, SEEDLING HYBRIDS, Unnamed. 6-20 ft. From seed gathered from the choicest named hybrids.			
12-18 in.	2.00	18.00	162.00
18-24 in.	2.75	24.75	222.00
2-3 ft.	4.00	36.00	324.00
dahuricum, DAHURIAN RHODODENDRON. 6-10 ft. Leaves deciduous or sometimes persistent. Rose-colored flowers one inch across in early April.			
12-18 in.	2.00	18.00	162.00
18-24 in.	2.50	22.50	202.00
2-3 ft.	3.50	31.50	

East Boxford, Massachusetts



Scotch Heather (*Calluna*) against a background of Rhododendrons in the arboretum of Kelsey-Highlands Nursery



Drooping Leucothoe (*L. catasbaei*)

The most beautiful broadleaf evergreen for low borders in America

Kelsey-Highlands Nursery

RHODODENDRON, Continued.

Each 10 100

laetivirens, WILSON RHODODENDRON. 3-5 ft. June-July. Slow growing and compact. Rich green foliage and rose flowers.

9-12 in.	2.00	18.00	162.00
12-18 in.	3.00	27.00	243.00

maximum, ROSEBAY RHODODENDRON. 10-40 ft. June-July. The white or pink-tinged flowers and late-blooming habit make this species invaluable.

12-18 in. clumps	1.25	11.25	101.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	2.75	24.75	222.00
3-4 ft. clumps	4.00	36.00	324.00

micranthum, MANCHURIAN RHODODENDRON. 6-7 ft. White. May. A distinct open-growing species, resembling the Ledum or Labrador-tea.

9-12 in.	1.25	11.25	
12-18 in.	2.00	18.00	
18-24 in.	2.50	22.50	

minus, PIEDMONT RHODODENDRON.

18-24 in.	1.75	15.75	141.00
2-3 ft.	2.50	22.50	202.00

mucronulatum, KOREAN RHODODENDRON. 6 ft. March-April. Asiatic species. Flowers rose-colored. Handsome scarlet Fall coloring.

9-12 in.	1.25	11.25	101.00
12-18 in.	2.00	18.00	162.00
18-24 in.	2.50	22.50	202.00

smirnovi, SMIRNOW RHODODENDRON.

9-12 in.	2.00	18.00	
12-18 in.	4.00	36.00	

smirnovi, hybrids, from selected seed.

12-18 in.	2.00	18.00	162.00
18-24 in.	3.00	27.00	243.00
2-2½ ft.	4.00	36.00	324.00

SHORTIA galacifolia, OCONEE-BELLS. 6-9 in. White. April. Beautiful and rare low evergreen, with galax-shaped leaves and white bell-shaped flowers in earliest Spring.

Clumps60	5.40	48.00
--------------	-----	------	-------

VINCA, PERIWINKLE.

minor, COMMON PERIWINKLE. April-July. Hardy evergreen trailing herb. Flowers lilac-blue. A splendid ground cover.

Strong plants25	1.75	15.00
---------------------	-----	------	-------

minor alba, WHITE COMMON PERIWINKLE. The pure white flowers are in fine contrast to the lilac-blue species.

Strong plants30	2.40	21.00
---------------------	-----	------	-------

YUCCA filamentosa, COMMON YUCCA. White. June-July. Narrow evergreen leaves. Immense pyramidal clusters of creamy-white flowers on long stalk.

Strong plants30	2.40	21.00
---------------------	-----	------	-------



CAROLINA RHODODENDRON
Clear pink. See page 18.



OCONEEBELLS. See page 20.
(Shortia galacifolia)

DECIDUOUS TREES AND SHRUBS

The deciduous trees and shrubs listed are varieties that have proved reliable for plantings as far north as northern New England and most are hardy in southern Canada.

This list includes many lovely rare and unusual trees and shrubs not generally available as well as the best standard varieties. We gladly assist customers in making up lists to ensure a continuous succession of flowers throughout the season, or for Autumn and Winter color effects, or for bird cover and the like.

NOTE: The heights shown after the names are approximate heights reached under favorable conditions, first under cultivation, and then in their native habitat.

	Each	10	100
ACER, MAPLE.			
ginnala, AMUR MAPLE. 12-20 ft. May. Yellowish fragrant flowers. Bright yellow autumn foliage			
2-3 ft.40	3.60	32.00
3-4 ft.60	5.40	
negundo, BOXELDER. 40-60 ft. Rapid-growing, bright green foliage. A good bird tree.			
6-8 ft.75	6.75	60.00
8-10 ft.	1.00	9.00	81.00
palmatum, JAPANESE MAPLE. 20-25 ft. A small tree. Deeply-lobed green leaves, turning bright red in Autumn.			
2-3 ft.	1.50	13.50	121.00
3-4 ft.	2.25	20.25	162.00
pennsylvanicum, STRIPED MAPLE. 20-40 ft. Yellow. Slender tree. Beautiful green-striped bark.			
4-5 ft.75	6.75	60.00
5-6 ft.	1.25	11.25	101.00
6-8 ft.	1.50	13.50	121.00
platanoides, NORWAY MAPLE. 100 ft. Yellowish-green flowers in profusion in April-May. One of the best street trees—very free from disease.			
6-8 ft.	1.50	13.50	121.00
8-10 ft. 1 in. to 1¼ in. cal.	2.00	18.00	162.00
10-12 ft. 1½ in. to 1¾ in. cal.	3.00	27.00	243.00
12-14 ft. 1¾ in. to 2 in. cal.	4.00	36.00	
platanoides schwedleri, SCHWEDLER MAPLE. 40-60 ft. Leaves bright red when young, changing to dark green.			
5-6 ft.	1.50	13.50	
6-8 ft.	2.50	22.50	
rubrum, RED MAPLE. 30-120 ft. March-April. Flowers red or scarlet, rarely yellowish. Foliage turns brilliant scarlet or orange in Autumn. One of our most beautiful native trees.			
5-6 ft.	1.00	9.00	
6-8 ft.	1.50	13.50	
8-10 ft. 1¼ in. to 1½ in. cal.	2.00	18.00	
saccharum, SUGAR MAPLE. 50-120 ft. Greenish-yellow. April. Upright, dense growth. Foliage bright scarlet and orange in Autumn. Good for fairly narrow streets.			
5-6 ft.	1.00	9.00	81.00
6-8 ft.	1.50	13.50	121.00
8-10 ft.	2.25	20.25	182.00
10-12 ft.	3.00	27.00	243.00
tataricum, TATARIAN MAPLE. 18-20 ft. Small round-headed tree, bright red fruit in Summer.			
8-10 ft.	1.75	15.75	
WIER MAPLE. 40-60 ft. Pendulous branches and deeply-cut foliage.			
12-14 ft.	3.00		
AESCULUS, HORSECHESTNUT.			
carnea, RED HORSECHESTNUT. 20-40 ft. May-June. Large panicles of flesh—to scarlet—colored flowers. A handsome variety.			
6-12 in.75	6.75	
discolor mollis, SCARLET BUCKEYE. May-June. A low shrub very handsome with deep scarlet flowers. Fine for Rockery. Rare.			
6-12 in.	1.00	9.00	
12-18 in.	1.50	13.50	

Kelsey-Highlands Nursery

		Each	10	100
AESCULUS, Continued.				
hippocastanum, HORSECHESTNUT. 40-80 ft. A rather formal tree with large digitate leaves and big showy panicles of flowers, white tinged with red.				
18-24 in.40	3.60	
AILANTHUS glandulosa, AILANTHUS. 20-50 ft. June-July. Showy pinnate leaves and striking reddish-brown fruit in long panicles in Sept.-Oct. Stands city conditions perfectly.				
Seedlings20	1.80	16.00
AMELANCHIER, SHADBLOW.				
canadensis, DOWNY SHADELOW. 10-20 ft. Nodding dense racemes of pure white flowers in May. Leaves woolly when young.				
2-3 ft. Collected cl.40	3.60	32.00
3-4 ft. Collected cl.75	6.75	60.00
laevis, ALLEGHENY SHADBLOW. 20-40 ft. May. White flowers with pink sepals. Ours is the true Carolina Mountain form. This is the finest of all the Shadblows.				
3-4 ft.		1.00	9.00	
4-5 ft.		1.50	13.50	
5-6 ft.		2.00	18.00	
6-7 ft.		3.00	27.00	
oblongifolia THICKET SHADBLOW. 6-15 ft. White. Early May. Shrub or small tree, usually in clump form. Often incorrectly sold as Amelanchier canadensis, a tree type.				
2-3 ft.60	5.40	48.00
stolonifera, RUNNING SHADBLOW. 2-4 ft. White. May. Attractive dwarf, spreads to form low thickets. Purple fruit in Summer.				
12-18 in.30	2.70	24.00
18-24 in.40	3.60	32.00
AMORPHA, FALSE-INDIGO.				
fruticosa, INDIGOBUSH. 8-20 ft. May-June. Purple-blue flowers in clustered spikes.				
2-3 ft.30	2.70	24.00
3-4 ft.40	3.60	
tennesseensis, TENNESSEE INDIGO. 4-5 ft. Violet-purple. June.				
2-3 ft.30	2.70	
3-4 ft.40	3.60	
ARALIA cordata, UDO. 4-7 ft. An interesting Japanese plant with large compound leaves.				
3 yr. clumps		1.00	9.00	
ARONIA, CHOKEBERRY.				
arbutifolia, RED CHOKEBERRY. 4-10 ft. White or reddish. April-May. Bright red fruit. One of the very best undershrubs.				
2-3 ft.50	4.50	40.00
atropurpurea, PURPLE CHOKEBERRY. 5-10 ft. Dense growing with red-purple fruit in profusion.				
1-2 ft.40	3.60	32.00
melanocarpa, BLACK CHOKEBERRY. 4-8 ft. White. April-May. Shining black fruit. Fine undershrub.				
2-3 ft.50	4.50	40.00
3-4 ft.60	5.40	48.00
melanocarpa grandiflora, GREAT BLACK CHOKEBERRY. 6-10 ft. Very large fruit in big clusters.				
3-4 ft.60	5.40	



Modern tree-moving machine. Trees up to 12" in caliper handled safely and efficiently.

AZALEAS

We list only the native and most hardy exotic varieties. These acid-soil loving plants mass well with the broadleaf evergreens and are distinct and beautiful additions to any planting. Though not evergreen they are closely related to the rhododendrons and require similar soil conditions and care.

AZALEA, AZALEA	Each	10	100
arborescens, SWEET AZALEA. 5-15 ft. White and Pink. June-July. Delightfully spicy, fragrant white flowers with pink stamens appear in profusion, lasting for weeks. The foliage colors striking shades of red in late Autumn. This is one of our most attractive American species. (See inside front cover.)			
9-12 in.75	6.75	60.00
12-15 in.	1.25	11.25	101.00
15-18 in. clumps	1.50	13.50	121.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	3.00	27.00	243.00
3-4 ft. clumps	5.50	49.50	
calendulacea, FLAME AZALEA. 6-15 ft. Orange shades. May, June. The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. Flowers of the finest red-lead, orange, and bright gold, as well as yellow and cream-color. (See inside back cover.)			
9-12 in.75	6.75	60.00
12-15 in.	1.25	11.25	101.00
15-18 in.	1.50	13.50	121.00
18-24 in.	2.00	18.00	
2-3 ft.	2.50	22.50	
3-4 ft.	4.00	36.00	
4-5 ft.	5.50		
canescens, PIEDMONT AZALEA. 3-10 ft. Deep pink. April-May. Quite fragrant. A mass of this species makes a most gorgeous spectacle.			
15-18 in. clumps	1.25	11.25	101.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	2.75	24.00	
gandavensis, GHENT AZALEA. 4-10 ft. One of the best and most showy exotic species of many colors.			
18-24 in.	2.50	22.50	
2-3 ft.	3.50	31.50	
japonica, JAPANESE AZALEA. 6 ft. April-May. Flowers salmon-red, brick-red or carmine. Hardy and very showy.			
9-12 in.	1.00	9.00	81.00
12-15 in.	1.50	13.50	121.00
15-18 in.	2.00	18.00	162.00
kaempferi, TORCH AZALEA. 8 ft. April-May. Bright orange-red flowers with yellow anthers. In masses makes a striking display of color.			
9-12 in.	1.25	11.25	101.00
12-15 in.	2.00	18.00	162.00
15-18 in.	2.50	22.50	202.00
18-24 in.	3.00		
nudiflora, PINXTERBLOOM. 2-10 ft. April-May. Beautiful clear pink, blooming very early, just following Azalea vaseyi.			
15-18 in.	1.50	13.50	
18-24 in.	2.50	22.50	
2-3 ft.	3.00	27.00	
pentaphylla, FIVE-LEAF AZALEA. 5-15 ft. Rose-pink. April, May. Curiously divided leaves turn orange to crimson in Autumn. Very rare.			
15-18 in.	4.00	36.00	
18-24 in.	6.50		
poukhanensis, KOREAN AZALEA. 1-3 ft. Purple-lilac. May. Unique among the Azaleas, and one of the early bloomers.			
9-12 in.	1.25	11.25	101.00
12-15 in.	1.50	13.50	121.00
15-18 in.	2.00	18.00	162.00

Kelsey-Highlands Nursery

	Each	10	100
AZALEA, Continued.			
rosea, DOWNY PINKTERBLOOM. 4-6 ft. Rose. May-June. This is the most beautiful of the all rose-colored species.			
9-12 in.75	6.75	60.00
12-15 in.	1.25	11.25	101.00
15-18 in.	1.75	15.75	
2-3 ft.	3.00	27.00	243.00
schlippenbachii, ROYAL AZALEA. 3-8 ft. May. Large pale rose-colored flowers, upper lobes spotted reddish brown. A large plant in full bloom makes a gorgeous display.			
9-12 in.	2.00	18.00	162.00
12-15 in.	3.00	27.00	243.00
15-18 in.	5.00	45.00	405.00
vaseyi, PINKSHELL AZALEA. 6-15 ft. Introduced by Harlan P. Kelsey. Conspicuous as its delicate white, pink or deep rose-colored flowers appear in early April or May before the foliage. Very free bloomer and one of the choicest American ornamentals. The smaller sizes bloom freely.			
12-15 in.	1.50	13.50	121.00
15-18 in.	2.00	18.00	162.00
18-24 in.	3.00	27.00	243.00
2-3 ft.	4.00	36.00	324.00
3-4 ft.	6.50	58.00	
viscosa, SWAMP AZALEA. 10-12 ft. White. June-July. Quite fragrant, and most useful for damp locations.			
15-18 in. clumps.60	5.40	48.00
18-24 in. clumps.	1.25	11.25	101.00
2-3 ft. clumps.	1.50	13.50	
BERBERIS, BARBERRY.			
brachypoda, 5-8 ft. Yellow flowers. Blood-red fruit. Large leaves.			
9-12 in.30	2.70	24.00
12-18 in.40	3.60	32.00
chinensis, CHINESE BARBERRY. 3-9 ft. Abundant flowers and dark red fruit.			
9-12 in.60	5.40	48.00
chinensis langeana. Yellow, April-May. 3-6 ft. Purplish branchlets, red fruit in drooping racemes.			
9-12 in.60	5.40	48.00
emarginata. 3-4 ft. Yellow. April-May. Densely-branched dwarf variety with deep-red elongated fruit.			
12-18 in.60	5.40	48.00
18-24 in.	1.00	9.00	81.00
koreana, KOREAN BARBERRY. 6-7 ft. Yellow. May. Broad bright green leaves change to deep red in Autumn. Choice.			
18-24 in.75	6.75	
thunbergii, JAPANESE BARBERRY. 3-8 ft. Pale yellow. April-May. Large red fruit. Brilliant Fall coloring. A universal hedge plant.			
12-18 in.20	1.60	12.00
18-24 in.30	2.40	18.00
thunbergii atropurpurea, PURPLE JAPANESE BARBERRY. 3-6 ft. Bronzy-red foliage. A distinct and striking variety.			
12-18 in.40	3.60	32.00
TRUEHEDGE BARBERRY. 2-4 ft. Very narrow upright form suitable for formal hedges in limited space.			
12-15 in.50	4.00	35.00
vernae, VERNA BARBERRY. 4-6 ft. Yellow. May. Graceful spreading shrub.			
2-3 ft.	1.00	9.00	
BETULA, BIRCH.			
alba, EUROPEAN WHITE BIRCH. 60 ft. Shining white bark. A large conspicuous tree, but subject to borers.			
4-6 ft.75	6.75	
6-8 ft.	1.25	11.25	101.00
8-10 ft.	1.50	13.50	121.00
10-12 ft.	2.50	22.50	
CUTLEAF WEEPING BIRCH. 60 ft. Graceful weeping branches.			
4-5 ft.	2.00	18.00	
nigra, RIVER BIRCH. 50-90 ft. Conspicuous and graceful with reddish bark. Likes moist and sandy soil.			
3-4 ft.60	5.40	
4-5 ft.80	7.20	
5-6 ft.	1.00	9.00	
6-8 ft.	1.50	13.50	121.00
8-10 ft.	2.00	18.00	

East Boxford, Massachusetts

		Each	10	100
BETULA, Continued.				
papyrifera, CANOE BIRCH. 60-100 ft. Very white trunk and loose graceful head when older. The best of the large Birches.				
4-5 ft.75	6.75		
5-6 ft.	1.25	11.25		
CALYCANTHUS floridus, COMMON SWEETSHRUB. 7-12 ft. Fragrant, reddish-brown flowers in June-July.				
18-24 in.30	2.70	24.00	
CARAGANA, PEA-SHRUB.				
arborescens, SIBERIAN PEATREE. 8-20 ft. Yellow. May-June.				
4-5 ft.75	6.75		
frutex, RUSSIAN PEA-SHRUB. 10 ft. Bright yellow. June-July. Very hardy; from Russia and Siberia.				
1-2 ft.40	3.60		
2-3 ft.60	5.40		
CARPINUS, HORNBEAM.				
betulus, EUROPEAN HORNBEAM. 65-70 ft. Makes an excellent hedge or a fine lawn tree.				
5-6 ft.	2.50	22.50		
caroliniana AMERICAN HORNBEAM. 15-40 ft. Bushy tree. Slender branches and dark bluish-green foliage. Fine hedge plant.				
2-3 ft.60	5.40	48.00	
3-4 ft.80	7.20	64.00	
4-5 ft.	1.25	11.25		
5-6 ft.	2.00	18.00		
6-8 ft.	3.00	27.00		
CASTANEA, CHESTNUT.				
pumila, CHINQUAPIN. 20-45 ft. A spreading shrub or small tree. Sweet pointed edible nut scarcely half size of common chestnut.				
2-3 ft.80	7.20	64.00	
CHIONANTHUS virginica, WHITE FRINGETREE. 5-30 ft. White. Fragrant finely cut flowers in May-June. One of the most graceful of American shrubs.				
18-24 in.60	5.40		
2-3 ft.75	6.75		
CLADRASTIS lutea, YELLOW-WOOD. 40-60 ft. White. June-July. A charming native tree with loose drooping panicles of fragrant flowers in Summer. In full bloom makes a wonderful display.				
2-3 ft.40	3.50	32.00	
3-4 ft.60	5.40	48.00	
6-8 ft.	3.50			
CLETHRA, CLETHRA.				
acuminata, CINNAMON CLETHRA. 8-20 ft. White. July-August. Upright growth. Cinnamon colored bark. Rare Carolina Mt. species.				
1-2 ft.40	3.60	32.00	
2-3 ft.75	6.75		
alnifolia, SUMMERSWEET. 3-12 ft. July-September. White fragrant flowers in erect paniced racemes. Splendid for damp locations.				
1-2 ft.30	2.70		
barbinervis, TREE CLETHRA. 15-40 ft. An interesting and rare Japanese species. Fragrant white flowers. July-August.				
2-3 ft.	1.50			
4-5 ft.	3.00			
5-6 ft.	4.00			
tomentosa, WOOLLY CLETHRA. 4-8 ft. White. August-September.				
12-18 in.30	2.70	24.00	
COLUTEA media, BLADDER-SENNA. 8-16 ft. Brownish-red or deep orange flowers. May-July.				
2-3 ft.	\$.50	4.50		
CORNUS, DOGWOOD.				
alba sibirica, CORAL DOGWOOD. 6-10 ft. White. July. Branches bright coral-red.				
2-3 ft.30	2.70	24.00	
3-4 ft.40	3.60	32.00	
alternifolia, PAGODA DOGWOOD. 12-25 ft. May-June. Curious whorled branches. Bluish-black fruit on red pedicels.				
2-3 ft.50	4.50	40.00	
3-4 ft.75	6.75		

Kelsey-Highlands Nursery

CORNUS, Continued.

	Each	10	100
<i>florida</i> , FLOWERING DOGWOOD. 10-40 ft. White. May. Wonderful show in early Spring with its pure whitebracted flowers and in Autumn brilliant scarlet fruit.			
2-3 ft.75	6.75	60.00
3-4 ft.	1.25	11.25	101.00
4-5 ft.	2.00	18.00	
5-6 ft.	3.00	27.00	
<i>florida rubra</i> , REDFLOWERING DOGWOOD. 10-25 ft. Pink. May. A fine contrast to the white species.			
3-4 ft.	2.25	20.25	
4-5 ft.	3.50	31.50	
5-6 ft.	5.00	45.00	
<i>kousa</i> , KOUSA DOGWOOD. 15-20 ft. Native of Japan, Korea and Northern China. Dense, creamy-white floral heads blooming in mid-June and lasting for over a month.			
1-2 ft.50	4.50	
<i>paniculata</i> , GRAY DOGWOOD. 6-12 ft. May-June. White paniced flowers. White fruit on red pedicels in Autumn. Good for bird cover.			
1-2 ft.30	2.70	24.00
<i>stolonifera</i> , REDOSIER DOGWOOD. 6-8 ft. Dull white. May-June. Dark blood-red branches; white fruit.			
3-4 ft.40	3.60	
<i>stolonifera flaviramea</i> , GOLDENTWIG DOGWOOD. 6-8 ft. Variety with bright golden stems			
2-3 ft.30	2.70	
3-4 ft.40	3.60	
CORYLUS <i>americana</i> , AMERICAN HAZLENUT. 3-10 ft. Good for under cover.			
2-3 ft.60	5.40	48.00
3-4 ft.75	6.75	60.00
4-5 ft.	1.00	9.00	
COTONEASTER, COTONEASTER. A splendid group of hardy shrubs suitable for many uses including hedges, shrub borders, specimens and for bird cover. Varieties vary with black, scarlet and deep red fruits. The Arnold Arboretum should have credit for making this group justly popular.			
<i>acutifolia</i> , PEKING COTONEASTER. 6-8 ft. White and pink. June. Semi-evergreen. Black fruit.			
12-18 in.30	2.70	24.00
18-24 in.40	3.60	32.00
<i>acutifolia villosula</i> . Denser habit with larger foliage.			
18-24 in.75	6.75	
<i>apiculata</i> . 4-7 ft. White. June. Scarlet fruit.			
6-9 in. Pot Grown75	6.75	
<i>bullata floribunda</i> , VILMORIN COTONEASTER. 6 ft. Pinkish flowers.			
6-9 in. Pot Grown40	3.60	
<i>dielsiana</i> , DIELS COTONEASTER. 6 ft. Pinkish. June. Slender arching branches; coral-red fruit.			
9-12 in. Pot Grown50	4.50	40.00
12-18 in.50	4.50	
18-24 in.75	6.75	
<i>divaricata</i> , SPREADING COTONEASTER. 6 ft. Pink. June. Bright red fruit.			
12-18 in. Pot Grown50	4.50	40.00
18-24 in.60	5.40	
<i>foveolata</i> . 6-10 ft. Pinkish. June. Black fruit; foliage turns bright scarlet and orange.			
18-24 in.75	6.75	
<i>lucida</i> . 6-10 ft. Pink. May-June. Upright, dense shrub; fruit purplish-black. Of value as a hedge plant, stands clipping well.			
12-18 in.30	2.70	
18-24 in.50	4.50	
<i>racemiflora soongarica</i> . 8 ft. White. Slender spreading branches with clusters of white flowers. Red fruit.			
9-12 in. Pot Grown	1.00	9.00	
CRATAEGUS, HAWTHORN.			
<i>arkansana</i> , ARKANSAS HAWTHORN. 30 ft. White. May-June. Scarlet fruit in October.			
6-12 in.30	2.70	
<i>arnoldiana</i> , ARNOLD HAWTHORN. 15-20 ft. White. May. Fruit bright crimson.			
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.25	11.25	101.00
4-5 ft.	1.50	13.50	121.00
5-6 ft.	2.00	18.00	162.00
6-8 ft.	3.00	27.00	243.00

East Boxford, Massachusetts

CRATAEGUS, Continued.

	Each	10	100
coccinea, THICKET HAWTHORN. 20 ft. White. May-June. Bushy tree, 1/2-inch long red fruit.			
1-2 ft.40	3.60	
2-3 ft.60	5.40	
3-4 ft.	1.00	9.00	
coccinioides. 15-20 ft. Round-topped densely-branched tree with bright orange and scarlet fruits.			
2-3 ft.60	5.40	
3-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	
cordata, WASHINGTON HAWTHORN. 30 ft. May-June. Beautiful Fall coloring and long clusters of bright red fruit, remaining a long time.			
2-3 ft.75	6.75	60.00
3-4 ft.	1.00	9.00	81.00
4-5 ft.	1.50	13.50	
crusgalli, COCKSPUR THORN. 40 ft. White. May-June. Showy bright red fruit, remaining until Spring.			
2-3 ft.75	6.75	60.00
3-4 ft.	1.00	9.00	
oxyacantha splendens, PAUL DOUBLE SCARLET HAWTHORN. One of the most brilliant late Spring bloomers.			
4-5 ft.	2.50	22.50	
5-6 ft.	3.00	27.00	
peregrina, PERSIAN HAWTHORN. 15 ft. White, June. Dark, dull purple fruit.			
2-3 ft.75	6.75	
3-4 ft.	1.25	11.25	
prunifolia, PLUMLEAF HAWTHORN. 30 ft. White. May-June. Brilliant scarlet fruit and lustrous leaves.			
2-3 ft.75	6.75	60.00
3-4 ft.	1.00	9.00	
punctata, DOTTED HAWTHORN. 25 ft. White. May-June. Horizontal spreading branches; dull red fruit.			
2-3 ft.75	6.75	
3-4 ft.	1.00	9.00	
4-5 ft.	1.25	11.25	
5-6 ft.	1.75	15.25	
6-8 ft.	2.50	22.50	
rotundifolia, ROUNDEAF HAWTHORN. 8-16 ft. White. May. Red fruit.			
2-3 ft.75	6.75	
3-4 ft.	1.25	11.25	
tomentosa, PEAR HAWTHORN. 12-20 ft. White. June. Yellow or yellow-red fruit.			
1-2 ft.50	4.50	
2-3 ft.75		
CYDONIA, QUINCE.			
japonica, FLOWERING QUINCE. 3-6 ft. Red. May. Good, old-fashioned shrub.			
2-3 ft.60	5.40	48.00
japonica pygmaea, DWARF FLOWERING QUINCE. 1-2 ft. May. Dwarf form with pale pink to orange-pink flowers.			
9-12 in.40	3.60	32.00
CYTISUS supinus, BIGFLOWER BROOM. 2-3 ft. Brilliant yellow flowers in terminal heads in June or July			
3-6 in.35	3.15	28.00
DAPHNE mezereum, FEBRUARY DAPHNE. 2-4 ft. Upright. Rosy-purple. February-April.			
9-12 in.50	4.50	40.00
DEUTZIA, DEUTZIA.			
gracilis, SLENDER DEUTZIA. 3 ft. White. June. Flowers in profusion.			
18-24 in.50	4.50	
scabra crenata. 6-8 ft. Pink and white. Double. July.			
18-24 in.30	2.70	
2-3 ft.40	3.60	
DIERVILLA, BUSHHONEYSUCKLE.			
rivularis, GEORGIA BUSHHONEYSUCKLE. 4-6 ft. Yellow. July-August. Dense growth. A fine roadside shrub.			
18-24 in.30	2.70	24.00
trifida, DWARF BUSHHONEYSUCKLE. 1-3 ft. Yellow. June-July. A fine very low-growing ground cover, rarely over two feet high. Excellent for covering raw banks. Does well in shade.			
12-18 in.30	2.70	24.00



From photo by Herbert W. Gleason

The EXQUISITE REDVEIN ENKIANTHUS.

An acid-soil plant of unique beauty which should be in every garden having proper soil conditions. See page 24 for prices.

	Each	10	100
ELAEAGNUS angustifolia, RUSSIAN OLIVE. Silvery foliage; yellow fruit.			
3-4 ft.60	5.40	48.00
6-7 ft.	1.00	9.00	
ELSHOLTZIA stauntoni. 1-3 ft. Lilac-purple. September-October. Flowers in conspicuous spikes.			
Strong plants50	14.50	
ENKIANTHUS, ENKIANTHUS.			
campanulatus, REDVEIN ENKIANTHUS. 6-15 ft. Orange. May. Native of Japan. Masses of bell-shaped flowers, yellowish or pale orange, veined darker red on pendulous stalks in May. Foliage turns brilliant red in Autumn. Requires acid soil and is at home in the Rhododendron bed. One of our choicest exotics.			
12-15 in.75	6.75	60.00
15-18 in.	1.00	9.00	81.00
18-24 in.	1.75	15.75	141.00
2-3 ft.	2.50	22.50	202.00
3-4 ft.	4.00	36.00	
subsessilis, NIKKO ENKIANTHUS. 9 ft. White. May-June. A handsome Japanese species, leaves turning brilliant red in Autumn.			
12-18 in.	2.00	18.00	162.00
EUONYMUS, EUONYMUS.			
alatus, WINGED EUONYMUS. 8-10 ft. Yellowish. May-June. Leaves brilliant crimson in Autumn; corky wings on branches.			
2-3 ft.60	5.40	48.00
alatus (compact form)			
2 ft.	1.00	9.00	
bungeanus, WINTERBERRY EUONYMUS. 12-15 ft. Yellowish. June. Brilliant orange and pink fruit remains long on branches.			
4-5 ft.75	6.75	
6-8 ft.	1.50	13.50	
europaeus, EUROPEAN BURNINGBUSH. 12-20 ft. Yellowish. May. Scarlet fruit in Autumn.			
3-4 ft.60	5.40	
6-8 ft.	2.00	18.00	
maackii. 4-7 ft. Yellow. Pink fruits. July. From the Orient. A hardy and delightful exotic ornamental.			
2-3 ft.60	5.40	
3-4 ft.	1.25	11.25	

East Boxford, Massachusetts

EUONYMUS, Continued.		Each	10	100
yedoensis, YEDDO EUONYMUS.	8-15 ft. Yellow. June. Masses of pink and orange four-lobed fruit.			
3-4 ft.		1.00	9.00	
EXOCHORDA, PEARLBUSH.				
grandiflora (racemosa), COMMON PEARLBUSH.	6-10 ft. White. April. A striking and graceful spring-flowering shrub.			
2-3 ft.		.60	5.40	
3-4 ft.		.75	6.75	
giraldi wilsoni, WILSON PEARLBUSH.	6-12 ft. Conspicuous white flowers two inches across in terminal racemes. Rare and very lovely shrub. May or June.			
12-18 in.		.75	6.75	
18-24 in.		1.00	9.00	
2-3 ft.		2.00		
FAGUS, BEECH.				
americana, AMERICAN BEECH.	60-80 ft. One of the best for permanent planting. A grand native tree			
3-4 ft.		2.50	22.50	
4-5 ft.		3.50	31.00	
6-7 ft.		6.00	54.00	
7-8 ft.		8.00	72.00	
sylvatica, EUROPEAN BEECH.	80 ft. Long-lived shade tree. Beeches are very free from insect pests.			
2-3 ft.		1.50	13.50	
3-4 ft.		2.50	22.50	
sylvatica laciniata, FERNLEAF BEECH.	50-70 ft. Deeply incised leaves. A conspicuous and attractive lawn tree.			
5-6 ft.		10.00		
FORSYTHIA, FORSYTHIA.				
intermedia, BORDER FORSYTHIA.	10-15 ft. Yellow. April-May. The Forsythias are among the most showy of early-flowering shrubs.			
3-4 ft.		.40	3.60	
4-5 ft.		.60	5.40	
intermedia primulina, PRIMROSE FORSYTHIA.	4-8 ft. Deep yellow flowers in great abundance. A hardy and very attractive variety.			
2-3 ft.		.80	7.20	64.00
intermediate spectabilis, SHOWY BORDER FORSYTHIA.	6-10 ft. An improved form, larger, more brilliant yellow flowers than the type.			
3-4 ft.		.60	5.40	
4-5 ft.		.80	7.20	
ovata.	4-8 ft. Yellow. April. A new, distinct and handsome species from Korea, the earliest to bloom. Stands extreme cold. It is sure to bloom every year.			
18-24 in.		.60	5.40	48.00
2-3 ft.		.80	7.20	
suspensa, WEeping FORSYTHIA.	Yellow. April-May. Long slender incurving branches. Stands shade well.			
2-3 ft.		.40	3.60	
suspensa fortunei, FORTUNE FORSYTHIA.	8-12 ft. Yellow. April-May. Upright habit with finely-arching branches.			
3-4 ft.		.40	3.60	
suspensa sieboldi, SIEBOLD FORSYTHIA.	4-6 ft. Yellow. April-May. Low-growing form, slender pendulous branches often trailing the ground.			
2-3 ft.		.40	3.60	
FOTHERGILLA, FOTHERGILLA.				
gardeni, DWARF FOTHERGILLA.	2-3 ft. April-May. This rare variety should be in every choice collection.			
6-9 in.		1.00	9.00	
major, LARGE FOTHERGILLA.	6-9 ft. May. A charming early flowering ornamental with conspicuous spikes of white flowers. Rare.			
15-18 in.		1.50	13.50	
18-24 in.		2.00	18.00	
GLEDITSIA triacanthos, COMMON HONEYLOCUST.				
	Long fruit pods.			
2-3 ft.		.40	3.60	
HALESIA monticola, MOUNTAIN SILVERBELL.				
	60-100 ft. A Kelsey introduction. Pyramidal tree of great beauty. Pendulous bell-shaped white flowers in May. Nothing exceeds this as a lawn specimen. (See page 30.)			
18-24 in.		.50	4.50	
2-3 ft.		.80	7.20	
4-5 ft.		1.25	11.25	

Kelsey-Highlands Nursery



Foto by Plateau Studios
 Mountain Silverbell (*Halesia monticola*)
 in its native habitat

HAMAMELIS, WITCHHAZEL.		Each	10	100
japonica, JAPANESE WITCHHAZEL.	10-25 ft. A charming very early yellow flowering shrub. Very hardy.			
18-24 in.	1.00		
2-3 ft.	1.50		
mollis, CHINESE WITCHHAZEL.	8-20 ft. January-March. Perhaps the handsomest of the group with a shower of golden flowers in very early spring.			
12-18 in.	1.50		
vernalis, VERNAL WITCHHAZEL.	4-6 ft. January-March. Flowers are delightfully fragrant, with bright yellow petals and sepals dark red inside. Native.			
3-4 ft.	1.50	13.50	121.00
4-5 ft.	2.00	18.00	162.00
5-6 ft.	3.00	27.00	
virginiana, COMMON WITCHHAZEL.	8-25 ft. Yellow. September-October. Fine under-shrub.			
2-3 ft.40	3.60	32.00
3-4 ft.60	5.40	48.00
4-5 ft.80	7.20	64.00
5-6 ft.	1.00	9.00	81.00
6-8 ft.	2.00	18.00	162.00

East Boxford, Massachusetts

HYDRANGEA, HYDRANGEA.		Each	10	100
arborescens, SMOOTH HYDRANGEA. 4-8 ft. White. June-July. Very suitable in a shady undershrub planting				
2-3 ft.50	4.50	40.00
arborescens grandiflora, SNOWHILL. 3-6 ft. White. June-July. Flowers sterile and very showy; for underplanting and borders.				
2-3 ft.50	4.50	
bretschneideri, SHAGGY HYDRANGEA. 6-9 ft. White flowers in August. Large oval leaves. Shaggy brown bark.				
18-24 in.		1.25	11.25	
2-3 ft.		2.00	18.00	
3-4 ft.		3.00	27.00	
paniculata, PANICLE HYDRANGEA. 6-30 ft. Whitish. August-September. Shrub or small tree. This is the original Japanese species with beautiful and graceful racemes of white flowers in a great variety of both flowers and flower panicles. We offer here unusually choice seedling variants especially selected.				
18-24 in.60	5.40	
2-3 ft.75	6.75	
paniculata grandiflora, PEEGEE HYDRANGEA. The common variety with large trusses of white flowers, changing to pink shades.				
2-3 ft.40	3.60	
paniculata praecox, EARLY PANICLE HYDRANGEA. 10 ft. August. Early blooming type.				
5-6 ft.		2.50	22.50	
quercifolia, OAKLEAF HYDRANGEA. 8 ft. White. August. Very broad, showy foliage. A fine native species.				
12-18 in.40	3.60	32.00
18-24 in.60	5.40	48.00
radiata, SILVERLEAF HYDRANGEA. 4 ft. White. August. Silvery undersurfaced leaves. From the Carolina Mountains.				
2-3 ft.50	4.50	40.00
HYPERICUM, ST. JOHNSWORT.				
buckleyi, MOUNTAIN ST. JOHNSWORT. 6-12 in. A rare prostrate form from the Carolina Mountains. Fine for rockeries.				
6-9 in.60	5.40	
densiflorum, DENSE ST. JOHNSWORT. 5 ft. Yellow. July. A solid mass of golden bloom. Narrow foliage. Upright.				
1-2 ft.40	3.60	32.00
ILEX, HOLLY.				
monticola, MOUNTAIN WINTERBERRY. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. A rare Carolina Mt. plant which makes a gorgeous display in fruiting time.				
2-3 ft.60	5.40	
3-4 ft.		1.00	9.00	
serrata, FINETOOTH HOLLY. 15 ft.				
12-18 in.50	4.50	40.00
18-24 in.75	6.75	
verticillata, COMMON WINTERBERRY. 4-10 ft. June-July. Thick-growing shrub. Bright red fruit. This is one of our most beautiful and useful berry-bearing shrubs.				
1-2 ft.30	2.70	24.00
2-3 ft.50	4.50	40.00
3-4 ft.75	6.75	
INDIGOFERA kirilowi, KIRILOW INDIGO. 2-4 ft. Rose-colored. June. From Northern China and Korea. A striking effect when in bloom.				
3 yr. clumps		1.50	13.50	
ITEA virginica, SWEETSPIRE. 3-6 ft. White fragrant flowers on long upright spikes. Does well in damp ground.				
1-2 ft.60	5.40	
KOLKWITZIA amabilis, BEAUTYBUSH. 4-6 ft. Pink. June. This beautiful shrub, with its arching sprays of clear pink flowers should be in every garden. Introduced by E. H. Wilson, he considered it the most showy perhaps of all his Asiatic introductions.				
12-18 in.30	2.70	24.00
18-24 in.40	3.60	32.00
Flowering sizes:				
2-3 ft.60	5.40	48.00
3-4 ft.		1.00	9.00	81.00
4-5 ft.		1.50	13.50	

Kelsey-Highlands Nursery

	Each	10	100
LARIX, LARCH.			
dahurica, DAHURIAN LARCH. 45-80 ft. Purple catkins. May. Rare rapid-growing species from eastern Siberia. A very picturesque species.			
3-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	121.00
5-6 ft.	2.00	18.00	162.00
6-8 ft.	3.00	27.00	243.00
8-10 ft.	5.00	45.00	405.00
10-12 ft.	7.50	69.50	
dahurica, var. principis rupprechti. A variety with larger cones. Very rare.			
2-3 ft.	1.00	9.00	
3-4 ft.	1.50	13.50	
4-5 ft.	2.00	18.00	
europaea, EUROPEAN LARCH. 50-100 ft.			
5-6 ft.	2.00	18.00	
6-8 ft.	3.00	27.00	243.00
8-10 ft.	5.00	45.00	405.00
10-12 ft.	7.50	67.50	607.00
12-14 ft.	10.00	90.00	
leptolepis, JAPANESE LARCH. 45-80 ft. Very handsome as a lawn specimen, of very rapid growth. The leaves of this deciduous conifer appear in very early spring.			
6-8 ft.	3.00	27.00	
8-10 ft.	5.00	45.00	405.00
10-12 ft.	7.50	67.50	607.00
12-14 ft.	10.00	90.00	810.00
LESPEDEZA bicolor, SHRUB BUSHCLOVER. 4-8 ft. August-September. Conspicuous purple racemes in late summer. A choice shrub.			
Strong75	6.75	60.00
LEUCOTHOE, LEUCOTHOE.			
racemosa, SWEETBELLS. 4-10 ft. White. April-June. A handsome ericaceous shrub with conspicuous panicles of bell-like flowers.			
1-2 ft.60	5.40	48.00
2-3 ft.75	6.75	60.00
recurva, REDTWIG LEUCOTHOE. 5-10 ft. White. April-June. A delightful native of the high Carolina Mountains.			
12-18 in.60	5.40	48.00
18-24 in.	1.00	9.00	81.00
LIGUSTRUM, PRIVET.			
acuminatum. 4-6 ft. Upright and spreading branches. Lustrous black fruit.			
1-2 ft.25	2.20	18.00
acuminatum macrocarpum, BIGBERRY PRIVET. 6-8 ft. Upright, black fruit.			
1-2 ft.25	2.20	18.00
amurense, AMUR PRIVET. 4-8 ft. White. June-July. The "North" or hardy strain, with growth similar to California Privet. The latter is not hardy in this latitude.			
2-3 ft.25	2.20	18.00
IBOLEUM PRIVET. 4-6 ft. White. June-July. Upright hardy form; very useful instead of the tender California privet.			
2-3 ft.25	2.20	18.00
ibota regelianum, REGEL PRIVET. 3-8 ft. White. June-July. Low dense shrub with horizontal spreading branches; fine hedge plant.			
18-24 in.35	3.00	25.00
vulgare, EUROPEAN PRIVET. 6-15 ft. White. June-July. Fine dark green foliage, and panicles of blue-black fruit through the Winter; one of the best.			
1-2 ft.25	2.20	18.00
LONICERA, HONEYSUCKLE.			
chrysantha, CORALLINE HONEYSUCKLE. 5-12 ft. Yellowish. May-June. Bright orange-red fruit.			
2-3 ft.40	3.60	
fragrantissima, WINTER HONEYSUCKLE. 5-8 ft. Cream. March-May. Early sweet-scented flowers. Almost evergreen foliage.			
2-3 ft.50	4.50	40.00
maackii, AMUR HONEYSUCKLE. 12-18 ft. White. Fragrant. June. Fruit dark red.			
18-24 in.40	3.60	
maximowiczii sachalinensis. 10 ft. Purple. June. Dark purple conspicuous flowers and very attractive; no fruit. A NEW INTRODUCTION.			
18-24 in.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.50	13.50	

East Boxford, Massachusetts

LONICERA, Continued.

	Each	10	100
morrowi, MORROW HONEYSUCKLE. 5-6 ft. White. Red fruit. May-June.			
2-3 ft.40	3.60	32.00
3-4 ft.50	4.50	
morrowi, prostrate form. 2-4 ft. high. Very useful where low effects are desired.			
2-3 ft. spread60	5.40	48.00
syringantha, LILAC HONEYSUCKLE. 6-8 ft. Pink. May-June. Splendid upright slender-branched shrub. Fragrant flowers.			
18-24 in.60	5.40	
tatarica alba, WHITE TATARIAN HONEYSUCKLE. 6-10 ft. White. May-June.			
3-4 ft.50	4.50	40.00
tatarica rosea, ROSY TATARIAN HONEYSUCKLE. 6-10 ft. Pink. May.			
2-3 ft.40	3.60	32.00
tatarica rubra. 6-10 ft. Light crimson flowers. May.			
2-3 ft.40	3.60	32.00
trichosantha, SLENDER HONEYSUCKLE. 6 ft. Red. June. Recent introduction from Western China and Tibet; bright red fruit.			
18-24 in.80	7.20	
2-3 ft.	1.00	9.00	
WHITE BELLE HONEYSUCKLE (bella alba) 6 ft. White. May-June. Hybrid morrowi x tatarica.			
4-5 ft.50	4.50	
5-6 ft.75	6.75	

MAGNOLIA glauca, SWEETBAY. 10-60 ft. A very beautiful shrub or small tree. Glossy foliage and sweetscented creamy-white flowers. A deciduous shrub in the North, it becomes a large Evergreen tree in the Gulf States.			
18-24 in.	1.50	13.50	



Testing Grounds near Greenhouses

The testing of new or uncommon varieties to determine their value for garden use is an important feature of our service. Plant enthusiasts interested in this phase of horticulture will enjoy a visit to Kelsey-Highlands Nursery.

MALUS, THE FLOWERING CRAB

The Flowering Crabs have few rivals among gorgeous Spring flowering trees and shrubs. At the Arnold Arboretum one of the most important events of the year is the blooming of the Crabs, followed by the showy fruit.

They are of easy culture, and whether planted singly or in masses, give remarkable and quick results. Not only are the Flowering Crabs beautiful on the lawn, but they are used to the greatest advantage on a large scale in woodland and other mass plantings, as are Dogwoods and Hawthorns. No group of plants has greater value for enlivening open forest parks and the country roadside. Most varieties are of greatest value as feed in winter for Pheasants, Grouse and other birds.

As soon as the ground can be worked in Spring is an ideal time for planting, and again in Fall after foliage is well ripened. Give rich soil and mulch heavily. Use all the water the soil will take in planting.

Prices of Flowering Crabs in Strong Specimens:

	Each	10
2-3 ft.60	5.40
3-4 ft.	1.00	9.00
4-5 ft.	1.25	11.25
5-6 ft.	2.00	18.00
6-7 ft.	3.00	27.00
7-8 ft.	5.00	45.00

The sizes we can supply follow the description of each variety. These prices are for strong plants, well developed for their height. For extra heavy specimens or selected individual plants charge is made to cover increased value.

MALUS, CRAB.

angustifolia plena, 15-30 ft. Double pink, violet-scented flowers in June. Sizes 4-5 ft., and 5-6 ft.

arnoldiana, ARNOLD CRAB. 8-15 ft. Large rose-colored flowers turning to white. May. Sizes 2-3 ft., 3-4 ft., and 4-5 ft.

atrosanguinea, CARMINE CRAB. 15-20 ft. Brilliant carmine flowers. May. Sizes 2-3 ft., 3-4 ft., 4-5 ft., and 6-7 ft.

baccata, SIBERIAN CRAB. 30-45 ft. Pure white blossoms in great profusion. May. Small green or reddish fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.

baccata mandshurica, MANCHURIAN CRAB. 12-15 ft. Early May. From China and Japan; large pure white fragrant flowers, dark scarlet fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.

baccata, yellow fruited form. Sizes 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.

coronaria, WILD SWEET CRAB. 10-30 ft. June. White and pink flowers, delightfully fragrant. Sizes 5-6 ft., and 6-7 ft.

DOLGA (Hansen Red Crab) 12-15 ft. May. New, distinctive, with white flowers and brilliant red edible fruit in great profusion. Sizes 4-5 ft., 5-6 ft., 6-7 ft., and 7-8 ft.

ELEY FLOWERING CRAB (*Malus purpurea eleyi*) May. New, resembling *floribunda*, but with larger and better colored flowers and a more profuse bloomer. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., and 7-8 ft.

floribunda, JAPANESE FLOWERING CRAB. 15-30 ft. May. Bright pink flower buds, white flowers. Small yellowish fruit much liked by birds. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., and 6-7 ft.

East Roxford, Massachusetts

MALUS, Continued.

- floribunda, BOB WHITE. Pure white flowers. 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., and 7-8 ft.
- floribunda, SNOWBANK. Profuse white flowers. 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.
- halliana parkmani, PARKMAN CRAB. 15-20 ft. May. Bright rose-red, double flowers. A favorite in Japanese gardens. Sizes 2-3 ft., 3-4 ft.
- HOPA REDFLOWERING CRAB. 12-15 ft. A remarkable tree, which is entirely covered with rose-colored blossoms in May. Fruit is red inside and out. Very hardy. Sizes 3-4 ft., 4-5 ft., and 5-6 ft.
- ioensis plena, BECHTEL CRAB. 12-15 ft. June. Double pink flowers like small clustered roses. Size, 3-4 ft.
- micromalus, MIDGET CRAB. Early May. Handsome small tree. Upright habit, showy pink flowers. Sizes 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.
- niedzwetzkyana, REDVEIN CRAB. 15-20 ft. May. A Russian Turkestan species, remarkable for the red color of flowers, branches, leaves and fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., and 7-8 ft.
- prunifolia, PEARLEAF CRAB. 15-18 ft. White. May. Sizes 2-3 ft., and 3-4 ft.
- prunifolia rinki (ringo) CHINESE APPLE. 15-18 ft. May. Large pinkish-white flowers, and red, yellow or green fruit, 1½ in. in diameter. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., and 6-7 ft.
- purpurea, PURPLE CRAB. 15-20 ft. May. Rich red flowers and foliage. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., and 7-8 ft.
- robusta, CHERRY CRAB. 15-30 ft. Early May. Large white fragrant flowers; dull red fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., and 7-8 ft.
- sargentii, SARGENT CRAB. 4-6 ft. Late May. Very spreading Japanese variety. Pure white flowers with bright yellow anthers. Scarlet fruit hanging till Spring. Sizes 2-3 ft., 3-4 ft., 4-5 ft. (See inside back cover.)
- scheideckeri, SCHEIDECKER CRAB. 15-20 ft. Early. Small tree of pyramidal habit with small bright rose-colored flowers in great profusion. Sizes 3-4 ft., 4-5 ft., and 5-6 ft.
- sieboldi, TORINGO CRAB. 6-10 ft. Late May. A dense low shrub. Dark rose-colored buds contrast beautifully with the white petals of the full-blown flowers. Sizes 3-4 ft., and 5-6 ft.
- sieboldi arborescens. 20-30 ft. Late May. White flowers produced in immense quantities, followed by minute red or yellow fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.
- theifera, TEA CRAB. 20-25 ft. May. Numerous clusters of flowers, rose-red in the bud and pale or almost white when expanded. Sizes 4-5 ft. and 5-6 ft.
- toringoides, CUTLEAF CRAB. 15-25 ft. Late May. White. Pear-shaped red fruit. Pendulous branches. 2-3 ft. and 3-4 ft.
- sublobata, YELLOW AUTUMN CRAB. 6-10 ft. Pink. Late May. Sizes 2-3 ft., 3-4 ft., and 4-5 ft.
- zumi, ZUMI CRAB. Late May. Small tree of pyramidal habit, flowers pink in bud, becoming white, and red fruit. Sizes 2-3 ft., 3-4 ft.
- zumi calocarpa. 8-10 ft. Late May. Large pink and white flowers, brilliant scarlet fruit, half-inch in diameter. Sizes 2-3 ft., 3-4 ft., and 4-5 ft.
- MYRICA, BAYBERRY.
- | | Each | 10 | 100 |
|--|------|-------|--------|
| carolinensis, NORTHERN BAYBERRY. 3-10 ft. Spreading undershrub. Curious white fruit used for making the famous Bayberry candles. | | | |
| 12-18 in. | .40 | 3.60 | 32.00 |
| gale, SWEETGALE. 2-4 ft. Yellow, dense catkins in spring. Does well in moist peaty soil or in drier situations. | | | |
| 9-12 in. | .35 | 3.15 | 28.00 |
| NYSSA sylvatica. 20-60 ft. May-June. Picturesque growth. Autumn coloring brilliant shades of red. | | | |
| 2-3 ft. | 1.50 | 13.50 | |
| 3-4 ft. | 2.00 | 18.00 | 162.00 |
| 4-5 ft. | 3.00 | 27.00 | 243.00 |
| 5-6 ft. | 5.00 | 45.00 | |
| OSTRYA virginiana, AMERICAN HOPHORNBEAM. 40 ft. June. Shade-loving lawn tree. | | | |
| 5-6 ft. | 2.00 | | |
| OXYDENDRUM arboreum, SOURWOOD. 10-60 ft. White. June-August. Flowers when a few feet high; a mass of white flowers in Summer and handsome foliage, turning scarlet in Autumn. One of the most lovely of our Native American ornamentals. | | | |
| 2-3 ft. | 1.00 | 9.00 | 81.00 |
| 3-4 ft. | 2.00 | 18.00 | |
| 4-5 ft. | 3.00 | 27.00 | |
| 5-6 ft. | 5.00 | 45.00 | |

Kelsey-Highlands Nursery

	Each	10	100
PHELLODENDRON, CORKTREE.			
chinense, CHINESE CORKTREE. 20-30 ft. Small roundheaded tree. Greyish-brown cork-like bark. Foliage yellow in autumn.			
2-3 ft.30	2.70	
3-4 ft.50	4.50	
4-5 ft.75	6.75	
chinense glabriusculum. Variety with leaves smooth underneath.			
3-4 ft.50	4.50	
4-5 ft.75	6.75	
5-6 ft.	1.50	13.50	
6-8 ft.	2.50	22.50	
sachalinense, SAKHALIN CORKTREE. 35-50 ft. June. Dark brown trunk, broad panicles of black fruit; hardiest species.			
2-3 ft.40	3.60	
3-4 ft.50	4.50	
4-5 ft.	1.00	9.00	
10-12 ft.	3.50	31.50	
12-14 ft.	5.00	45.00	
14-16 ft.	10.00	90.00	
16-18 ft.	15.00	135.00	
18-20 ft.	20.00		
PHILADELPHUS, MOCKORANGE.			
AVALANCHE. 5-6 ft. White. Fragrant. June. One of the best hybrids.			
18-24 in.25	2.25	
2-3 ft.40	3.60	
coronarius, SWEET MOCKORANGE. 10 ft. White. Fragrant. May-June.			
18-24 in.25	2.25	20.00
2-3 ft.30	2.70	
3-4 ft.40	3.60	
coronarius grandiflorus, BIG MOCKORANGE. 15-20 ft. White. June. Vigorous growth.			
2-3 ft.30	2.70	
3-4 ft.40	3.60	
grandiflorus, BIG SCENTLESS MOCKORANGE. 6-10 ft. White. June. Large flowers in great masses.			
2-3 ft.30	2.70	24.00
3-4 ft.40	3.60	32.00
4-5 ft.50	4.50	40.00
5-6 ft.60	5.40	48.00
6-8 ft.80	7.20	64.00
lemoinei, LEMOINE MOCKORANGE. 4-6 ft. June. Dense racemes of white flowers with delicate perfume.			
1-2 ft.30	2.70	
purpurascens, PURPLECUP MOCKORANGE. 12 ft. June-July. Fragrant white-bracteated flowers, purple calyx.			
3-4 ft.	1.50	13.50	
4-5 ft.	2.00	18.00	
VIRGINAL MOCKORANGE. 6-7 ft. White. Semi-double. June.			
3-4 ft.60	5.40	
ZEYHER MOCKORANGE (zeyheri). 4-6 ft. White. June.			
2-3 ft.50	4.50	
3-4 ft.75	6.75	
4-5 ft.	1.50	13.50	
5-6 ft.	2.00	18.00	
PHOTINIA villosa. 6-15 ft. White. June. Bright red fruit, persisting into Winter. Leaves turn red in Fall.			
2-3 ft.50	4.50	40.00
PHYSOCARPUS, NINEBARK.			
bracteatus, TWINPOD NINEBARK. 4-6 ft. Pinkish-white. June-July. Neat small shrub with small leaves.			
3-4 ft.60	5.40	
opulifolius, COMMON NINEBARK. 10-15 ft. Pinkish-white. June-July. Vigorous growth.			
3-4 ft.30	2.70	
opulifolius luteus, GOLDFLEAF NINEBARK.			
4-5 ft.60	5.40	
PIERIS mariana, STAGGERBUSH. 2-4 ft. Pinkish-white nodding flower clusters. April-June. Acid soil plant.			
12-18 in.75	6.75	

East Boxford, Massachusetts

POPULUS, POPLAR.	Each	10	100
alba nivea, SILVER POPLAR. 60-80 ft. Leaves white-tomentose beneath making a very conspicuous effect.			
8-10 ft.	1.25	11.25	
eugenei, CAROLINA POPLAR. 90 ft. Very rapid screen planting subject.			
6-8 ft.	1.00	9.00	81.00
8-10 ft.	1.25	11.25	101.00
nigra italica, LOMBARDY POPLAR. 40-60 ft. The well-known tall, narrow form.			
8-10 ft.	1.25	11.25	101.00
simoni fastigiata, NARROW SIMON POPLAR. 40-50 ft. A narrow pyramidal tree.			
6-8 ft.	1.00	9.00	
8-10 ft.	1.50	13.50	
POTENTILLA fruticosa, SHRUBBY CINQUEFOIL. 1-4 ft. Yellow. June-August.			
12-18 in.35	3.15	
PRUNUS, PLUM, CHERRY. The Wild Plums and Cherries are extremely useful for road-side and woods planting. They are hardy and give a wonderful show of bloom in Spring followed by abundant, attractive fruit much relished by birds.			
americana, AMERICAN PLUM. 10-20 ft. White. Parent of most of the cultivated native plums.			
2-3 ft.30	2.70	
3-4 ft.40	3.60	
armeniaca siberica, SIBERIAN APRICOT. 10-20 ft. White. Scarcely edible yellow fruit.			
6-8 ft.	1.50	13.50	
besseyi, BESSEY CHERRY. 4-8 ft. May. Showy white flowers. Purple-black sweet fruit.			
1-2 ft.30	2.70	24.00
DOUBLE PINK FLOWERING ALMOND. 3-6 ft. May. Masses of deep pink flowers.			
2-3 ft.75	6.75	
incisa, MAME CHERRY. 25 ft. White, pink-toned. April. Purple-black fruit.			
4-5 ft.	2.00	18.00	
lannesiana, HITOYE CHERRY. 30-40 ft. Fragrant. Mostly pink flowers. Lustrous black fruit.			
18-24 in.50	4.50	
maritima, BEACH PLUM. 3-6 ft. May-June. Dwarf variety, native to New England coast. White masses of flowers followed by dull purple fruit. Makes fine jam and jelly.			
12-18 in.35	3.15	
pumila, SAND CHERRY. 4-8 ft. White. May-June. Black Fruits.			
18-24 in.40	3.60	
2-3 ft.75	6.75	60.00
serrulata, ORIENTAL CHERRY. 40-75 ft. Single white. Black fruit.			
2-3 ft.50		
3-4 ft.75		
4-5 ft.	1.25		
5-6 ft.	1.75		
6-8 ft.	2.50		
serrulata sachalinensis, YAMA CHERRY. 60 ft. Pink. April. Black fruit. Profusion of rose-pink or nearly white flowers; sometimes known as the Sargent Cherry.			
2-3 ft.75	6.75	
3-4 ft.	1.00	9.00	
4-5 ft.	2.00	18.00	162.00
5-6 ft.	3.00	27.00	243.00
subhirtella, HIGAN CHERRY. 20-35 ft. Light pink flowers in profusion. Black fruit.			
3-4 ft.	1.00	9.00	
4-5 ft.	2.00	18.00	
5-6 ft.	3.00	27.00	
6-8 ft.	5.00	45.00	
8-10 ft.	7.00	63.00	
tomentosa, NANKING CHERRY. 10 ft. White, pinkish. March-April. Red fruit. Remarkable showy flowers and fruit of finest flavor. For jams, preserves and wine it is unexcelled.			
2-3 ft.40	3.60	32.00
3-4 ft.75	6.75	60.00
4-5 ft.	1.00	9.00	
yedoensis, YOSHINA CHERRY. 30-50 ft. A fine Japanese variety with white or pink single flowers in profusion in late May.			
1-2 ft.40	3.60	32.00
2-3 ft.80	7.20	



Photo by Harry G. Healy

A splendid RHODODENDRON Planting with CAROLINA HEMLOCK and other trees as a background.
This superb effect is produced by a judicious use of the "mixed" type of material
KELSEY-HIGHLANDS NURSERY, EAST BOXFORD, MASSACHUSETTS

Kelsey-Highlands Nursery

QUERCUS, OAK.	Each	10	100
macrocarpa, MOSSYCUP OAK. 60-150 ft. Light brown corky bark.			
3-4 ft.	1.00	9.00	
palustris, PIN OAK. 60-125 ft. Slender branches usually pendulous at ends. Symmetrical pyramidal head. Rapid growth.			
4-5 ft.	1.25	11.25	
5-6 ft.	2.00	18.00	
6-8 ft.	3.00	27.00	
8-10 ft.	4.00		
RHAMNUS, BUCKTHORN.			
caroliniana, CAROLINA BUCKTHORN. 8-30 ft. May-June. Shrubby tree. Leaves turning yellow in Autumn. Small round fruit changes from red to black.			
5-6 ft.75	6.75	
6-8 ft.	1.50	13.50	
dahurica, DAHURIAN BUCKTHORN. 12-30 ft. Large spreading shrub with greenish yellow flowers, and black berries. A good hedge plant.			
18-24 in.40	3.60	
RHODORA canadensis, RHODORA. 2-3 ft. Lavender-pink. April-May. Really an Azalea with gorgeous flowers in very early Spring. Plant in acid soil. A much neglected native.			
12-18 in. clumps	1.00	9.00	
18-24 in. clumps	1.50	13.50	
ROBINA, LOCUST.			
hispida, ROSEACACIA. 1-3 ft. May-June. Shrub with bristly branches and bright rose-colored flowers.			
18-24 in.40	3.60	

Foto by
Herbert
W. Gleason



Kelsey

Locust

East Boxford, Massachusetts

	Each	10	100
ROBINIA, Continued.			
kelseyi, KELSEY LOCUST. 4-8 ft. May-June. Very handsome and graceful with brilliant rose-colored flowers and purple fruits. Our introduction. (See opposite page.)			
18-24 in. Pot grown60	5.40	48.00
ROSA, ROSE.			
acicularis, PRICKLY ROSE. 3 ft. May-June. Low species with solitary deep-rose single flowers, 2 in. across.			
12-18 in.25	2.25	20.00
blanda, MEADOW ROSE. 3-5 ft. May-June. Slender low shrub with delicate pink flowers, 2-2½ in. across.			
18-24 in.40	3.60	
hugonis, HUGONIS ROSE. 6 ft. May-June. Brilliant yellow flowers, 2½ in. across; free flowering.			
12-18 in.30	2.70	24.00
18-24 in.50	4.50	
lucida, VIRGINIA ROSE. 2-4 ft. June-July. A dwarf form adapted for borders or shrubberies; shiny foliage and bright pink flowers.			
12-18 in.30	2.70	
nitida, BRISTLY ROSE. 3-6 ft. June-July. Branches covered with numerous reddish bristles, fine single reddish flowers ½ in. across.			
9-12 in.30	2.70	24.00
12-18 in.40	3.60	
rouletti, 6-8 in. A charming midget Rose with tiny pink flowers all Summer. A dainty rockery plant.			
3-6 in. pots50	4.50	
rubiginosa, SWEETBRIER. 4-8 ft. June. Large bright pink flowers and showy scarlet cups. Very aromatic bright green foliage.			
18-24 in.30	2.70	
rugosa, RUGOSA ROSE. 6 ft. May-September. Upright shrub with large single purple flowers and brilliant large brick-red fruit. Good hedge plant if kept cut back.			
18-24 in.40	3.60	
setigera, PRAIRIE ROSE. 6-10 ft. June-July. Deep rose, single.			
18-24 in.30	2.70	
spinosissima, SCOTCH ROSE. 3-4 ft. May-June. Branches covered with bristles; numerous solitary flowers usually fine yellow.			
9-12 in.30	2.70	
For CLIMBING ROSES see page —			
RUBUS odoratus, FLOWERING RASPBERRY. 3-6 ft. Rose-purple. All Summer. Fine under-shrub, especially for moist locations.			
18-24 in.30	2.70	
SALIX, WILLOW.			
babylonica, BABYLON WEeping WILLOW. 30-40 ft. The best Weeping Willow.			
6-8 ft.	2.00	18.00	
discolor, PUSSY WILLOW. 8-15 ft.			
4-5 ft.75	6.75	60.00
pentandra, LAUREL WILLOW. 50-60 ft. Lustrous dark green leaves. A good hedge plant.			
4-5 ft.60	5.40	
SORBARIA, FALSE-SPIREA.			
arborea glabrata. 6-12 ft. Very hardy and perhaps the handsomest variety. July.			
2-3 ft.	1.25	11.25	
assurgens, 4-8 ft. Large, conspicuous panicles of white flowers in July.			
2-3 ft.	1.25	11.25	
stellipila, STARRY FALSE-SPIREA. 6-7 ft. White. June-July. Leaves appear very early in Spring.			
3-4 ft.	2.00	18.00	
SORBUS, MOUNTAINASH			
americana, AMERICAN MOUNTAINASH. 15-30 ft. White. May-June. Brilliant bright red fruit in large clusters.			
5-6 ft.	1.00	9.00	81.00
6-8 ft.	1.50	13.50	121.00
8-10 ft.	2.00	18.00	162.00
10-12 ft.	3.00	27.00	
aucuparia, EUROPEAN MOUNTAINASH. 20-50 ft. White. May-June. Larger fruit. Leaves not so finely serrate. Can supply single stems or clumps.			
6-8 ft.	1.75	15.75	141.00
8-10 ft.	2.25	20.25	182.00
10-12 ft.	2.75	24.75	222.00
12-14 ft.	3.50	31.50	
14-16 ft.	5.00	45.00	

Kelsey-Highlands Nursery

SORBUS, Continued.

	Each	10	100
commixta, JAPANESE MOUNTAINASH. 30 ft. White. May-June. Smaller leaves than American Mountainash.			
8-10 ft.	3.00	27.00	
mougeoti. 20-65 ft. White. June. Small-leaved species with bright red edible fruit.			
3-4 ft.	1.50	13.50	
7-8 ft.	4.00		

SPIRAEA, SPIREA.

billardi, BILLIARD SPIREA. 5-7 ft. Rose. July. An old variety for the old-fashioned garden.			
2-3 ft.40	3.60	
bumalda, ANTHONY WATERER. 2-4 ft. Crimson. June-July. Very free flowering.			
18-24 in.30	2.70	
douglasi, DOUGLAS SPIREA. 5-7 ft. Deep rose. July-August.			
18-24 in.30	2.70	24.00
froebeli, FROEBEL SPIREA. 2-4 ft. Bright crimson.			
12-18 in.30	2.70	
henryi, HENRY SPIREA. 5-7 ft. White. June.			
18-24 in.30	2.70	
2-3 ft.40	3.60	
trichocarpa. 4-6 ft. White. June-July. Introduced by Arnold Arboretum from Korea. Abundant large white flowers, on recurved stems. A most attractive ornamental.			
18-24 in.30	2.70	24.00
2-3 ft.40	3.60	32.00
vanhouttei, VANHOUTTE SPIREA. 4-6 ft. White. May-June. One of the most beautiful of early-blooming Spireas, attaining six feet and quite hardy.			
3-4 ft.40	3.60	
veitchi, VEITCH SPIREA. 6-10 ft. Fine variety with arched branches and masses of white flowers in June or July.			
2-3 ft.60	5.40	



Photo by Herbert W. Gleason

Spiraea trichocarpa

East Roxford, Massachusetts

SYMPHORICARPOS, SNOWBERRY.

chenaulti, 4-6 ft. Pink and white. June. The small fruit is red with minute pale dots, or one side whitish with red dots.

	Each	10	100
18-24 in.40	3.60	32.00
2-3 ft.60	5.40	48.00

mollis, SPREADING SNOWBERRY. 3-4 ft. Pink. White fruits. June-July. For low planting.

18-24 in.40	3.60	
----------------	-----	------	--

racemosus, COMMON SNOWBERRY. 3-5 ft. Pale Pink. June-September. Showy snow-white fruit in Autumn and Winter.

18-24 in.30	2.70	
2-3 ft.40	3.60	

vulgaris, CORALBERRY. 3-6 ft. Pale pink. Coral fruits. July. Shrub with slender branches covered with fruit until late Winter.

2-3 ft.30	2.70	24.00
--------------	-----	------	-------

SYRINGA, LILAC.

amurensis, MANCHURIAN LILAC. 7-12 ft. Rather late flowering variety with large panicles of attractive yellowish-white flowers.

2-3 ft.	1.25	11.25	
3-4 ft.	1.75	15.75	

chinensis, CHINESE LILAC. 8-10 ft. Purple-lilac. May. Flowers in large broad panicles.

2-3 ft.50	4.50	
3-4 ft.75	6.75	

japonica, JAPANESE TREE LILAC. 20-30 ft. White. Flowers in June-July. Large long panicles.

2-3 ft.75	6.75	60.00
3-4 ft.	1.00	9.00	81.00

josikaea, HUNGARIAN LILAC. 12-15 ft. Pale violet. June-July. Valuable as a late bloomer.

2-3 ft.50	4.50	
--------------	-----	------	--

villosa, LATE LILAC. 8-12 ft. Pink. May-June. Flowers in long broad panicles.

3-4 ft.75	6.70	
--------------	-----	------	--

oblata dilitata. 2-6 ft. May. Light pink with yellow anthers. A most delightful and distinct variety, early blooming, foliage turns vinous-red in Autumn.

18-24 in.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00

vulgaris, COMMON LILAC. 6-20 ft. Purple shades. May.

18-24 in.40	3.60	32.00
2-3 ft.60	5.40	

vulgaris alba, COMMON WHITE LILAC. 8-30 ft. Single. White. Vigorous grower.

2-3 ft.60	5.40	48.00
3-4 ft.80	7.20	64.00

HYBRID LILACS.

They bloom when small, transplant easily, require little care and each Spring reward us with increasing charm of flower and foliage.

18-24 in.75	6.75	
2-3 ft.	1.25	11.25	
3-4 ft.	1.75	15.75	

ALPHONSE LAVALLEE. Bluish-lilac, double. Size 18-24 in.

AMBROISE VERSCHAFFELT. Pink and white, medium size, single. Sizes 18-24 in., 2-3 ft.

CHARLES JOLY. Double, dark violet-purple, silvery reverse. Sizes 18-24 in. and 2-3 ft.

CHARLES THE TENTH. Dark lilac-red, single. Sizes 18-24 in. and 2-3 ft.

CLAUDE BERNARD. Semi-double, mauve. Sizes 18-24 in., 2-3 ft.

CONGO. Wine-red. Sizes 2-3 ft., 3-4 ft.

DOYEN KETELEER. Medium to large. Violet, double. Size 18-24 in.

DR. MASTERS. Medium to large. Light violet, double to semi-double. Size 18-24 in.

ERZHERZOG JOHANN. Small size. Lavender, single. Size 18-24 in.

GEHEIMRAT SINGELMANN. Medium sized. Pinkish-lilac, single. Size 18-24 in.

LAMARTINE. Single, rosy mauve. Large trusses. Size 18-24 in.

LE GAULOIS. Double, violet. Size 18-24 in.

LUDWIG SPAETH. Large panicles of dark red flowers. Size 18-24 in.

MARC MICHELI. Large, double, lilac-purple. Sizes 1-2 ft., 2-3 ft., 3-4 ft.

MARIE LEGRAYE. Single white. Sizes 18-24 in., 2-3 ft.

MICHEL BUCHNER. Pale lilac, large and very double. Sizes 18-24 in., 2-3 ft.

RED MARLEY (Rubra de Marley). Lilac-red, single. Size, 3-4 ft.



Littleleaf European Linden
(*Tilia cordata*)

TILIA, LINDEN.		Each	10	100
americana, AMERICAN LINDEN. 60-125 ft. Creamy white. July. For avenue planting.				
6-8 ft.		2.00	18.00	
8-10 ft.		2.50	22.50	
cordata, LITTLELEAF EUROPEAN LINDEN. 60-100 ft. More compact in habit and with smaller, daintier leaves than the commoner Lindens, this lovely tree is a choice broadly pyramidal variety for street, avenue or lawn. In May or June it is smothered with a mass of fragrant yellow-white flowers. Our stock of splendid, clean, young specimen trees of unusual quality is the finest in the country.				
5-6 ft.		1.50	13.50	121.00
6-8 ft.		2.50	22.50	202.00
8-10 ft.		4.00	36.00	324.00
ULMUS, ELM.				
americana, AMERICAN ELM. 60-120 ft. One of the grandest of our native ornamental trees.				
6-8 ft.		1.00	9.00	81.00
8-10 ft.		1.50	13.50	121.00
10-12 ft.		2.50	22.50	202.00
12-14 ft., 2¼-2½ inch caliper		3.50	31.50	283.00
14-16 ft., 2½-3 inch caliper		5.00	45.00	405.00

East Boxford, Massachusetts

ULMUS, Continued.

	Each	10	100
americana, var. MOLINE. A vase-shaped form useful for street planting.			
8-10 ft.	2.50	22.50	
10-12 ft.	3.50	31.50	
campestris, ENGLISH ELM. 60-120 ft. A fine avenue tree.			
3-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	
parvifolia, CHINESE ELM. 30-50 ft. A handsome tree with round head. Leaves turn red or purple in Autumn.			
2-3 ft.40	3.60	
pumila, DWARF ASIATIC ELM. 40-80 ft. Remarkably hardy and fast growing.			
4-5 ft.50	4.50	40.00
5-6 ft.75	6.75	60.00
6-8 ft.	1.00	9.00	81.00
8-10 ft.	1.50	13.50	

WASHINGTON ELM. The late Jackson Dawson, noted Horticulturist, made grafts from a branch of the famous Cambridge Elm, under which George Washington took command of the Continental Army in 1775, thus saving for posterity true descendants of this historic tree, which since has been destroyed.

At the request of the founder of the Arnold Arboretum, the late Professor Charles Sprague Sargent, we have built up a stock of sturdy trees from this unique and authentic source and offer them at very reasonable prices to tree lovers who prize such treasures. A numbered certificate of authenticity and a permanent embossed metal marker is sent with each tree if desired.

2-3 ft. grafted trees 2.00

Three for 5.00

VACCINIUM, BLUEBERRY.

corymbosum, Highbush Blueberry. 6-10 ft. May. White or pinkish. Fine fruit. A success commercially only on acid soils. Without question one of our choicest and most useful ornamental shrubs. Fine form, permanent and ironclad hardiness. Leaves turn brilliant reds and scarlet in Autumn. One of our very best permanent native ground covers.

12-18 in.40	3.60	32.00
18-24 in.60	5.40	48.00
2-3 ft.80	7.20	64.00

stamineum, DEERBERRY. 3 ft. White bell-shaped flowers on drooping pedicels. May-June. Green fruit. Very attractive and rare.

18-24 in.75	6.75	
----------------	-----	------	--

VIBURNUM, VIBURNUM.

americanum, AMERICAN CRANBERRYBUSH. 8-12 ft. White. May-June. Bright scarlet fruit.

1-2 ft.40	3.60	32.00
2-3 ft.60	5.40	48.00
3-4 ft.80	7.20	64.00
4-5 ft.	1.00	9.00	

carlesi, FRAGRANT VIBURNUM. 4-5 ft. Soft pink. April-May. The waxy flowers are in dense round heads and possess a most delightful fragrance. Grown on own roots.

12-18 in.	1.50	13.50	121.00
18-24 in.	2.00	18.00	

cassinoides, WITHEROD. 6-15 ft. White. June-July. Fruit pink, changing to dark blue. A very conspicuous and valuable shrub.

1-2 ft.40	3.60	32.00
2-3 ft.60	5.40	48.00
3-4 ft.75	6.75	
4-5 ft.	1.00	9.00	

dentatum, ARROWWOOD. 4-10 ft. White. May-June. Bushy shrub with conspicuous blue fruit which is eagerly devoured by bluebirds and many other birds.

2-3 ft. clumps40	3.60	32.00
3-4 ft. clumps60	5.40	48.00
4-5 ft. clumps80	7.20	64.00

lentago, NANNYBERRY. 8-15 ft. White. May-June. The bluish-black fruit is conspicuous. A useful bird-cover shrub.

2-3 ft.30	2.70	24.00
3-4 ft.50	4.50	
4-5 ft.75	6.75	

opulus, EUROPEAN CRANBERRYBUSH. 8-12 ft. White. May-June.

2-3 ft.40	3.60	32.00
3-4 ft.50	4.50	40.00

Kelsey-Highlands Nursery

VIBURNUM, Continued.

	Each	10	100
opulus nanum, DWARF CRANBERRYBUSH. 1-2 ft. Very dwarf, compact, small-leaved form; suitable for rockeries and very low hedges.			
6-9 in.40	3.60	32.00
pubescens, DOWNY VIBURNUM. 8-10 ft. White. June-July. Clean growth, greyish-brown branchlets.			
18-24 in.40	3.60	
2-3 ft.50	4.50	
sargentii, SARGENT CRANBERRYBUSH. 8-12 ft. White. June. Showy broad foliage. A rare species introduced by Arnold Arboretum.			
2-3 ft.60	5.40	
wrightii, WRIGHT VIBURNUM. 4-8 ft. A fine Japanese variety with abundant white flowers and showy red fruit. Leaves crimson in Autumn.			
12-18 in.75	6.75	

WEIGELA, WEIGELA.

amabilis, ROSE WEIGELA. 3-6 ft. Rose. May-June. Masses of funnel-shaped flowers in profusion.			
18-24 in.30	2.70	
rosea, PINK WEIGELA. 4-8 ft. Pink. May-June. Very showy.			
12-18 in.30	2.70	

ZANTHORHIZA apiifolia, YELLOWROOT. 2-4 ft. Dark purple. April. Cut foliage, very handsome.			
6-12 in.25	2.25	20.00



Engelmann Creeper and Japanese Creeper
(See page 46 for descriptions)

VINES, CREEPERS AND CLIMBERS

	Each	10	100
ACTINIDIA arguta, BOWER ACTINIDIA. 30-50 ft. White. June. Vigorous. Thick shiny leaves. Large edible fruit. Strong Plants60	5.40	
AKEBIA quinata, FIVELEAF AKEBIA. 8-12 ft. Handsome twining vine with peculiar dark green leaves. Useful in shady places. Strong Plants60	5.40	
AMPELOPSIS heterophylla, PORCELAIN AMPELOPSIS. 15-20 ft. A vigorous vine with very attractive blue, lilac and white fruit. Strong plants75	6.75	
quinquefolia, VIRGINIA CREEPER. 15-50 ft. July-August. Good for stone walls or on large trees. Strong plants50	4.50	40.00
quinquefolia engelmanni, ENGELMANN CREEPER. 15-50 ft. Smaller leaves. Clings to walls. (See page 45.) Strong plants50	4.50	40.00
tricuspidata (veitchi) JAPANESE CREEPER. 25-100 ft. June-July. As a dense wall vine has few equals. (See page 45.) Strong plants50	4.50	40.00
ARISTOLOCHIA sipho, DUTCHMANS-PIPE. 15-50 ft. Purple. July. Rapid-growing vine. Curious pipe-like flowers. Strong plants	1.00		
BIGNONIA radicans, TRUMPETCREEPER. 30 ft. Orange shades. August-September. Clinging by aerial roots. Strong plants30	2.70	
CELASTRUS, BITTERSWEET. orbiculatus punctatus, CHRISTMAS BITTERSWEET. 10-30 ft. Rapid-growing vine, climbing by twining. Bright orange pods split, disclosing scarlet seeds. 1-2 ft. 2-3 ft.40 .60	3.60 5.40	32.00 48.00
scandens, AMERICAN BITTERSWEET. 20-40 ft. Very showy yellow and red fruit in Autumn and Winter. 1-2 ft.40	3.60	32.00
CLEMATIS, CLEMATIS. jackmani, JACKMAN CLEMATIS. Large showy violet-purple flowers in early Summer. 2 year No. 1	1.00		
paniculata, SWEET AUTUMN CLEMATIS. 10-30 ft. White. September. Fragrant flowers in profusion. Strong plants40	3.60	32.00
virginiana, VIRGINSBOWER. 10-35 ft. White. August. Finely cut foliage, abundant flowers, fluffy fruit. Strong plants40	3.60	
DIOSCOREA villosa. White, with purple throat. June. A delicate native climber for the better gardens. Strong plants30	2.70	24.00
EUONYMUS, EUONYMUS. radicans, WINTERCREEPER. 15-20 ft. Scarlet fruit. June-July. Evergreen clinging vine especially fine for winter effects. Strong plants40	3.60	32.00
radicans carrierei, GLOSSY WINTERCREEPER. 10-15 ft. Clinging vine with long pointed glossy leaves. Strong plants40	3.60	32.00
radicans colorata. 10-20 ft. Brilliant Autumn coloring. Excellent for stone walls, boulders, etc. Strong plants40	3.60	32.00
radicans vegetus, BIGLEAF WINTERCREEPER. 3-20 ft. Dark green thick leaves. Strong plants40	3.60	32.00
HYDRANGEA petiolaris, CLIMBING HYDRANGEA. 20-50 ft. White. July. Leaves, flowers and fragrance distinctive. A most attractive clinging vine. 3 inch pots75	6.75	
LONICERA, HONEYSUCKLE. japonica halliana, HALL JAPANESE HONEYSUCKLE. 5-20 ft. Strong growing, delightfully fragrant white flowers changing to buff. Strong plants40	3.60	32.00
sempervirens, TRUMPETHONEYSUCKLE. 10-30 ft. May-September. A half-climbing shrub with dark green foliage. Long tubular flowers, orange, yellow or scarlet. Strong plants50	4.50	40.00

Kelsey-Highlands Nursery

	Each	10	100
LYCIUM chinense, CHINESE MATRIMONYVINE. 6-18 ft. June-September. Vigorous woody vine for trellises or embankments. Purple flowers, scarlet or orange-red fruit.			
Strong plants40	3.60	32.00
ROSA, ROSE.			
CLIMBING ROSES.			
No. 160	5.40	
AMERICAN BEAUTY. Dark pink shaded with smoky carmine. Fragrant.			
AMERICAN PILLAR. Large, single, brilliant crimson, with white center. Late.			
DR. VAN FLEET. Pale pink. Perfect foliage. Mid-season.			
MARY WALLACE. Large, very bright pink double flowers illumined with shining gold.			
Early			
MAX GRAF. A rugosa hybrid; large single pink. Mid-season.			
PAUL'S SCARLET. Intense scarlet. Early.			
PRIMROSE. New yellow rambler. Vigorous habit. Healthy dark foliage. Free flowering. Mid-season.			
SILVER MOON. Long creamy buds, golden anthers. Large nearly single flowers in small sprays. Mid-season.			
WISTERIA, WISTERIA.			
sinensis, CHINESE WISTERIA. 35-50 ft. Purple. May-June. Long drooping panicles.			
1-2 ft.50	4.50	
2-3 ft.75	6.75	
sinensis alba, WHITE CHINESE WISTERIA. May-June.			
1-2 ft.50	4.50	
2-3 ft.75	6.75	



ASTER

BURBANKS CHARMING

A rare new Aster with pink flowers in pendant sprays thru late October.

See page 49.

HARDY HERBACEOUS PERENNIALS

In this list will be found a collection of hardy herbaceous perennials that will give a good succession of bloom from early Spring until late Autumn. Nearly all are of easy culture. The usual list of herbaceous perennials offered in American catalogs can be secured and shipped with our stock, so that customers may feel safe in ordering and getting full collections, even if not priced below.

Single plants at one-half the three rate.

Approximate height variety attains is given after the name.

	per 3	10	100
ACHILLEA, PEARL. 1-2 ft. July-Oct. Pure white in masses for cutting.			
	\$.60	\$1.50	\$12.00
ACONITUM, fischeri, AZURE MONKSHOOD. 2-3 ft. Sept.-Oct. Bright blue flower spikes.	.90	2.25	18.00
AJUGA, BUGLE.			
genevensis, GENEVA BUGLE. 6 in. May-June. Splendid blue-flowered ground cover.	.60	1.50	12.00
reptans alba, WHITE CARPET BUGLE. 5-6 in. May-June. A vigorous white-flowered variety, carpeting sunny or shady areas.60	1.50	12.00
ALTHAEA rosea, HOLLYHOCK. 5 ft. June-July. Single and double varieties, mixed colors.75	1.85	15.00
ALYSSUM saxatile compactum, DWARF GOLDENTUFT. 9-18 in. Masses of brilliant yellow flowers in early Spring.60	1.50	12.00
ANEMONE, ANEMONE.			
japonica alba. 2-3 ft. Single pure white flowers from late September on.	.90	2.25	18.00
QUEEN CHARLOTTE. 2-3 ft. One of the best deep pinks, large and semi-double.	.90	2.25	18.00
SEPTEMBER CHARM. 2 ft. Sept. New hybrid. Silver pink flowers, shaded with rose and mauve.	1.00	2.50	20.00
WHIRLWIND. 2-3 ft. Sept.-Oct. Choice. Semi-double, large snowy white flowers.	.90	2.25	18.00
ANTHEMIS, PERRY'S VARIETY. 1½-2 ft. June-Oct. Bright yellow flowers, excellent for cutting.90	2.25	18.00
AQUILEGIA, COLUMBINE.			
canadensis, AMERICAN COLUMBINE. 2 ft. April. Shades of red. Fine for naturalizing.	.60	1.50	12.00
chrysantha, GOLDEN COLUMBINE. 3 ft. June-Aug. Fragrant golden yellow flowers.	.75	1.85	15.00
haylodgensis, HAYLODGE COLUMBINE. Blue flowered, long spurs.	.75	1.85	15.00
MRS. SCOTT ELLIOTT'S Long-spurred Hybrids. 2-3 ft. June-July. Large flowers in various shades of pink.90	2.25	18.00
ARABIS procurrens. 6-12 in. Early Spring. Rare. Delicate white flowers in elongated racemes.75	1.85	15.00
ARENARIA verna caespitosa, MOSS SANDWORT. June-July. Dense moss-like growth with small white flowers on thread-like stems. For rock gardens and between stepping-stones.60	1.50	12.00
ARMERIA—See STATICE			
ARUNCUS sylvestris, COMMON GOATSBEARD. 4 ft. June. Feathery white flowers in elongated plumes.90	2.25	18.00
ASARUM, WILDGINGER.			
canadense, CANADA WILDGINGER. 8-12 in. April-May. Heart shaped leaves and small brownish-purple flowers.60	1.50	12.00
shuttleworthi, MOTTLED WILDGINGER. 6-8 in. May-July. Curiously mottled leaves. Flowers mottled violet within.75	1.85	15.00
ASCLEPIAS tuberosa, BUTTERFLYWEED. 12-24 in. Bright orange flowers in late Summer.	.60	1.50	12.00

Kelsey-Highlands Nursery

ASTER, ASTER.	per 3	10	100
alpinus, ROCK ASTER. 6 in. June. Dense low tufted habit. White or lavender flowers.			
	.75	1.85	15.00
amellus, ITALIAN ASTER. 18-24 in. August. Purple flowers 1¾ in. across in clustered heads.	.75	1.85	15.00
dumosus. 2-3 ft. Blue to white flowers 1 inch across in numerous heads.	.75	1.85	15.00
linariifolius, SAVORY LEAVED ASTER. 12 in. Violet blue. A hardy compact native species.	.75	1.85	15.00
novaeangliae, NEW ENGLAND ASTER. 3-6 ft. Deep purple flowers in August and September.	.75	1.85	15.00
novaeangliae roseus, ROSY NEW ENGLAND ASTER. 3-6 ft. Aug.-Sept. A fine hardy native rose-colored variety.	.75	1.85	15.00
tataricus, TATARIAN ASTER. 6 ft. Oct.-Nov. Blue-violet. Latest of all Asters.	.75	1.85	15.00

NAMED HARDY ASTERS

A fine collection of varieties, tall growing and dwarfs, that give charming effects in the garden. They bloom in New England during September and October. All pot grown plants.

\$.30 each, \$.75 for 3 except where noted.

ACME—Pale lavender, 1¾ in. diameter, 3 ft. high, closely branching.

AUTUMN QUEEN—Lilac, 2 in. diam., 2½ ft. high, erect.

BLUE EYES—Bluest of them all, 1½ in. diam., 3 ft. high, loosely branching. 50c each, \$1.25 for 3.

BURBANK'S CHARMING—½ in. diam., 4 ft. high, long, pendant sprays form plumes of soft pink. The very best late aster and defying frost. 50c each, \$1.25 for 3.

CHARLES WILSON, New—The reddest aster in the collection. 1 in. diam., 3 ft. high, erect habit. Outstanding because of its color and bright golden center. Superior to Red Rover which has been recommended previously in this color. Erect habit of growth makes supports unnecessary. 75c each.

DOROTHY VOKES—Clear rose, 1 in. diam., 2 ft. high, compact habit. 50c each, \$1.25 for 3.

EFFIE—Medium lavender, 1¾ in. diam., 3½ ft. high, fairly compact habit. Its large yellow center renders it very attractive. 75c each.

FREEDOM—Pale rose, 1½ in. diam., 3½ ft. high.

HEATHER GLOW—Pink, 1½ in. diam., 3 ft. high, rather compact habit.

HON. VICARY GIBBS—Pale lavender, ¾ in. diam., 2½ ft. high, compact habit.

IVY LOGAN—Deep lavender, 1¼ in. diam., 3½ ft. high.

LADY LLOYD—Pale rose, 1¼ in. diam., 3½ ft. high, fairly compact habit.

MME. CARROY—Lavender, ¾ in. diam., 1½ ft. high, compact habit.

MRS. DAVIS EVANS—Clear lavender, 1½ in. diam., 3 ft. high, erect habit, very floriferous and this characteristic combined with its bright color makes it of excellent horticultural value. 50c each, \$1.25 for 3.

NORMA—Pale rosy lilac, 1¼ in. diam., 3 ft. high, erect habit.

PEGGY BALLARD—Large sprays of rosy mauve flowers. 3 ft. high.

PERRY'S PRIDE—Clear pink, 1½ in. diam., 3 ft. high, loosely branching.

PERRY'S WHITE—Pure white petals which change to red with large golden center, 1¼ in. diam., 3½ ft. high, loosely branching.

ROBINSON, V. C.—Medium lavender, 1½ in. diam., 3½ ft. high.

SAINT EGWIN—Pale rose, 1 in. diam., 2½ ft. high, compact.

THORA PERRY—Pale lavender, 2 in. diam., 1½ ft. high, compact habit.

VENUS—Deep lavender, ½ in. diam., 1½ ft. high, compact habit. 50c each, \$1.25 for 3.

WHITE CLIMAX—Pure white, 4 ft. high.

WONDER OF STAFFA—Lavender, 2½ in. diam., 2 ft. high. 50c each, \$1.25 for 3.

SPECIAL OFFER. Collection of 24 different Named Hardy Asters, one of each variety listed above. Special collection (24 plants) \$7.50 (value \$9.00).

East Boxford, Massachusetts

NEW DWARF HARDY ASTERS

Splendid for rock garden or borders, rarely exceeding 6-12 inches in height, and covered with flowers in September.

30c each, 75c for 3

7 plants (1 of each) for \$1.75—21 plants (3 of each) for \$4.75

COUNTESS OF DUDLEY—A very charming clear pink with yellow eye. Of dwarf, bushy habit. Late Sept.

LADY HENRY MADDOCKS—Clear pale pink flowers. Very free flowering and compact in habit. Sept.

MARJORIE—A charming plant of compact habit, bearing large flowers of a bright rose-pink. Mid-Sept.

NANCY—Of dwarf bushy habit and very free flowering, the plants being covered with pale flesh-pink flowers towards the end of Sept.

RONALD—Forms a dwarf bush covered with flowers of a pleasing bright shade of lilac-pink with rose-pink buds. Mid-Sept.

SNOW SPRITE—Cushions of pure white flowers. Dwarf, compact, bushy. Sept.

VICTOR—The dwarfiest of all and very pretty. Flowers good size—a beautiful clear pale lavender-blue. Early Sept.

ASTILBE, ASTILBE. per 3 10 100

(japonica) **PEACH BLOSSOM.** 15-18 in. July-Aug. Soft pink. 1.00 2.50 20.00

(arendsi) **VESTA.** 2-3 ft. July. Light mauve. 1.00 2.50 20.00

BAPTISIA, WILD-INDIGO.

australis, **BLUE WILD-INDIGO.** 4-6 ft. Dark blue flowers like Lupins in June. .90 2.25 18.00

tinctoria, **YELLOW WILD-INDIGO.** 12-24 in. Golden pea-shaped flowers in June. Coll. .60 1.50 12.00

BOCCONIA cordata, PINK PLUMPOPPY. 8 ft. Strong growing, large leaved with spikes of small pink-tinged plume-like flowers. .60 1.50 12.00

CALOPOGON—See ORCHIDS

CALTHA palustris, MARSHMARI GOLD. 12 in. April. Yellow flowers. Likes moisture. .75 1.85 15.00

CAMPANULA, BELLFLOWER.

carpatia, **CARPATHIAN BELLFLOWER.** 12 in. All Summer. Tufted habit. Bright blue solitary bell-shaped erect flowers, 2 in. across. .75 1.85 15.00

carpatia alba, **WHITE CARPATHIAN BELLFLOWER.** White flowered form of the above. .75 1.85 15.00

garganica. Similar to Carpathian Bellflower but very dwarf with masses of star-like light blue flowers with white eyes. .90 2.25 18.00

glomerata dahurica, **DAHURIAN BELLFLOWER.** 18-24 in. June-July. Rich purple flowers in clusters. .90 2.25 18.00

CENTAUREA cineraria, DUSTY MILLER. 12 in. July-Aug. Large golden yellow or purple heads. .75 1.85 15.00

CERASTIUM, CERASTIUM.

biebersteini, **TAURUS CERASTIUM.** From the Alps of Taurus; silver-white foliage, quite woolly with pure white flowers. .75 1.85 15.00

tomentosum, **SNOW-IN-SUMMER.** 6 in. All summer. White. Attractive greyish foliage. .60 1.50 12.00

CHELONE, TURTLEHEAD.

glabra, **WHITE TURTLEHEAD.** 3 ft. Aug.-Sept. White-toned pink flowers. .90 2.25 18.00

lyoni, **PINK TURTLEHEAD.** 2-3 ft. July-September. Rosy-purple flowers; grows well in moist or dry ground. .90 2.25 18.00

CHRYSANTHEMUMS

CHRYSANTHEMUM, CHRYSANTHEMUM. per 3 10 100

arcticum, **ARCTIC CHRYSANTHEMUM.** 18 in. Sept.-Oct. White aster-like flowers, 2 inches across. .75 1.85 15.00

KELSEY'S KOREAN CHRYSANTHEMUM

coreanum, **KOREAN CHRYSANTHEMUM.** 2-4 ft. October-December. This hardiest species was introduced by Harlan P. Kelsey and was used as a parent for the wonderful and beautiful Korean Hybrids introduced by Bristol Nurseries, Inc. (see below). However there is no more beautiful and effective plant than the original species with its profuse large white flowers with golden centers, often turning to a light claret pink. See colored plate on back page of cover.

Clumps .90 2.25 18.00

Strong Plants .60 1.50 12.00

NEW KOREAN HYBRID CHRYSANTHEMUMS

Our own Introductions

Unique and distinctive for the garden and for cut flowers, blooming profusely throughout October and early November. They grow from 2-2½ ft. in height.

JANE KELSEY—Single, clear pink.

KATHERINE KELSEY—Single, bright yellow.

PENELOPE KELSEY—Semi-double, bronze, dwarf.

RUTH KELSEY—Semi-double, white with yellow center.

Strong plants 50c each, \$4.00 per 10 of a kind.

Collection—1 of each—4 plants \$1.75

Introductions of Bristol Nurseries, Inc.

APOLLO—Shades of bronze-red, old-gold and salmon.

CERES—Combination of old-gold, chamois-yellow and coppery bronze.

DAPHNE—Daphne pink with golden stamens in the center.

DIANA—Chatenay-rose-pink mingled with lilac rose and soft salmon.

HEBE—Soft lavender-pink with golden yellow center.

MARS—Deep amaranth-red, changing to wine-red.

MERCURY—Glowing salmon-red to bronze salmon.

ORION—Brilliant lustrous canary-yellow.

VULCAN—Opens carmine red, shades to garnet-crimson and bronze-crimson.

Strong plants 35c each, \$3.00 per 10 of a kind.

Collection—1 of each—8 plants \$2.50

HARDY FALL CHRYSANTHEMUMS

We offer a selection of the best varieties, with a wide range of colors, without which no garden is complete.

BARBARA CUMMING—Large yellow, orange-brown center. August-October.

CRIMSON SPLENDOR—Rich crimson maroon flowers. September.

EARLY BRONZE—Early flowering, rich bronze flowers. August-October.

FRANCES WHITTLESY—Rich bronze and garnet. October.

GLORY OF SEVEN OAKS—Large golden yellow flowers. September-October.

JEAN TREADWAY—Compact grower with large pink flowers. September.

RUTH CUMMING—Rich, reddish bronze. October.

RUTH HATTON—Pompon, clear ivory white. October.

WHITE DOTY—Pure white glandular flowers. October.

Strong plants 30c each, 75c for 3

Collection—1 of each—9 plants \$2.25

Collection—3 of each—27 plants \$4.75

CIMICIFUGA, BUGBANE.

	per 3	10	100
americana, AMERICAN BUGBANE. 3-5 ft. Aug.-Sept. Branched racemes of showy white blooms.	.90	2.25	18.00

racemosa, COHOSH BUGBANE. 3-8 ft. July-Aug. Beautiful foot long racemes of white fluffy flowers.	.90	2.25	18.00
--	-----	------	-------

CONVALARIA majalis, LILY OF THE VALLEY. 6-8 in. Fragrant bell-shaped flowers. One of our best ground covers for shady places. Strong pips.	.40	1.00	8.00
--	-----	------	------

COREOPSIS, COREOPSIS.

grandiflora, BIG COREOPSIS. 1-2 ft. June-Autumn. Masses of golden blossoms.

.60	1.50	12.00
-----	------	-------

rosea, ROSE COREOPSIS. 1 ft. Finely-cut foliage, with dainty rose-pink blooms.

.60	1.50	12.00
-----	------	-------

CYPRIPEDIUM—See ORCHIDS

DELPHINIUM, LARKSPUR. Fine mixed hybrid varieties.	.90	2.25	18.00
--	-----	------	-------

DIANTHUS, PINK.

arvernensis, SAND PINK. 3-5 in. A gem. Beautiful pink flowers rising from closely compacted tufts of bright green foliage.	.90	2.25	18.00
--	-----	------	-------

BEATRIX. 8-10 in. All summer. Salmon-pink, semi-double flowers, profusely borne.	.90	2.25	18.00
--	-----	------	-------

caesius, CHEDDAR PINK. June. Dwarf hardy garden pink. Rose-pink flowers.	.75	1.85	15.00
--	-----	------	-------

FURST BISMARCK. June-September. Double red-pink flowers, very fragrant.	.75	1.85	15.00
---	-----	------	-------

plumarius, GRASS PINK. 1 ft. June. Fragrant rose-purple fringed flowers rising from thick tufts of bluish-green foliage.	.75	1.85	15.00
--	-----	------	-------



Hayscented Fern
(*Dennstedtia punctilobula*)
in a mass planting.
Thrives in sun or shade.

Foto by H. P. K

DICENTRA.	per 3	10	100
eximea, FRINGED BLEEDINGHEART. 12-18 in. All Summer. Beautifully cut foliage, dainty rose-pink flowers.90	2.25	18.00
spectabilis, BLEEDINGHEART. 3 ft. April. Pendant heart-shaped pink and white flowers.	1.50	3.75	
DIGITALIS, FOXGLOVE.			
ambigua, YELLOW FOXGLOVE. 2 ft. June-Aug. Slender yellow spikes, brown marked.75	1.85	15.00
purpurea alba, COMMON WHITE FOXGLOVE. 3 ft. June-July. White flowered form of Common Foxglove.75	1.85	15.00
SHIRLEY HYBRIDS. 5-7 ft. June-July. Mixed colors. Large flowered and choice.90	2.25	18.00
DORONICUM, LEOPARDBANE			
caucasicum, CAUCASIAN LEOPARDBANE. 18-24 in. May-June. Bright golden-yellow flowers.	1.00	2.50	20.00
caucasicum, MME. MASON. 18-24 in. May-June. Improved form with clear yellow flowers.	1.50	3.75	
DRABA subamplexicaulis, WHITLOWGRASS. 6 in. April. Tufted perennial with alysum-like flowers.	1.50	3.75	
ERIGERON speciosus, OREGON FLEABANE. 18-20 in. August. Lilac colored daisy. Splendid for large rock-garden.75	1.85	15.00
EUPATORIUM purpureum, JOE-PYE-WEED. 3-6 ft. Purple flowers in late Summer.75	1.85	15.00

Kelsey-Highlands Nursery

FERNS.

	per 3	10	100
Hardy ferns are very useful for massed plantings, particularly in shady locations. Many varieties can be used for edging shady walks, and some of the smaller types will suitably fill in little nooks in the rock garden. Information on varieties listed and regarding other varieties obtainable will be gladly given.			
ADIANTUM pedatum, AMERICAN MAIDENHAIR.	1.00	2.50	20.00
ATHYRIUM filixfemina, LADY FERN. 1-3 ft.75	1.85	15.00
CAMPTOSORUS rhizophyllus, WALKING FERN. Dislikes acid soil.	1.50	3.75	30.00
CYSTOPTERIS bulbifera, BERRY BLADDER FERN.	1.50	3.75	30.00
DENNSTEDTIA punctilobula, HAYSCENTED FERN. 20-40 in. ..	.75	1.85	15.00
DRYOPTERIS clintoniana, CLINTON WOODFERN.75	1.85	15.00
cristata, CRESTED WOODFERN.75	1.85	15.00
filixmas, MALE FERN.75	1.85	15.00
goldiana, GOLDIE FERN.	1.50	3.75	30.00
linnaeana, OAKFERN.75	1.85	15.00
DRYOPTERIS marginalis, LEATHER WOODFERN. 1-2 ft.75	1.85	15.00
noveboracensis, NEW YORK FERN. 1-2 ft.75	1.85	15.00
spinulosa, TOOTHED WOODFERN.75	1.85	15.00
thelypteris, MARSHFERN.75	1.85	15.00
ONOCLEA sensibilis, SENSITIVE FERN. 1-4½ ft.75	1.85	15.00
OSMUNDA cinnamomea, CINNAMON FERN. 1-5 ft.	1.00	2.50	20.00
claytoniana, INTERRUPTED FERN. 2-6 ft.	1.00	2.50	20.00
regalis, ROYAL FERN. 2-6 ft.	1.00	2.50	20.00
POLYPODIUM vulgare, COMMON POLYPODY. 3-10 in.75	1.85	15.00
POLYSTICHUM acrostichoides, CHRISTMAS FERN.75	1.85	15.00
PTERETIS nodulosa, OSTRICH FERN.75	1.85	15.00
PTERIDIUM aquilinum, BRACKEN.75	1.85	15.00
WOODWARDIA virginica, VIRGINIA CHAINFERN.75	1.85	15.00

GALAX aphylla, GALAX (see Broadleaf Evergreens).

GAILLARDIA, GAILLARDIA.

aristata, COMMON PERENNIAL GAILLARDIA. 18-24 in. June-Nov. Orange-red ray flowers, brown disks.60	1.50	12.00
PORTOLA hybrids, 2½-3 ft. Improved variety with large, coppery scarlet flowers produced all Summer. Fine for cutting.75	1.85	15.00

GEUM (chiloense), LADY STRATHEDEN. A recent introduction with rich golden-yellow flowers from June to October.90 2.25 18.00

GYPSOPHILA, GYPSOPHILA.

paniculata, BABYBREATH. 2-3 ft. July-August. Small white flowers on loose panicles.75	1.85	15.00
(paniculata), BRISTOL FAIRY. 2-3 ft. June-Aug. Improved form. Double white flowers all Summer.	1.25	3.00	25.00
repens, CREEPING GYPSOPHILA. 6 in. June-July. Pale white or rosy flowers on trailing mats.75	1.85	15.00

HABENARIA—See ORCHIDS

HELENIUM, SNEEZEWEED.

(autumnale), RIVERTON BEAUTY. 4-5 ft. Aug.-Oct. Rich lemon-yellow, purple center.90	2.25	18.00
(autumnale), RIVERTON GEM. 4-5 ft. Aug.-Nov. Reddish gold.90	2.25	18.00

HELIANTHEMUM, SUNROSE.

alpestre, ALPINE SUNROSE. 3 in. July-Aug. Prostrate species. Yellow flowers.	1.00	2.50	20.00
chamaecistus, COMMON SUNROSE. 8-10 in. June-July. Pale yellow.90	2.25	18.00

HEMEROCALLIS, DAYLILY.

citrina, CITRON DAYLILY. 3 ft. June-July. Pale sulfur yellow.90	2.25	18.00
BETSCHER HYBRIDS,			
GOLDENI. 3 ft. July. Deep orange.	1.00		
LEMONA. 4 ft. Late July-Aug. Pale lemon-yellow.	1.00		
THE GEM. 3 ft. Early July. Deep orange-yellow.	1.00		
flava, LEMON DAYLILY. 3 ft. Fragrant.90	2.25	18.00
fulva, TAWNY DAYLILY. 2-4 ft. Reddish orange. May-June.90	2.25	18.00
thunbergi, JAPANESE DAYLILY. 12-18 in. Lemon-yellow. July-August.90	2.25	18.00

HEPATIC triloba, ROUNDLOBE HEPATICA. 6 in. Lovely lavender, blue or white. Spring bloomer.60 1.50 12.00

East Boxford, Massachusetts

		per 3	10	100
HEUCHERA, ALUMROOT.				
americana, AMERICAN ALUMROOT.	10-15 in. White. June-July. Good rock plant with heart-shaped foliage with brown-red marking.75	1.85	15.00
brizoides, PINKBELLS.	1 ft. June-Aug. Pale pink.90	2.25	18.00
EDGE HALL.	15 in. June-Sept. Bright appleblossom pink.90	2.25	18.00
PLUIE-DE-FEU.	18 in. June-July. Fiery-red.90	2.25	18.00
sanguinea, CORALBELLS.	1 ft. June-August. Long-stemmed, graceful clustered scarlet flowers.75	1.85	15.00
HOSTA, PLANTAINLILY				
caerulea, BLUE PLANTAINLILY.	1-2 ft. July-August. Deep or pale blue.90	2.25	18.00
lancifolia, LANCELEAF PLANTAINLILY.	18 in. August. Lilac. Narrow foliage.75	1.85	15.00
lancifolia albo-marginata, SILVEREDGE LANCELEAF PLANTAINLILY.	2 ft. June-July. Light blue. Narrow leaves with white margins.75	1.85	15.00
plantaginea grandiflora, BIG PLANTAINLILY.	2 ft. Aug.-Sept. Glossy light green leaves. Large waxy, white flowers.	1.25	3.00	25.00
HOUSTONIA serpyllifolia, CREEPING BLUETS. 3-5 in. April-May. Forms little tufts with tiny evergreen leaves. Mass of delicate blue and white flowers.				
		.90	2.25	18.00
HYPOXIS hirsuta, GOLDEYE GRASS. 9-12 in. Bright yellow star-like flowers in spring.				
		.60	1.50	12.00
IBERIS, CANDYTUFT.				
sempervirens, EVERGREEN CANDYTUFT.	1 ft. May-June. White.75	1.85	15.00
sempervirens, LITTLE GEM.	6 in. May. White. Dwarf form. Excellent for rock-garden and border use.90	2.25	18.00
IRIS, IRIS.				
cristata, CRESTED IRIS.	3-6 in. May. Exquisite dwarf, pale blue.90	2.25	18.00
cristata alba, WHITE CRESTED IRIS.	3-6 in. May. A rare native. Pure white.	1.00		
germanica, GERMAN IRIS.				
DALMATICA (Pallida dalmatica).	2-3 ft. Tall stemmed. Lavender. Very fine.90	2.25	18.00
kaempferi, JAPANESE IRIS.	2-3 ft. Finest mixed colors.90	2.25	18.00
pseudacorus, YELLOWFLAG IRIS.	3-4 ft. May-June. Bright yellow. Tall conspicuous leaves, fine for shrubberies.90	2.25	18.00
siberica, SIBERIAN IRIS.	1-2 ft. Lilac-blue. Slender foliage. ..	.75	1.85	15.00
siberica alba, WHITE SIBERIAN IRIS.	3 ft. June. White.75	1.85	15.00
verna, VERNAL IRIS.	4 in. June. Blue with yellow beards. Choice.90	2.25	18.00
versicolor, BLUEFLAG IRIS.	20 in. Native near streams and in swamps. Light purple flowers. Spring and early Summer.75	1.85	15.00
LAMIUM maculatum, SPOTTED DEADNETTLE. 5 in. Trailing plant with variegated leaves. Rosy-purple flowers in midsummer.				
		.75	1.85	15.00
LIATRIS, GAYFEATHER.				
pycnostachya, CATTAIL GAYFEATHER.	3-5 ft. August-October. Spikes of pale purple flowers. Fine for border.75	1.85	15.00
spicata, SPIKE GAYFEATHER.	3-5 ft. August-October. Purplish-blue flowers in dense spikes.60	1.50	12.00
LILIUM, LILY.				
canadense, CANADA LILY.	4 ft. August. Beautiful yellow native Lily.90	2.25	
carolinianum, CAROLINA LILY.	3 ft. Fragrant orange-red flowers in July.	1.50	3.75	
grayi, GRAYS LILY.	1-3 ft. June-July. Bell-shaped pendulous flowers. A deep reddish-brown outside. Introduced by Harlan P. Kelsey.	1.50	3.75	
philadelphicum, ORANGECUP LILY.	2 ft. July. Flaring upright red flowers.90	2.25	
regale, ROYAL LILY.	4-6 ft. July. Showy Summer-blooming Lily. The fragrant flowers are 4-6 in. long, white inside, lilac and purple outside.	4-5 in. circum	1.50	3.75
superbum, AMERICAN TURKSCAP LILY.	4-8 ft. July. Orange-scarlet to red, spotted inside.90	2.25	18.00
tigrinum, TIGER LILY.	2-5 ft. June-July. Orange-red with purple-black spots.90	2.25	18.00

Kelsey-Highlands Nursery

LOBELIA, LOBELIA.	per 3	10	100
cardinalis, CARDINALFLOWER. 2½-3 ft. July-August. Red. . .	.75	1.85	15.00
siphilitica, LARGE BLUE LOBELIA. 2½-3 ft. August. Native. Blue.	.75	1.85	15.00
LUPINUS polyphyllus, WASHINGTON LUPINE. 3-4 ft. June-July. Mixed colors, blue, pink or white. Showy flower spikes and handsome foliage. Good cut flowers.	.75	1.85	15.00
LYCHNIS, CAMPION.			
viscaria splendens, ROSEPINK CAMPION. 12 in. July. Dense tufts of evergreen foliage. Deep pink flowers.75	1.85	15.00
DOUBLE ROSEPINK CAMPION. Double flowered form of above.	.90	2.25	18.00
LYSIMACHIA nummularia, MONEYWORT. 2-4 in. Fine ground cover. Intense yellow flowers. June-July.60	1.50	12.00
LYTHRUM salicaria roseum, ROSE LOOSESTRIFE. 3-3½ ft. July-August. Rose.	.75	1.85	15.00
MONARDA didyma, OSWEGO BEEBALM. 1-3 ft. July-August. Brilliant crimson, fragrant.	.75	1.85	15.00
NEPETA mussini, 18 in. Blue flowers, dark spotted, clustered on long racemes. Hairy foliage.60	1.50	12.00
OENOTHERA, EVENING-PRIMROSE, SUNDROPS.			
glauca fraseri, FRASER SUNDROPS. June-Oct. Pale yellow flowers on 12 in. stems.	.90	2.25	18.00
missouriensis, OZARK SUNDROPS. 9-12 in. June-Aug. Large leaves, clear yellow flowers.90	2.25	18.00



GRAYS LILY
(*Lilium grayi*)



THE FRAGRANT CAROLINA LILY
(*Lilium carolinianum*)

Two exquisite Hardy American Flowers.
Introduced by Harlan P. Kelsey.

East Roxford, Massachusetts

	per 3	10	100
ORCHIDS —Orchids require a moist sweet soil for best results. These are some of the loveliest wildings for our gardens, and should be more generally used. All of them are hardy and many are readily forced indoors.			
CALOPOGON pulchellus, GRASS-PINK ORCHID. 12-14 in. June-Aug. Violet-rose flowers, golden-yellow hairs on lip. Likes moist humus soil. A real treasure for the wild garden or meadow.	1.50	3.75	30.00
CYPRIPEDIUM, LADYSLIPPER.			
acaule, PINK LADYSLIPPER. 12-15 in. June. Clear pink, with darker pink veinings.90	2.25	18.00
pubescens, COMMON YELLOW LADYSLIPPER. 12-18 in. May. Bright yellow, large flowers.	1.00	2.50	20.00
spectabile, SHOWY LADYSLIPPER. 12-24 in. May-June. White with pink or rosy-purple shades. Of remarkable beauty. Plant in damp peat or sphagnum bog in partial shade.	1.00	2.50	20.00
GOODYERA pubescens, DOWNY RATTLESNAKE-PLANTAIN. 12-15 in. July. Yellowish-white flowers in dense spikes rising from white-striped dark green basal leaves. Likes shade.90	2.25	18.00
HABENARIA, FRINGE-ORCHID.			
ciliaris, YELLOW FRINGE-ORCHID. 9-18 in. July-Aug. Striking orange-yellow flowers in 6 inch spike.	1.50	3.75	30.00
blephariglottis, WHITE FRINGE-ORCHID. 2-2½ ft. July-Aug. Pure white flowers with fringed lip and petals.	1.50	3.75	30.00
fimbriata, LARGE PURPLE FRINGE-ORCHID. 3-5 ft. June-July. Fragrant lilac or rarely white flowers.	1.50	3.75	30.00
lacera, GREEN FRINGE-ORCHID. 18-24 in. July-Aug. Greenish-yellow deeply fringed flowers.	1.50	3.75	30.00
psycodes, SMALL PURPLE FRINGE-ORCHID. 2-3 ft. July-Aug. Flowers lilac-purple or rarely white.	1.50	3.75	30.00
ORCHIS spectabilis, SHOWY ORCHID. 6-8 in. May-June. Dainty and rare Orchid with bright pink flowers. Give partial shade.	1.50	3.75	30.00
POGONIA ophioglossoides, ROSE POGONIA. 12-15 in. June-July. Fragrant rose-colored flowers.	1.50	3.75	30.00
SPIRANTHES lucida, WIDE-LEAF LADIES-TRESSES. 10 in. May-July. White flowers with pale yellow lip, in small dense spikes. Plant in moist soil.	1.50	3.75	30.00
ORCHIS —See ORCHIDS			
PENTSTEMON, PENTSTEMON.			
laevigatus digitalis, FOXGLOVE PENTSTEMON. 3 ft. July. Huge heads of pure white Foxglove-like flowers.90	2.25	18.00
SHELL PINK. 2 ft. July-August. The name is descriptive of this. One of the loveliest of Pentstemons.90	2.25	18.00
PHLOX, PHLOX.			
amoena, AMOENA PHLOX. 4-6 in. May-June. Low green mats with deep rose flowers.75	1.85	15.00
divaricata, BLUE PHLOX. 6-10 in. April. Pinkish blue.75	1.85	15.00
divaricata laphami, 12 in. May-June. An improved clear blue form.	1.00	2.50	20.00
ovata, MOUNTAIN PHLOX. 12-15 in. May-June. Pink.90	2.25	18.00
stolonifera, CREEPING PHLOX. Small clusters of purple and violet flowers.90	2.25	18.00
subulata atropurpurea. 4 in. Deep red. Dark green foliage.	1.00	2.50	20.00
subulata, APPLE BLOSSOM. 4-6 in. April-May. Shell pink. Unusually fine.	1.00	2.50	20.00
subulata brittoni. 4-6 in. May. Star-like white flowers.90	2.25	18.00
subulata "VIVID", MOSS PHLOX. 3-4 in. April-May. Vivid clear pink.	1.00	2.50	20.00
WHITE MOSS (subulata alba). 3-4 in. April-May. Pure white.75	1.85	15.00
NAMED HYBRIDS OF PHLOX paniculata.			
ANTONIN MERCIER. Large lavender flowers.90	2.25	18.00
BEACON. Brilliant cherry-red.75	1.85	15.00
COMMANDER. Crimson-red with darker eye.90	2.25	18.00
COUNT ZEPPELIN. White, carmine eye.	1.00	2.50	20.00
DEBS. Bright crimson.	1.00	2.50	20.00
E. I. FARRINGTON. Salmon-pink, white eye. An outstanding variety.90	2.25	18.00
ELIZABETH CAMPBELL. Bright salmon-pink, dark red eye. ..	1.00	2.50	20.00
ENCHANTRESS. Bright salmon-pink.90	2.25	18.00
FIREBRAND. Orange-scarlet.90	2.25	18.00

Kelsey-Highlands Nursery

PHLOX, Continued.	per 3	10	100
FRAU G. VON LASSBURG. 3 ft. Pure White.75	1.85	15.00
JOHNSON'S FAVORITE. Salmon-pink, dark red eye.90	2.25	18.00
JULES SANDEAU. 15 in. Pure pink.90	2.25	18.00
LA VAGUE. Mauve, carmine eye.90	2.25	18.00
LE MAHDI. Deep velvety violet.90	2.25	18.00
MARECHAL FRENCH. Deep scarlet with blood-red eye.90	2.25	18.00
MISS LINGARD. White, faint blush center.90	2.25	18.00
MRS. JENKINS. Pure white.90	2.25	18.00
MRS. SCHOLTEN. Deep blood-red.90	2.25	18.00
NICHOLAS FLAMMELL. Bright carmine-like, crimson eye, suffused salmon.90	2.25	18.00
RHEINLANDER. Salmon-pink with claret eye.90	2.25	18.00
RUTH MAY. Very pale pink with dark eye. Splendid late free-blooming variety.	1.00	2.50	20.00
SALMON GLOW. 2 ft. Bright pink, shaded salmon.	1.00	2.50	20.00
PHYSOSTEGIA, FALSE-DRAGONHEAD.			
virginiana, VIRGINIA FALSE-DRAGONHEAD. 2-3 ft. July-Sept. Tall rosy-lavender spikes.75	1.85	15.00
virginiana gigantea. 4-5 ft. July-Sept. Mauve-pink.75	1.85	15.00
virginiana rosea. 3 ft. New rose-colored variety. Rare.	1.50	3.75	
virginiana rubra. 2-3 ft. July-Sept. Rosy flowers.75	1.85	15.00
virginiana, VIVID. 12 in. July-Sept. Very deep rose.75	1.85	15.00
PLATYCODON grandiflorum, BALLOONFLOWER. 18-24 in. July-Sept. Deep blue.75	1.85	15.00
POGONIA—See ORCHIDS.			
POLYGONATUM commutatum, GREAT SOLOMON-SEAL. Arching spray of foliage, hung with white bells.90	2.25	18.00
SAPONARIA ocymoides, ROCK SOAPWORT. April-July. Creeping habit, bright pink flowers.75	1.85	15.00
SAXIFRAGA, SAXIFRAGE.			
cordifolia, HEARTLEAF SAXIFRAGE. 12-18 in. Large thick foliage and purple flowers in April-May. For rockeries.	1.00	2.50	20.00
maenabiana. 12 in. May-June. White with red spots.90	2.25	18.00
SEDUM, STONECROP.			
A most useful class of rock-garden material for ground covering and other purposes. Interesting in its variety of foliage, flower and effect of habits in growth. Unusually fine list and true to name.			
acre, GOLDMOSS. May-June. Yellow.40	1.00	8.00
aizoon, AIZOON STONECROP.60	1.50	12.00
album, WHITE STONECROP. 8 in. Creeping evergreen mat with white flowers. Summer.40	1.00	8.00
cristatum.60	1.50	12.00
ewersi, EWERS STONECROP. Low and half-trailing. Ruby-crimson. Flower stems to one foot.90	2.25	18.00
lydium, LYDIAN STONECROP. June. Needlelike foliage. Pink.40	1.00	8.00
oppositifolium, TWO-ROW STONECROP. Trailing. Pinkish white petals. Paired leaves, blunt tipped. Summer.60	1.50	12.00
reflexum, JENNY STONECROP. 9 in. June-July. Bright yellow.60	1.50	12.00
sexangulare, HEXAGON STONECROP. 2 in. May-June. Similar to acre but more brilliant yellow.75	1.85	15.00
sieboldi, SIEBOLD STONECROP.60	1.50	12.00
spectabile, SHOWY STONECROP. 1 ft. August. Flat pink heads.75	1.85	15.00
spurium.60	1.50	12.00
stoloniferum, RUNNING STONECROP. Creeping, flesh-pink. Early Summer.40	1.00	8.00
stoloniferum coccineum, SCARLET RUNNING STONECROP. Scarlet. Early Summer.60	1.50	12.00
SENECIO obovatus, ROUNDEAF GROUNDSEL. 18-24 in. Yellow flowers.90	2.25	18.00
SEMPERVIVUM, HOUSELEEK.			
arachnoideum, SPIDERWEB HOUSELEEK. 4-6 in. Bright red. Summer.75	1.85	15.00
tectorum, ROOF HOUSELEEK. 6-9 in. Pale red. Summer.60	1.50	12.00
SHORTIA galacifolia, OCONEE-BELLS. (See broadleaf evergreens.)			
SILENE alpestris, ALPINE CATCHFLY. May-June. Masses of white flowers. Prefers moist location.90	2.25	18.00
SPIRANTHES—See ORCHIDS.			

East Boxford, Massachusetts

STATICE, THRIFT.	per 3	10	100
caespitosa (Armeria caespitosa). 2 in. Summer. Smallest variety. Pale rose flowers in heads barely lifted above the densely tufted cushions.	1.50	3.75	
montana (Armeria alpina) MOUNTAIN THRIFT. 6 in. Summer. Deep rose flowers in ¾ inch heads. Very choice.	1.00	2.50	20.00
pseudoarmeria (Armeria cephalotes). 12 in. Summer. Bright pink flowers in 2 inch heads.60	1.50	12.00
pseudoarmeria rubra (Armeria cephalotes rubra). 12 in. Summer. Brighter flowers than preceding.60	1.50	12.00
STENANTHIUM robustum, FEATHERFLEECE. 5 ft. Attractive native from Pennsylvania south. Compound panicles of white flowers, 2 ft. or longer. Introduced by Harlan P. Kelsey.	1.50	3.75	
THALICTRUM polygamum, TALL MEADOWRUE. 7 ft. July. Huge white clustered flower heads over showy foliage.90	2.25	18.00
THERMOPSIS caroliniana, CAROLINA THERMOPSIS. 4-6 ft. Long terminal spikes of bright yellow pea-shaped flowers in June or July. Splendid with Delphinium.75	1.85	15.00
THYMUS, THYME.			
serpyllum album. Prostrate and creeping. White flowers. June-September.75	1.85	15.00
serpyllum coccineus, CRIMSON THYME. Prostrate. Crimson flowers. June-September.75	1.85	15.00
serpyllum lanuginosus, WOOLLY THYME. Prostrate. Purple flowers. Grey woolly foliage. June-September.75	1.85	15.00
vulgaris, COMMON THYME. 8-10 in May-June. Lilac or purple flowers.75	1.85	15.00
TRADESCANTIA, SPIDERWORT.			
virginiana, VIRGINIA SPIDERWORT. 2-3 ft. All summer. Broad grasslike foliage. Violet-blue flowers.60	1.50	12.00
virginiana alba, WHITE VIRGINIA SPIDERWORT. 2-3 ft. All summer. White.60	1.50	12.00
TRILLIUM, TRILLIUM.			
erectum, PURPLE TRILLIUM, 12 in. May. Flowers ox blood red in color.60	1.50	12.00
grandiflorum, SNOW TRILLIUM. 8-18 in. White turning pink.60	1.50	12.00
stylosum, ROSE TRILLIUM. 12-15 in. Rosy-pink. Last to bloom.60	1.50	12.00
undulatum, PAINTED TRILLIUM. 18-24 in. Late May. White with purple spots at base.60	1.50	12.00
UVULARIA grandiflora, BIG MERRYBELLS. 12-18 in. May. Lemon yellow bell-shaped drooping flowers.60	1.50	12.00
VERONICA, SPEEDWELL.			
longifolia subsessilis, CLUMP SPEEDWELL. 2 ft. July-Sept. Large spikes of dark blue flowers.	1.00	2.50	20.00
repens, CREEPING SPEEDWELL. All Summer. Dense vivid green carpet. Abundance of pale blue flowers.75	1.85	15.00
saxatilis, 6 in. Summer. Shrubby. Flower pale blue to pale pink.90	2.25	18.00
spicata, SPIKE SPEEDWELL. 18 in. June-August. Violet-blue.60	1.50	12.00
teucrium, ROYAL BLUE. 1 ft. Summer. Improved variety with deep blue flowers.90	2.25	18.00
teucrium prostrate, HAREBELL SPEEDWELL. Summer. Nearly prostrate. Flowers blue in long racemes.90	2.25	18.00
teucrium rupestris rosea. Dwarf form. Summer. Pink flowers.90	2.25	18.00
virginiana, CULVERS-PHYSIC. 3-4 ft. Aug.-Sept. White to pale blue.60	1.50	12.00
VIOLA, VIOLA.			
JERSEY GEM. 6-8 in. April-August. Clear deep blue. Fine long stems.75	1.85	15.00
odorata, ROSINA. 3-6 in. April-June and again in Sept. Pink. Rich fragrance. A real gem.90	2.25	18.00
pedata, BIRDSFOOT VIOLET. 3-6 in. April-May. Light blue.60	1.50	12.00
pedata bicolor. The two upper petals deep velvety purple.90	2.25	18.00
tricolor, COMMON PANSY.40	1.00	8.00

"Standardized Plant Names" is authority for names used in this catalog.

HARDY NATIVE COLLECTED SHRUBS AND LOW GROUNDCOVERS

Americans are at last realizing how ruthlessly in the past nature has been man-handled and destroyed in the name of progress and profit, and that now it is imperative to again cover with beautiful native growth the waste places, roadsides and woodlands, so as to redeem our incomparable landscapes, prevent soil erosion, and give natural food and protection to our fast disappearing wild bird and animal life.

Nature's delicate equilibrium has been badly upset and should be restored unless floods, drought, insect pests and plant diseases are surely to overwhelm us.

Experts now agree that trees alone will not accomplish this and that the use of native shrubs and permanent low groundcovers in vast quantities is absolutely necessary.

Therefore for this purpose we are offering below a selected list of economical material in strong plants, clumps and sods. We are always glad to advise with customers on this important subject so they may secure the most satisfactory results.

SHRUBS

	per 10	100
AMELANCHIER canadensis, DOWNY SHADBLOW. 10-20 ft. Nodding dense racemes of pure white flowers in May. Leaves wooly when young.		
Clumps 2-3 ft.	3.60	32.00
Clumps 3-4 ft.	6.75	60.00
ALNUS rugosa, HAZEL ALDER. Shrub or small tree particularly useful in swamp areas.		
Clumps 2-3 ft.	2.70	24.00
BENZOIN aestivale, SPICEBUSH. 6-15 ft. Honey-yellow flowers in March or April. Partial shade or damp woods.		
Clumps 1-2 ft.	1.80	16.00
BETULA populifolia, GRAY BIRCH. 20-30 ft. Thrives in poor or sandy soil.		
Strong plants 1-3 ft.	1.80	16.00
Clumps 1-3 ft.	2.25	20.00
Strong plants 3-6 ft.	2.70	24.00
Clumps 3-6 ft.	3.15	28.00
CHAMAEDAPHNE calyculata, LEATHERLEAF. 2-4 ft. April-June. Splendid white-flowered evergreen shrub for shady or sunny locations.		
Clumps 1-2 ft.	6.75	60.00
CLETHRA alnifolia, SUMMERSWEET. 3-12 ft. Fragrant white flowers in erect paniced racemes in July or August.		
Clumps 1-2 ft.	2.25	20.00
COMPTONIA asplenifolia, SWEETFERN. 1-2 ft. Low sweet-scented shrub, splendid for covering banks or for dry soil.		
Clumps 1-2 ft.	2.25	20.00
DIERVILLA trifida, DWARF BUSH-HONEYSUCKLE. 2-4 ft. Splendid bank cover, particularly in shady locations. Yellow flowers in June or July.		
Strong plants 1-2 ft.	1.80	16.00
GAYLUSSACIA baccata, BLACK HUCKLEBERRY. 2-3 ft. Handsome compact shrub with reddish flower racemes.		
Clumps 1-2 ft.	3.60	32.00
KALMIA angustifolia, LAMBKILL. 2-4 ft. Abundance of lovely small crimson flowers. Best planted in masses in peaty soil.		
Strong plants 9-18 in.	2.25	20.00
Sods 12 in. square	3.60	32.00

East Boxford, Massachusetts

SHRUBS, Continued.		per 10	100
MYRICA carolinensis, NORTHERN BAYBERRY. 3-10 ft. Spreading undershrub with curious white fruit.			
Strong clumps 6-18 in.	4.05	36.00	
NEMOPANTHUS mucronatus, MOUNTAIN-HOLLY. 8-10 ft. Handsome red fruit and brilliant autumn foliage. Splendid for swamp or bog.			
Strong clumps 1-3 ft.	2.25	20.00	
RHODORA canadensis, RHODORA. 2-3 ft. Lavender-pink flowers in April or May. Prefers peaty or damp situations.			
Clumps 1-2 ft.	6.75	60.00	
RHUS, SUMAC			
copallina, SHINING SUMAC. 10-20 ft. Shrub or small tree with showy autumn foliage.			
Strong plants 1-2 ft.	1.80	16.00	
glabra, SMOOTH SUMAC. 10-20 ft. Notable for its shiny foliage and hairy, scarlet fruit.			
Strong plants 1-2 ft.	1.80	16.00	
ROSA, ROSE			
lucida, VIRGINIA ROSE. 2-4 ft. Dwarf form with shiny foliage and bright pink flowers in June and July.			
Strong plants 1-2 ft.	1.80	16.00	
nitida, BRISTLY ROSE. 3-6 ft. Single reddish flowers on bristle covered branches.			
Strong plants 1-2 ft.	1.80	16.00	
SPIRAEA latifolia, PINK MEADOW SPIREA. 3-5 ft. White or pinkish flowers. June-August.			
Strong clumps 2-3 ft.	2.25	20.00	
tomentosa, HARDHACK. 3-4 ft. Rose or purple flowers in dense panicles. July-Sept.			
Strong clumps 2-3 ft.	2.25	20.00	
VACCINIUM, BLUEBERRY			
corymbosum, Highbush Blueberry. 6-10 ft. Our commonest native blueberry with pinkish or white flowers in May and luscious edible fruit. Brilliant Autumn coloring.			
Strong clumps 1-2 ft.	4.05	36.00	
pennsylvanicum, Lowbush Blueberry. 6 in.-2 ft. Low mats of foliage turn brilliant red in fall. Greenish-white flowers in April followed by delicious fruit.			
Strong clumps 3-6 in.	2.70	24.00	
Sods 12 in. square	4.05	36.00	
MIXED CLUMPS—our selection. A superb assortment for naturalizing. These include Vaccinium, Azalea, Clethra, Rhodora, Ilex verticillata, Spiraeas, Rosas, etc. Two or more varieties in each clump.			
Strong clumps 2-3 ft.	9.00	81.00	

LOW GROUNDCOVERS

ACORUS calamus, SWEETFLAG. Hardy herb for marshy places. Greenish-white flower spadix to 4 inches.			
Strong plants	1.80	16.00	
BAPTISIA tinctoria, YELLOW WILD-INDIGO. 12-24 in. Golden pea-shaped flowers in June. For the dry field or hillside.			
Strong plants	1.50	12.00	
CHIMAPHILA umbellata, COMMON PIPSISSEWA. 8-10 in. Evergreen herb for woods planting or partial shade in the wild garden.			
Strong plants	1.50	12.00	
Sods 12 in. square	4.00	36.00	
CHIOGENES hispidula, CREEPING SNOWBERRY. Little creeping evergreen plant with white bell-shaped flowers in May or June and white berries. A splendid groundcover for shady locations.			
Strong plants, av. 6 in. diameter	3.00	27.00	
CLINTONIA borealis, BLUEBEAD. 12-18 in. A woodsy herb notable for its greenish-yellow flowers and blue fruit. Likes dampness and shade.			
Strong plants	1.50	12.00	
Sods 12 in. square	4.00	36.00	
COPTIS groenlandica, GOLDTHREAD. 3-6 in. For damp woods or shady slopes. White flowers in summer. Curious yellow roots. Often confused with C. trifolia.			
Strong plants	1.50	12.00	
Sods 12 in. square	4.00	36.00	
CORNUS canadensis, BUNCHBERRY. 6-9 in. Miniature dogwood flowers in May or June followed by bright red fruit. Splendid groundcover.			
Strong plants	2.00	18.00	
Sods 12 in. square	5.00	45.00	
DENNSTEDTIA punctilobula, HAY-SCENTED FERN. 2-3 ft. A splendid fern for planting in large masses. Very hardy and adaptable to many locations.			
Sods 12 in. square	2.50	22.50	

Kelsey-Highlands Nursery

LOW GROWDCOVERS, Continued.	per 10	100
GAULTHERIA procumbens, WINTERGREEN. Evergreen creeping groundcover with white flowers and scarlet fruit.		
Strong clumps	1.80	16.00
Sods 12 in. square	3.50	31.00
HEPATICA triloba, ROUNDLOBE HEPATICA. 4-8 in. Flowers white, lavender-blue or rose in early spring.		
Strong clumps	1.80	16.00
MAIANTHEMUM canadense. 3-6 in. Lovely low groundcover with bright green leaves and white flowers. Plant in masses under pines, oaks, etc.		
Sods 12 in. square	2.50	22.50
MITCHELLA repens, PARTRIDGEBERRY. Evergreen carpeting herb with pairs of white flowers in spring followed by scarlet fruit.		
Strong plants	1.50	12.00
Sods 12 in. square	4.00	36.00
POTENTILLA tridentata, WINELEAF CINQUEFOIL. Prostrate evergreen creeper. Glistening green foliage a brilliant claret color in Autumn. White flowers.		
Strong plants	2.00	18.00
Sods 12 in. square	6.00	54.00
PYROLA elliptica, SHINLEAF. 8-10 in. Greenish-white flower racemes in summer from clusters of evergreen leaves.		
Strong plants	1.50	12.00
Sods 12 in. square	4.00	36.00
VACCINIUM macrocarpon, CRANBERRY. Evergreen, with long creeping stems, and pink flowers June-Aug. Edible red fruit. Fine for low places.		
Strong plants	1.50	12.00
Sods 12 in. square	4.00	36.00
OLD FIELD GRASS. Contains hardy native grasses and sedges of great value for sodding embankments, gravel pits, etc.		
Sods 12 in. square	2.50	22.50
MIXED FIELD SODS. These have dwarf wild aster, violets, gayfeather, etc., and are splendid for cover in open fields, embankments, wood borders, etc. where a soft yet colorful natural effect is desired.		
Sods 12 in. square	3.50	31.00
MOSS SODS. We collect a variety of mosses for use under wood plantations, in wild gardens, etc.		
Sods 12 in. square	2.50	22.50



Looking South from Office—KELSEY-HIGHLANDS NURSERY

HARDY NATIVE COLLECTED RHODODENDRONS, AZALEAS AND MOUNTAINLAUREL FROM THE CAROLINA MOUNTAINS

The high Carolina Mountain district has always been the source of supply for the grand Native Broadleaf Evergreens and Azaleas. Harlin P. Kelsey was the first and for many years the only substantial source for these loveliest of hardy ornamental plants, many of which he introduced to cultivation.

As exclusive Agents for New England for the Farmer's Federation, Inc., Asheville, N. C., a mountain cooperative organization, we offer the highest grade of material sent out from that region, all heavy, fresh-dug clumps, carefully balled and burlapped. This super-grade stock is far superior to the usual mixed and light grades of collected stock usually sent out, and yet the prices are very reasonable. Do not be deceived, but buy and plant the best.

Address all orders and inquiries to:—

HARLAN P. KELSEY, Inc.,
Kelsey-Highlands Nursery,
East Boxford, Massachusetts

Prices below are for highest grade clumps, balled and burlapped. Only full carlot orders will be shipped direct from North Carolina, to your freight station. All less carlot orders will be shipped from Kelsey-Highlands Nursery, East Boxford, Mass.

NOTE: The minimum order accepted at these prices is \$100.00. On smaller orders add 20% to listed prices to cover additional cost of handling. On orders of \$500.00 or more deduct 10%.

	F.O.B. No. Carolina Per 100	F.O.B. East Boxford, Mass. Per 100
Azalea.		
arborescens, SWEET AZALEA. 8 stems and up.		
2-3 ft. B&B	75.00	102.00
3-4 ft. B&B	100.00	136.00
calendulacea, FLAME AZALEA. 8 stems and up.		
1-2 ft. B&B	40.00	63.00
2-3 ft. B&B	55.00	82.00
3-4 ft. B&B	70.00	106.00
4-5 ft. B&B	100.00	145.00
canescens, PIEDMONT AZALEA. 8 stems and up.		
2-3 ft. B&B	75.00	102.00
3-4 ft. B&B	100.00	136.00
nudiflora, PINXTERBLOOM. 8 stems and up.		
2-3 ft. B&B	60.00	87.00
3-4 ft. B&B	75.00	111.00
viscosa, SWAMP AZALEA. 8 stems and up.		
2-3 ft. B&B	60.00	87.00
3-4 ft. B&B	90.00	126.00
Kalmia latifolia, MOUNTAINLAUREL. 8 stems and up.		
2-3 ft. B&B	75.00	127.00
3-4 ft. B&B	90.00	135.00
4-5 ft. B&B	140.00	196.00
Leucothoe catesbaei, DROOPING LEUCOTHOE. 8 stems and up.		
1-2 ft. B&B	70.00	93.00

Kelsey-Highlands Nursery

	F.O.B. No. Carolina Per 100	F.O.B. East Boxford, Mass. Per 100
Pieris floribunda, MOUNTAIN ANDROMEDA. 8 stems and up.		
1-2 ft. B&B	76.00	102.00
2-3 ft. B&B	110.00	150.00
3-4 ft. B&B	145.00	185.00
4-5 ft. B&B	350.00	421.00
Rhododendron.		
carolinianum, CAROLINA RHOD. 8 stems and up.		
1-2 ft. B&B	90.00	117.00
2-3 ft. B&B	130.00	166.00
3-4 ft. B&B	175.00	231.00
carolinianum album, WHITE CAROLINA RHOD. 8 stems and up.		
1-2 ft. B&B	75.00	102.00
2-3 ft. B&B	100.00	136.00
3-4 ft. B&B	125.00	170.00
catawbiense, CATAWBA RHOD. 8 stems and up.		
1-2 ft. B&B	90.00	122.00
2-3 ft. B&B	105.00	146.00
3-4 ft. B&B	150.00	202.00
4-5 ft. B&B	200.00	259.00
5-6 ft. B&B	375.00	477.00
maximum, ROSEBAY RHOD. 8 stems and up.		
1-2 ft. B&B	60.00	92.00
2-3 ft. B&B	70.00	119.00
3-4 ft. B&B	95.00	149.00
4-5 ft. B&B	140.00	203.00
5-6 ft. B&B	220.00	339.00



Rhododendrons in our North Carolina Collecting Fields.
Only highest grade material is shipped.

KELSEY'S SPECIAL LAWN GRASS SEED

In our complete horticultural and landscape service, we consider dependable grass seed a most important item. The mixtures we offer below contain the finest grade of seed in proper proportions. Our formulas are the fruit of experience and study of soil conditions and lawn needs of Northeastern United States. Best results come from early Spring sowing and again in August and September.

Kelsey's SUPERLAWN Mixture.

A noteworthy mixture of finest perennial turf grasses and domestic rye-grass. Only seeds of high and tested quality are used. This formula is particularly designed for the neutral to acid soil almost universally found in the North Atlantic States. Sow one pound to 400 sq. feet.

1 lb.....\$.50	5 lbs.....\$2.35	10 lbs.....\$4.50	25 lbs.....\$10.00
-----------------	------------------	-------------------	--------------------

Kelsey's BENTLAWN Mixture.

This is a superb bent mixture which will produce a fine firm turf of unusual appeal. The Astoria Bent is carefully blended with other fine grasses so as to combine the elegance of a Bent lawn with the dependability of the less "fussy grasses". Sow one pound to 300 sq. feet.

1 lb.....\$1.00	5 lbs.....\$4.75	10 lbs.....\$9.00	25 lbs.....\$20.00
-----------------	------------------	-------------------	--------------------

Kelsey's SHADYLAWN Mixture.

The shady spot in your garden requires a grass seed mixture especially designed for shade tolerance. Such a mixture is Kelsey's SHADYLAWN, a dependable blend of proven value. Sow one pound to 300 sq. feet.

1 lb.....\$.75	5 lbs.....\$3.55	10 lbs.....\$6.75	25 lbs.....\$15.00
-----------------	------------------	-------------------	--------------------

Kelsey's SHORELAWN Mixture.

Kelsey's SHORELAWN Grass Seed is a skillful blend of fine grasses from a formula of proven success on many North and South Shore estates, where acid and usually sandy soil, extreme exposure and salt spray are the rule. Sow one pound to 300 sq. feet.

1 lb.....\$.75	5 lbs.....\$3.55	10 lbs.....\$6.75	25 lbs.....\$15.00
-----------------	------------------	-------------------	--------------------

Kelsey's GREENLAWN Mixture.

For ordinary needs, where a high grade mixture such as Kelsey's SUPERLAWN is not required, Kelsey's GREENLAWN mixture will provide a splendid turf of unusual endurance. Sow one pound to 400 sq. feet.

1 lb.....\$.35	5 lbs.....\$1.65	10 lbs.....\$3.15	25 lbs.....\$ 7.00
-----------------	------------------	-------------------	--------------------

On orders for Kelsey's Special Lawn Grass Seed Mixtures carriage is paid to any point in New England when cash accompanies order.

LISTS OF PLANTS FOR SPECIAL ENVIRONMENTS

PLANTS SUITABLE FOR ROCK GARDENS

EVERY Rock Garden has problems of its own. No list of this nature can in any way be complete—it can merely suggest a few of the varieties that are being successfully used in the finest American Rock Gardens. Herbaceous perennials are not included, as use of the various kinds depends on the type and size of the rock garden. We will gladly make recommendations of perennials to use for given types of rock garden.

Aesculus discolor mollis
Amelanchier stolonifera
Andromeda polifolia
Arctostaphylos uvaursi
Azalea japonica
Azalea pentaphylla
Azalea poukhanensis
Berberis, Truehedge Barberry
Buxus koreana
Calluna, in variety
Cotoneaster horizontalis
Cotoneaster hor. perpusilla
Cydonia japonica pygmaea
Daphne cneorum
Daphne mezereum
Dicentra eximia
Epigaea repens
Erica carnea
Euonymus alatus (compact form)
Euonymus radicans
Forsythia ovata
Fothergilla gardeni
Hypericum bucklei
Juniperus chinensis sargentii
Juniperus communis depressa
Juniperus horizontalis plumosa
Juniperus sabina
Juniperus sabina tamariscifolia

Juniperus squamata meyeri
Leiophyllum buxifolium prostratum
Pachistima canbyi
Picea, Dwarf Alberta Spruce
Pieris floribunda
Pieris japonica
Pinus montana mughus
Potentilla tridentata
Rhododendron catawbiense compacta
Rhododendron laetivirens
Rhododendron mucronulatum
Rosa rouletti
Taxus canadensis
Taxus cuspidata
Taxus cuspidata (upright form)
Taxus cuspidata nana
Taxus media hicksi
Thuja, American Pyramidal Arborvitae
Thuja occidentalis compacta
Thuja occidentalis ellwangeriana
Thuja occidentalis globosa
Thuja occidentalis hoveyi
Tsuga canadensis gracilis
Tsuga canadensis pendula
Vaccinium pennsylvanicum
Viburnum opulus nanum
Yucca filamentosa

PLANTS FOR MOIST SOILS

MOST plants will not stand a location that is quite moist a great deal of the time. These varieties, however, do not seem to mind considerable moisture if proper drainage is provided. In many cases it increases their growth and gives them finer foliage.

Care must be used in choosing varieties that will best suit your particular location and we are prepared to help you plan correctly.

BOG AND WATER PLANTS

Bog gardening is a most interesting phase of horticulture. Most of these plants will also thrive in moist upland soil.

Acer rubrum
Alnus rugosa
Amelanchier oblongifolia
Andromeda glaucophylla
Aronia arbutifolia
Azalea nudiflora
Azalea viscosa
Benzoin aestivale

Betula nigra
Calapogon pulchellus
Caltha palustris
Calycanthus floridus
Chamaedaphne calyculata
Chelone glabra
Chelone lyonii
Cimicifuga americana

Cimicifuga racemosa
Clethra alnifolia
Cornus stolonifera
Cypripedium pubescens
Cypripedium spectabile
Epigaea repens
Eupatorium purpureum
Ferns, in variety

East Boxford, Massachusetts

Habenaria, in variety
Ilex glabra
Ilex verticillata
Iris kaempferi
Iris pseudacorus
Iris siberica
Iris siberica alba
Iris versicolor
Itea virginica
Kalmia angustifolia
Kalmia polifolia
Ledum groenlandicum

Leucothoe catesbaei
Lobelia cardinalis
Lythrum salicaria roseum
Mitchella repens
Monarda didyma
Nemopanthus mucronatus
Nyssa sylvatica
Pogonia ophioglossoides
Quercus palustris
Rhodora canadensis
Rubus odoratus
Salix, in variety

Spiraea tomentosa
Spiranthes lucida
Thalictrum polygamum
Thuja, in variety
Tradescantia virginiana
Tradescantia virginiana alba
Ulmus americana
Vaccinium, in variety
Vaccinium corymbosum
Viburnum americanum
Viburnum dentatum

PLANTS FOR DRY SOILS

OFTEN it is extremely difficult to find plants that will thrive in soil that is quite dry. These plants are among the best for such situations and when established seem to enjoy well-drained and rather dry soil.

Acer negundo
Ailanthus glandulosa
Arctostaphylos uvaursi
Betula populifolia
Calluna, in variety
Hypericum densiflorum
Juniperus, in variety
Lespedeza bicolor
Phellodendron, in variety

Picea canadensis albertiana
Pinus montana
Pinus montana mughus
Pinus pungens
Pinus resinosa
Pinus strobus
Pinus sylvestris
Prunus maritima

Prunus pumila
Robinia hispida
Robinia kelseyi
Rosa setigera
Symphoricarpos racemosus
Symphoricarpos vulgaris
Vaccinium pennsylvanicum
Yucca filamentosa

PLANTS FOR SHADY PLACES

THE following plants do well in a shady or semi-shady location. Most of them will also thrive in sunny locations. For woods plantings and for those shady spots where even grass does not seem happy you will find these items very useful. Good rich peaty soils are always desirable.

Acer pennsylvanicum
Ajuga genevensis
Amelanchier, in variety
Akebia quinata
Aquilegia canadensis
Arctostaphylos uvaursi
Asarum shuttleworthi
Aronia, in variety
Azalea, in variety
Celastrus scandens
Chelone glabra
Cimicifuga americana
Cimicifuga racemosa
Clethra, in variety
Clintonia borealis
Convallaria majalis
Cornus, in variety
Corylus americana
Cypripedium, in variety

Daphne mezereum
Diervilla trifida
Epigaea repens
Ferns, in variety
Forsythia suspensa
Galax aphylla
Gaylussacia baccata
Hamamelis, in variety
Hydrangea, in variety
Ilex glabra
Ilex verticillata
Kalmia, in variety
Leucothoe catesbaei
Leucothoe racemosa
Ligustrum, in variety
Lobelia cardinalis
Mitchella repens
Monarda didyma
Orchids, in variety

Ostrya virginiana
Pachysandra terminalis
Rhododendron, in variety
Rhus glabra
Rubus odoratus
Shortia galacifolia
Symphoricarpos racemosus
Symphoricarpos vulgaris
Taxus, in variety
Thuja occidentalis
Trillium, in variety
Tsuga canadensis
Tsuga carolinianum
Vaccinium, in variety
Viburnum, in variety
Vinca minor
Vinca minor alba
Zanthorhiza apiifolia

PLANTS FOR SEASHORE CONDITIONS

IN PLANTING nursery stock near the shore it is advisable to select plants that will withstand the attacks of ocean winds and salt spray. Only comparatively resistant kinds are listed here. Many others will do well with slight protection.

Abies concolor
Acer rubrum

Myrica carolinensis
Picea asperata

Kelsey-Highlands Nursery

Actinidia arguta
Amelanchier, in variety
Arctostaphylos uvaursi
Aristolochia sipho
Berberis, in variety
Betula, in variety
Calluna, in variety
Celastrus orbiculatus punctatus
Clethra, in variety
Cornus, shrub forms
Cotoneaster, in variety
Crataegus, in variety
Cytisus supinus
Elaeagnus angustifolia
Erica carnea
Forsythia, in variety
Hydrangea, in variety
Hydrangea petiolaris
Ilex glabra
Juniperus chinensis pfitzeriana
Juniperus communis depressa
Juniperus horizontalis plumosa
Juniperus virginiana
Larix, in variety
Ligustrum, in variety
Lonicera japonica halliana
Lonicera morrowi
Lonicera sempervirens
Lonicera tatarica, in variety
Malus, in variety

Picea canadensis
Picea engelmanni
Picea jezoensis
Picea pungens
Picea pungens glauca
Picea pungens kosteri
Pinus densiflora
Pinus montana
Pinus montana mughus
Pinus nigra
Pinus resinosa
Populus, in variety
Prunus, in variety
Rhamnus, in variety
Rhus, in variety
Rhododendron laetevirens
Rosa, in variety
Salix, in variety
Sorbus, in variety
Spiraea, in variety
Taxus cuspidata
Taxus cuspidata nana
Ulmus americana
Ulmus pumila
Vaccinium, in variety
Viburnum, in variety
Viburnum carlesi
Wisteria sinensis
Wisteria sinensis alba
Yucca filamentosa

PLANTS USEFUL FOR HEDGES AND WINDBREAKS

THERE are many plants not usually considered in this respect that can be used for hedge and windbreak purposes. This list gives only those varieties that are easily adaptable through pruning to such uses. To help you plan and plant your hedge we will be glad to give detailed information.

Acer ginnala
Berberis, in variety
Carpinus, in variety
Chamaecyparis obtusa
Cotoneaster acutifolia
Cotoneaster lucida
Cotoneaster nitens
Crataegus, all varieties
Euonymus radicans vegetus
Fagus, in variety
Forsythia, all varieties
Ligustrum, all varieties

Lonicera fragrantissima
Lonicera tatarica alba
Picea canadensis
Pinus montana
Pinus montana mughus
Pinus strobus
Rhamnus, in variety
Rosa hugonis
Rosa rugosa
Rosa rugosa alba
Rosa rugosa hybrids
Rosa setigera

Rosa spinosissima
Salix pentandra
Spiraea vanhouttei
Syringa, in variety
Taxus cuspidata (upright form)
Taxus cuspidata nana
Thuja, in variety
Tsuga canadensis
Tsuga caroliniana
Ulmus pumila
Vaccinium corymbosum
Viburnum dentatum

PLANTS FOR AUTUMN COLORING

THE plants in this list are especially valuable for the great variety of colors of foliage in Autumn.

Acer ginnala
Acer palmatum
Acer rubrum
Acer saccharum
Amelanchier laevis
Arctostaphylos uvaursi
Aronia, in variety
Azalea arborescens
Azalea vaseyi
Ampelopsis, in variety
Berberis, in variety
Betula papyrifera
Calluna vulgaris cuprea

Clethra alnifolia
Cornus alternifolia
Cornus florida
Cornus paniculata
Crataegus coccinioides
Crataegus cordata
Enkianthus campanulatus
Euonymus alatus
Euonymus alatus (compact form)
Euonymus radicans carrierei
Euonymus radicans colorata
Gaylussacia baccata

Leucothoe catesbaei
Nemopanthus mucronatus
Nyssa sylvatica
Oxydendrum arboreum
Potentilla tridentata
Quercus palustris
Rhododendron dahuricum
Rhododendron mucronulatum
Rhus copallina
Rhus glabra
Vaccinium corymbosum
Vaccinium pallidum
Viburnum, in variety

SOME OF THE BETTER BERRY BEARING PLANTS

"WHAT shall I plant to attract the birds?" is a question this list answers. These plants will produce a succession of fruit, varying in color, size and time of fruiting, from midsummer until late winter, attracting to your home grounds birds of many kinds. Nearly all of them flower in the Spring, adding still more beauty to the landscape. For time of fruiting consult general list.

Actinidia arguta, Greenish-yellow
Amelanchier canadense, Crimson or purplish
Amelanchier laevis, Purple or nearly black
Amelanchier oblongifolia, Maroon-purple
Amelanchier stolonifera, Purple
Arctostaphylos uvaursi, Scarlet
Aronia atropurpurea, Red-purple
Aronia arbutifolia, Bright red
Aronia melanocarpa, Shining black
Aronia melanocarpa grandiflora, Shining black
Berberis, in variety, Red
Berberis julianae, Blue-black
Celastrus orbiculatus punctatus, Bright orange pods, scarlet seeds
Cornus alternifolia, Bluish-black on red pedicels
Cornus amomum, Blue, sometimes partly white
Cornus florida, Scarlet
Cornus kousa, Pinkish
Cornus paniculata, White on red peduncles
Cornus stolonifera, White
Cotoneaster, in variety, Red or black
Cotoneaster acutifolia, Black
Cotoneaster dielsiana, Coral-red
Cotoneaster divaricata, Bright red
Cotoneaster horizontalis, Red
Cotoneaster lucida, Purplish-black
Cotoneaster nitens, Purplish-black
Crataegus arkansana, Scarlet
Crataegus arnoldiana, Bright crimson
Crataegus coccinea, Red
Crataegus coccinioides, Red
Crataegus cordata, Bright red
Crataegus crusgalli, Bright red
Crataegus oxyacantha splendens, Red
Crataegus peregrina, Dull purple
Crataegus prunifolia, Scarlet
Crataegus punctata, Dull red
Crataegus rotundifolia, Red
Crataegus tomentosa, Yellow or yellow-red
Elaeagnus angustifolia, Yellow
Euonymus alatus, Red
Euonymus bungeanus, Orange and pink
Euonymus europaeus, Scarlet
Euonymus maackii, Pink
Euonymus radicans vegetus, Scarlet
Euonymus yedoensis, Pink and orange
Gaylussacia baccata, Black
Ilex glabra, Black
Ilex monticola, Brilliant scarlet
Ilex serrata, Scarlet
Ilex verticillata, Brilliant bright red
Ligustrum acuminatum macrocarpum, Black

Ligustrum amurense, Blue-black
Ligustrum, Ibolium Privet, Black
Ligustrum ibota, Black
Ligustrum ibota regelianum, Black
Ligustrum, vulgare, Blue-black
Lonicera chrysantha, Orange-red
Lonicera maackii, Dark red
Lonicera morrowi, Red
Lonicera syringantha, Red
Lonicera tatarica, in variety, Red
Lonicera trichosantha, Bright red
Malus, variety of colors
Mitchella repens, Scarlet
Myrica carolinensis, White fruit
Nyssa sylvatica, Bluish-black
Phellodendron, in variety, Black
Photinia villosa, Bright red
Prunus americana, Red
Prunus americana siberica, Yellow
Prunus besseyi, Purple-black
Prunus incisa, Purple-black
Prunus lannesiana, Black
Prunus maritima, Dull purple
Prunus orthosepala, Red
Prunus pumila, Black
Prunus serrulata, Black
Prunus serrulata sachalinensis, Black
Prunus tomentosa, Scarlet
Prunus yedoensis, Black
Rhamnus caroliniana, Red to black
Rhamnus dahurica, Black
Rhus copallina, Crimson
Rhus typhina, Crimson
Rosa, in variety, many colors
Rubus odoratus, Red
Sorbus americana, Brilliant red
Sorbus aucuparia, Brilliant red
Sorbus commixta, Bright red
Sorbus mougeoti, Bright red
Symphoricarpos chenaulti, Red and white, speckled
Symphoricarpos mollis, White
Symphoricarpos racemosus, White
Symphoricarpos vulgaris, Coral
Vaccinium corymbosum, Blue
Vaccinium pennsylvanicum, Blue
Vaccinium stamineum, Green and purple
Viburnum americanum, Bright scarlet
Viburnum cassinoides, Pink to blue
Viburnum dentatum, Blue
Viburnum lantago, Bluish-black
Viburnum opulus, Red
Viburnum pubescens, Blue-black
Viburnum sargentii, Scarlet
Viburnum wrightii, Brilliant red

A COMPLETE HORTICULTURAL AND LANDSCAPE SERVICE AT KELSEY-HIGHLANDS NURSERY

Customers of Harlan P. Kelsey, Inc. will find our various branches of service of real value thruout the year. Some special features of this service are described below.

1. **RENOVATION OF GARDENS AND PLANTATIONS.** Overgrown or run down gardens can often be improved immeasurably by readjustment, pruning, fertilization, the addition of a few plants, etc. Let us help you make your garden more interesting and enjoyable.
2. **LANDSCAPE SERVICE.** Harlan P. Kelsey, Inc. offers a skilled service devoted to the creation of finer landscapes. After a careful study of each individual problem we recommend a development which will fit the particular location so as to combine beauty and convenience with economy of construction and maintenance. Our background of sound designing and horticultural experience assures such results. No charge is ordinarily made for a preliminary conference at our office, or on the grounds where most effective results are ordinarily obtained. If however considerable time or distance is involved a minimum charge is made to cover costs.
3. **HEDGES, WINDBREAKS AND SCREENS.** The growing of fine material for evergreen and deciduous hedges, windbreaks and screens is a specialty at Kelsey-Highlands Nursery. For protection from harsh winds, for masking unsightly views and to insure privacy the larger screens are often invaluable. Lower hedges and borders are pleasing essentials in many garden designs. We will gladly submit recommendations and quotations for individual problems. A far wider list is available for these uses than is generally supposed. For example, few realize that the native White Pine, which in our woods grows to over 100 feet in height, responds readily to pruning and will make if desired a permanent low hedge or border as small as 1 foot in height or a tall impenetrable windbreak of any reasonable dimensions.
4. **MOVING LARGE SPECIMEN TREES.** Our tree-moving equipment is especially designed for safely transplanting large Evergreens or Shade Trees up to almost 1 foot in diameter. We have many handsome specimens of Pine, Hemlock, Spruce, Fir and Shade Trees in wide variety from 10 to 30 feet in height. These are moved with large balls with little disturbance to the root systems, largely eliminating risks. For transplanting large trees on private estates our charge for tree-moving machine and two operators is \$35.00 per day; additional labor or materials at our usual rates.
5. **PLANTINGS FOR BIRDS.** Birds add beauty and song to the garden, and are of greatest value in curbing insect damage. Every garden should include plants that provide natural bird food and cover. We know what these plants are and will gladly help you plan their proper use. Birds are a constant joy and entertainment in the garden—a bird-feeding station in a corner of your garden dedicated to bird life will be a continuing delight.

East Boxford, Massachusetts

- 6. RARE AND UNUSUAL PLANTS.** For half a century Kelsey-Highlands Nursery has been noted for its rare and new plants. Among the introductions of Harlan P. Kelsey have been some of America's choicest ornamentals. These include Carolina Hemlock, Pinkshell Azalea, Korean Chrysanthemum and the Kelsey Korean Hybrids, Galax, Grays Lily, Carolina Rhododendron, White Carolina Rhododendron, Kelsey Catawba Rhododendron, Mountain Silverbell, Kelsey Locust and others. We grow many of the choicest introductions of the Arnold Arboretum, the U. S. Department of Agriculture, etc. To those who enjoy the adventure of trying lovely new and rare plants a visit to Kelsey-Highlands Nursery will prove a real thrill and an opportunity to choose from our many rare, new and seldom listed varieties.
- 7. COLLECTED NATIVE PLANTS.** Roadsides, woodlands, banks, borders and the like are delightfully and permanently improved by a free use of our choice and beautiful native plants and flowers. Our list of hardy American bulbs, ferns, herbaceous perennials and low groundcover shrubs is extensive. Most of these can be supplied in strong cut "sods" or as individual clumps or plants. We supply any quantity and will gladly make up special carload prices when desired. See pages 21-66 for further information.
-

WHEN ORDERING PLEASE NOTE

NOMENCLATURE. Standardized Plant Names is authority for names used in this catalog.

PRICES in this catalog cancel all previous lists and are subject to change without notice. Prices are at nursery, or f.o.b., East Boxford, Mass. Station, or loaded for truck delivery, and include all packing charges, except where special methods are requested or bulky or unusual shaped plants are involved.

GRADE. We supply a standard grade of stock, but when unusual specimen material is selected an extra charge will be made to fit the value.

SHIPPING INSTRUCTIONS. State whether by Freight, Express, Truck or Parcel Post and exact destination. Otherwise we use our best judgment, but assume no responsibility thereby. We deliver by truck all over New England and nearby States at reasonable rates.

PLANT INSURANCE. We assume no risk after delivery to Transportation Agency in good condition. As we have no control of plant material after it leaves our hands, we do not guarantee its life nor replace without charge. Where plantings are done by us we will insure plants for a given period at reasonable rates to fit the risk involved.

LARGE TREES will be transported by Tree Machine or heavy truck at reasonable cost, depending on size and distance of delivery.

TERMS. Cash with order, entitling you to 5% discount; or satisfactory reference from unknown customers. To established credit accounts we allow 30 days from date of invoice, charging 6% for accounts overdue.

CLAIMS for errors must be made on receipt of goods. Any mistake or fault on our part will gladly be rectified.

HARLAN P. KELSEY, Inc.
Kelsey-Highlands Nursery
East Boxford, Massachusetts

Kelsey-Highlands Nursery



The BEARBERRY, *Arctostaphylos uva-ursi*, taking possession of a sand bank on Cape Cod. Our most beautiful Hardy Trailing Ground Cover. (See page 15.)

INDEX

	Page		Page		Page
Abies	5	Arenaria	49	Bleedingheart	53
Acer	21	Aristolochia	47	Bluebead	61
Achillea	49	Armeria	49	Blueberry	45, 61
Aconitum	49	Aronia	22	Bluets	55
Acorus	61	Arrowwood	45	Bocconia	51
Actinidia	47	Aruncus	49	Bog-rosemary	15
Aesculus	21	Asarum	49	Box	15
Ailanthus	22	Asclepias	49	Broom	27
Ajuga	49	Aster	50	Buckthorn	40
Akebia	47	Astilbe	51	Bugbane	52
Alder	60	Azalea	23	Bugle	49
Almond	37			Bunchberry	61
Alnus	60	Balloonflower	58	Burningbush	28
Althaea	49	Baptisia	51, 61	Bushclover	32
Alumroot	55	Barberry	15, 24	Bushhoneysuckle	27, 60
Alyssum	49	Bayberry	35, 61	Butterflyweed	49
Amelanchier	22, 60	Bearberry	15	Buxus	15
Amorpha	22	Beautybush	31		
Ampelopsis	47	Beebalm	56	Calluna	15
Andromeda	15, 18	Beech	29	Calopogon	51
Anemone	49	Bellflower	51	Caltha	51
Anthemus	49	Benzoin	60	Calycanthus	25
Apricot	37	Berberis	15, 24	Campanula	51
Aquilegia	49	Betula	24, 60	Campion	56
Arabis	49	Bignonia	47	Candytuft	55
Aralia	22	Birch	24, 60	Caragana	25
Arborvitae	11	Bittersweet	47	Cardinalflower	56
Arctostaphylos	15	Bladder-senna	25	Carpinus	25

East Boxford, Massachusetts

INDEX

[Continued]

	Page		Page		Page
Castanea	25	Enkianthus	28	Iberis	55
Catchfly	58	Epigaea	17	Ilex	17, 31
Celastrus	47	Erica	17	Indigo	31
Centaurea	51	Erigeron	53	Indigobush	22
Cerastium	51	Euonymus	28, 47	Indigofera	31
Chamaecyparis	6	Eupatorium	53	Inkberry	17
Chamaedaphne	60	Exochorda	29	Iris	55
Chelone	51			Itea	31
Cherry	37	Fagus	29		
Chestnut	25	False-dragonhead	58	Joe-pye-weed	53
Chimaphila	61	False-indigo	22	Juniper	6
Chinquapin	25	False-spirea	41	Juniperus	6
Chiogenes	61	Featherfleece	59		
Chionanthus	25	Ferns	54	Kalmia	17, 60
Chokeberry	22	Fir	5	Kolkwitzia	31
Chrysanthemum	51	Fleabane	53		
Cimicifuga	52	Forsythia	29	Labrador-tea	17
Cinquefoil	18, 37, 62	Forthergilla	29	Ladyslipper	57
Cladrastis	25	Foxglove	53	Lambkill	17, 60
Clematis	47	Fringe-orchid	57	Lamium	55
Clethra	25, 60	Fringetree	25	Larch	32
Clintonia	61			Larix	32
Columbine	49	Gaillardia	54	Larkspur	52
Colutea	25	Galax	17	Leatherleaf	60
Comptonia	60	Gaultheria	62	Ledum	17
Convallaria	52	Gayfeather	55	Leiophyllum	17
Coptis	61	Gaylussacia	60	Leopardbane	53
Coralbells	55	Geum	54	Lespedeza	32
Coralberry	43	Gleditsia	29	Leucothoe	18, 32
Coreopsis	52	Goatsbeard	49	Liatris	55
Corktree	36	Goldentuft	49	Ligustrum	32
Cornus	25, 61	Goldeye-grass	55	Lilac	43
Corylus	26	Goldmoss	58	Lilium	55
Cotoneaster	17, 26	Goldthread	61	Lily	55
Crab, Flowering	34	Groundsel	58	Lily-of-the-Valley	52
Cranberry	62	Gypsophila	54	Linden	44
Cranberrybush	45			Lobelia	56
Crataegus	26	Habenaria	54	Locust	40
Cydonia	27	Halesia	29	Lonicera	32, 47
Cypress	6	Hamamelis	30	Loosestrife	56
Cypripedium	52	Hardhack	61	Lupin	56
Cytisus	27	Hawthorn	26	Lupinus	56
		Hazelnut	26	Lychnis	56
Daphne	17, 27	Heath	17	Lycium	48
Daylily	54	Heather	15	Lysimachia	56
Deadnettle	55	Helenium	54	Lythrum	56
Deerberry	45	Helianthemum	54		
Delphinium	52	Hemerocallis	54	Magnolia	33
Dennstedtia	54, 61	Hemlock	13	Maianthemum	62
Deutzia	27	Hepatica	54, 62	Maidenhair	54
Dianthus	52	Heuchera	55	Malus	34
Dicentra	53	Holly	31	Maple	21
Diervilla	27, 60	Hollyhock	49	Marshmarigold	51
Digitalis	53	Honeylocust	29	Matrimonyvine	48
Dioscorea	47	Honeysuckle	32, 47	Meadowrue	59
Dogwood	25	Hophornbeam	35	Merrybells	59
Doronicum	53	Hornbeam	25	Mitchella	18, 62
Douglasfir	11	Horsechestnut	21	Mockorange	36
Draba	53	Hosta	55	Monarda	56
Dusty Miller	51	Houseleek	58	Moneywort	56
Dutchmans-pipe	47	Houstonia	55	Monkshood	49
		Huckleberry	60	Mountainash	41
Elaeagnus	28	Hydrangea	31, 47	Mountain-holly	61
Elm	44	Hypericum	31	Mountainlaurel	17
Elsholtzia	28	Hypoxis	55	Myrica	35, 61

Kelsey-Highlands Nursery

INDEX

[Continued]

	Page		Page		Page
Nannyberry	45	Raspberry, Flowering	41	Sweetbells	32
Nemopanthus	61	Redcedar	6	Sweetfern	60
Nepeta	56	Retinospora	6	Sweetflag	61
Ninebark	36	Rhamnus	40	Sweetshrub	25
Nyssa	35	Rhododendron	18	Sweetspire	31
		Rhodora	40	Symphoricarpos	43
Oak	40	Rhus	61	Syringa	43
Oconee-bells	20	Robinia	40		
Oenothera	56	Rockcress	49	Taxus	11
Orchid	57	Rosa	41, 48, 61	Thalictrum	59
Orchis	57	Rose	41, 48, 61	Thermopsis	59
Ostrya	35	Rubus	41	Thorn	26
Oxydendrum	35	Russian-olive	28	Thrift	59
				Thuja	11
Pachistima	18	Salix	41	Thyme	59
Pachysandra	18	Sandmyrtle	17	Thymus	59
Pansy	59	Sandwort	49	Tilia	44
Partridgeberry	18, 62	Saponaria	58	Tradescantia	59
Pearlbush	29	Savin	6	Trailing-arbutus	17
Pea-shrub	25	Saxifraga	58	Trilium	59
Peatree	25	Saxifrage	58	Trumpetcreeper	47
Penstemon	57	Schizophragma	47	Tsuga	13
Periwinkle	20	Sedum	58	Turtlehead	51
Phellodendron	36	Sempervivum	58		
Philadelphus	36	Senecio	58	Udo	22
Phlox	57	Shadblow	22	Ulmus	44
Photinia	36	Shinleaf	62	Uvalaria	59
Physostegia	58	Shortia	20		
Physocarpus	36	Silene	58	Vaccinium	61
Picea	7	Silverbell	29	Veronica	59
Pieris	18, 36	Sneezeweed	54	Viburnum	45
Pine	9	Snow-in-summer	51	Vinca	20
Pink	52	Soapwort	58	Viola	59
Pinus	9	Sods and Field Grass	62	Violet	59
Pinxterbloom	23	Solomonseal	58	Virginsbower	47
Pipsissewa	61	Sorbaria	41		
Plantainlily	55	Sorbus	41	Wallcress	49
Platycodon	58	Sourwood	35	Weigela	46
Plum	37	Speedwell	59	Whitlowgrass	53
Plumpoppy	51	Spicebush	60	Wildginger	49
Pogonia	58	Spiderwort	59	Wild-indigo	51, 61
Polygonatum	58	Spiraea	42, 61	Willow	41
Polypodium	54	Spiranthes	58	Winterberry	31
Polypody	54	Spirea	42, 61	Wintercreeper	47
Poplar	37	Spruce	8	Wintergreen	62
Populus	37	Staggerbush	36	Wistaria	48
Potentilla	18, 37, 62	Statice	59	Witchhazel	30
Primrose	48	St. Johnswort	31	Witherod	45
Privet	32	Stenanthium	59		
Pseudotsuga	11	Stonecrop	58	Yellowroot	46
Prunus	37	Sumac	61	Yellowwood	25
Pyrola	62	Summersweet	25	Yew	11
		Sundrop	56	Yucca	20
Quercus	40	Sunrose	54		
Quince, Flowering	27	Sweetbay	33	Zanthorhiza	46



FLAME AZALEA
(*Azalea calendulacea*)

The most regal of all species, native or exotic, and a noble representative of our rich Carolina mountain flora. See pages 23 and 63.




Photo by Herbert W. Gleason

SARGENT CRAB (*Malus sargentii*)

A true dwarf Flowering Crab, really a spreading low shrub seldom over 8 feet in height. A profusion of white flowers followed by persistent red fruit are characteristic even in the smaller sizes. See Page 35.



Photo by Herbert W. Gleason



CATAWBA RHODODENDRON (*Rhododendron catawbiense*)
CREEPING BLUETS (*Houstonia serpyllifolia*)

The hardiest and best all-round Rhododendron. Color, bright red-purple but with considerable variation. Leaves dark shining green. The Creeping Bluet is a choice Carolina mountain flower for bank or rock garden. See pages 18, 55 and 64.

KOREAN CHRYSANTHEMUM (*Chrysanthemum coreanum*)

A choice introduction of Harlan P. Kelsey. For descriptions and prices of this and the amazing new Korean hybrids see pages 51 and 52.

